

D 104

311 D

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES
Bureau of Land and Water Resources

COUNTY WELL LOCATED Lamar		
WELL NUMBER No. 1 C.S. CODED	CODED	PERMIT NUMBER
WARDEN		NAME OF DRILLING FIRM Griner Drilling Service, Inc.
DATE WELL COMPLETED 2-22-89		

P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER SUN Exploration & Production		
P.O. Box 219003		
Dallas, Tx. 75221		
WELL LOCATION: SEC	TOWNSHIP	RANGE
	29 4	N 15 E
DISTANCE DIRECTION NEAREST TOWN 1500' N 1700' E OF SW/COY		
OTHER LANDMARK Tatem Camp		
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. Oilfield Rig Supply		

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, Jet, Flowing Well, Other (Describe) 1 1/2 H.P.		
POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) 230 volt 3 phase		
Pump Capacity (GPM) 100	No. of Stages	Setting Depth FT.
PUMP TEST		
Well yielded 100 GPM with		
a drawdown of _____ ft.		
after 3 hours of pumping		

WELL DATA		
Well Depth 310'	Casing Diameter (In.) 4"	Casing Length (Ft.) 250'
Type of Casing PVC	Hole Depth 310	Depth to Static Water Level 30
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other		
Top of Lap Pipe or Reduction in Casing		
FEET	IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE	

LOG DATA	
TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 4"	Length - Feet 30'	Slot Size - Inches .010
Screen Type PVC	Depth to Bottom - Feet 250'-280'	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
clay	0	20			
sand, gravel	20	85			
clay	85	130			
sand, gravel	130	195			
clay	195	230			
SAND	230	250			
sand - fine	250	310			

RECEIVED

IF MORE SPACE IS NEEDED, USE BACK