County: Lamar	State Well Report	For Office Use Only:
Permit #:	Jackson MS 30280.0631	Aquifer:
	(601)354-6938 (fax)	E-log #:

Well Location Latitude: 31 • 19.110" Longitude: 89 • 30.108" Mailing Address: 1423 Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPS,) Survey-grade GPS Direction Telephone No. (601) Miles WNW Well Data Purpose of Well (circle one) Home Industrial Public Supply (irrigation) Fish Culture Other: Date well dritting started: 11-20-08 Date well drilling completed: 11-21-08 If flowing, method of flow regulation: Valve \_\_\_\_\_ Other (describe) Static Water Level: 35 feet above on below (circle one) land surface Date measured: 11-21-08 Method of Measurement (circle one) steel tape electric tape other: Sania air line Hole depth: 88 Well depth: 86 Well grouted to a depth of 12 feet Type of grout (circle one): (Cement) Bentonite' Mix Cosing length; loke feet Cating diameter: \_\_ \_\_\_\_inches Type of casing: PVC Screen length: 20 feet Screen diameter: inches Type of screen: Slotted PUC Scroen slot size: .008 inches Setting depth; From 66 \_\_feet to 86 Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: \_\_\_feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Ganuna Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Print Name of Water Well Contractor and License No. Signature of Water Well Contractor

RECEIVED

JAN 1 4 2009

BY: OLWR

Ground Level

If well telescopes please sketch below and show depths.

D-	17	79
----	----	----

•	Description of Formations Encountered	Kinii	
	Red clay sandy	0	9
		9	ZZ
· ·	Sand		122
	Clau	2.2	
<b>l</b> .	Sandy clay	25	30
	Sounds w/some pea grove	30	74
			86
	pra grave!	86	125
	class		28
			↓
	·	` <b>\</b>	1
	***		1
			<del>†                                      </del>
			+
			<b>ļ.</b> —
			1
			1
		<del></del>	+-
			<del> </del>
		l	
			T
			$\top$
		<del></del>	┿
			┼
			1
			+

If more than one screen, show location of each on sketch

etch the property layout and include the following: 1) the well location; 2) any permanent stru- aid in locating the well; 3) any roads, power lines, or other items that may aid in lo- 4) indicate direction.	cating the property and the well;
	<b>1</b> N
□ \	
To 98, 11/2 miles	
andowner Name: Mike Sims	

Signature of Water Well Contrador

RECEIVED

JAN 1 4 2009

BY: OLWR

County Lamar

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Juckson, MS 39289-0631 (601)961-5210

For Office Use Only:
Aquifer:
Well #: D-/79
Elevation:

Permin #: (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the Well Owner Information Well Location Lutitude: 310 19 110' Longitude: 89° 30.108' Mailing Address:\_ Method of LavLong (circle one): Conventional Survey, USGS good, Hand-held GPS) Survey-grade GPS NU 14 SW 14 Sec\_ 10 Twn\_ 4NRng 15 W Distance Direction Nearest Town Telephone No. (661) 264 -254 Z Miles WNW of Bellevu Pump Type Power Type Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine (Electric Motor) Hand Tractor PTO Centrifugal Flowing Welt Windmill Other (specify): \_ Other (specify); \_\_\_ Date Pump Installed: 12 -17-06 Setting Depth: \_\_\_ Rated Pump Capacity: \_\_\_\_ \_Gallons Per Minute Number of Stages: \_\_\_\_ Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): 35 Feet Below Lund Surface Other (specify): Sonic Pumping Water Level (B): Feet Below Land Surface Drawdown ((B) - (A)) Feet Below Land Surface For flowing well, measured shut to head: \_\_\_\_\_feet Test Pumping Rate: \_\_\_\_\_ Gallons Per Minute TGPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours feet after 🚾 \_\_\_hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Print Name of Pump lykutter and License No. (if applicable) Signature of Pump In:

RECEIVED

JAN 14 2009

BY: OLWR