State W	ell Report	
Part 1 – 1	Oriller's Log	For Office Use Only: Aquifer: \(\sum_{\begin{subarray}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Mississinni Denartmer	Mississippi Department of Environmental Quality	
P.O.	Office of Land and Water Resources P.O. Box 2309	
	n, MS 39225	L. S. Elevation:
	961- 5210	L. S. Elevation:
Date draining completed. (601)96	1- 5228 (fax)	E-log #:
State Law requires that this report be prepared by the lic	ense holder responsible for t	he work and filed with the
Department at the above address within 30 days of comp	pletion of drilling of the well	or borenoie.
Information on Well Owner	1	rehole Location
(Landowner if borehole is not for a water well) Other Name Marcia Hariaht	Latitude: 9 • 17 .45	" Longitude: 89 ° 27 · 46,
The state of the s	Method of Lat/Long (circle or	ne): Conventional Survey,
Mailing Address: 309 Bent Creek	USGS quad, Hand-held	GPS, Survey-grade GPS
1.11	Mt 1/2 Story Sec 24	$_{\text{Twn}}$ $\frac{4N}{R}$ Rng $\frac{15W}{1}$
Hattiesburg MS 34402	ISW SE	
City State Zip Code	Distance Direction Miles	of Oakgrove
Telephone No. ()		
Well / Bore	hole Data	
Date drilling started 2-10-11 Date drilling completed: 2-10		Hole diameter: 71/2 11
	4	
Location of the source of any surface water used for drilling:C Method of dosing and volume of Chlorine used in drilling and deve		
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):		
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Ground	I Source Heat Pump
Seismic Survey Other (describe	e) on, skip the remainder of this bl	ock
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 40 feet above of below (circle one) land surface Date measured: 2-0-11		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 15 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cernent Bentonite Mix		
Casing length: 65 feet Casing diameter: 4 inches Type of casing: 60 1/0		
Screen length: 20 feet Screen diameter: 4 inches Type of screen: VC		
Screen slot size: .008 inches Setting depth: From 65 feet to 85 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page		

RECEIVED

Form: OLWR-SWR-1A (04/08)

MAR 1 1 2011

BY: OLWR

		_		_	
The sketch	below	only.	required	for	water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	Γo (depth)
topsoil clay sand	Ground Level	1
clav		55 85
scod	55	85
		
	 	
	 	
		
		
		

If more than one screen, show location of each on sketch

Sketch the property layout and inc aid in locating the w 4) a north arrow.	lude the following: 1) the well location; 2) any permanent strell; 3) any roads, power lines, or other items that may aid in left.	uctures on the property that may ocating the property and the well;
Hwy 98W ->		
		RECEIVED
	*	MAR 1 1 2011
		8Y° OLWF
Landowner Name: Mari	cia Wright	Form: OLWR-SWR-1A (04/08

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES WELLS 0-586		James Wells
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee

STATE WELL REPORT

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality amar County: Office of Land and Water Resources Permit#: P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well#:		
Elevation:		

	And the state of t	
This report should be prepared by the pump installer in detail	il and filed with the Department them: 20 days of the	
installation of pump. Well Owner Information	Well Localisa	
Owner Name: Marcia Wright	Latitude: Longitude:	
Mailing Address: 204 Bent Creek	Method of Lat/Long (circle one): Conventional Survey,	
•	USGS quad, Hand-held GPS, Survey-grade GPS	
Hattiesburg MS 39402	4 Sec 84 Twn 4N Rng 15W	
City State Zip Code	Distance Direction Nearest Town	
Telephone No. ()	2 Miles W of Oakgrove	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 2-10-11	Setting Depth: 70 feet	
Rated Pump Capacity: Gallons Per Minute	Number of Stages:	
	Method of Measuring Water Level	
Pump Test Data	Method of Messaring Water Level	
Date Well Tested: 2-10-1	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A): 40 Feet Below Land Surface	Other (specify):	

I HEREBY CERTIFY that the above statements are true to the best of my know	Primer Walls
TAMES WELLS 0-586	Signature of Pump Installer
Print Name of Pumo Installer and License No. (if applicable)	DEMINICULTURE TO THE PROPERTY OF THE PROPERTY

Well yielded

Feet Below Land Surface

Feet Below Land Surface

Gallons Per Minute

Pumping Water Level (B):

Duration of Pump Test (minimum 4 hours):

Drawdown [(B) - (A)]:

Test Pumping Rate:

RECEIVED

GPM with a drawdown of

hours of pumping

For flowing well, measured shut in head:

MAR 1 1 2011

BY: OLWR