County: LAMAY
Permit #:
Driller JAMES WELLS
Date drilling completed: (2-19-0)

State Well Report

Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:
Aquifer:
Well #: E-285
L. S. Elevation:
E-log #:

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

30 days of completion of drilling of the well.				
30 days of completion of draining of the wear. Well Owner Information	Well Location			
Owner Name Barbare Dleis	Latitude: ' ' Longitude: ' "			
Mailing Address: 30 Ballamhas Dave	Method of Lat/Long (circle one): Conventional Survey,			
Scatterly MS	USGS quad, Hand-held GPS, Survey-grade GPS			
39402	1/4 Sec_ 27 Twn 4 N Rng 14 W			
City State Zip Code	Direction Nearest Town			
Telephone No. ()	Distance Direction Nearest Town 2 Miles W of Watter			
Well I	Data			
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other:			
Date well drilling started: 12-19-07 Date	well drilling completed: 12-19-07			
If flowing, method of flow regulation: Valve Other (d	lescribe)			
It Howing, method of How regulation.	12-19-12			
Static Water Level: 90 feet above or below (circle one)				
Method of Measurement (circle one) steel tape electric tape	air line other.			
Hole depth: 180 Well depth: - 180 Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 160 feet Casing diameter:	inches Type of casing:			
Screen length: 20 feet Screen diameter:	inches Type of screen: PUC			
Screen length:	1 h 6 for to 1 8 0 feet			
Screen slot size: 008 inches Setting depth: From 60 feet to 180 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
I certify that the well was drilled, constructed, and completed in accordance with an applicable requirement				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Tobar serves or				
JAMES WELLS 0-586	James Wells			
	Signature of Water Well Contractor			
Print Name of Water Well Contractor and License No.				

RECEIVED

JAN 0 9 2008

BY: OLWR

a 171		Description of Formations Encountered	From	10
Ground Level		7 cros w	0	12
		e'lu s	2	140
		dall	40	180
	1			1
				
				╆╾
				╀
				<u>_</u>
				1
				T
				T
				+-
				╂
				╀
				↓_
				1_
			ı	1
				П
				1
				╁
				╁
				1
				Т
				十
	· ·			+
	,			╅
	ļ			
4) indicate dire	CHOH.			
				•
•				
15				
13	entrus D. Len			
owner Name:	envays During	<u> </u>		
1	,			
	1/0//			

Signature of Water Well Contracto

' If well telescopes please sketch below and show depths.

RECEIVED

E-285

JAN 0 9 2008

BY: OLWR

STATE WELL REPORT

Part 2

County: _____ Pump Installer's Completion Report
Mississippi Department of Bavironmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: <u>E</u> -285		
Elevation:		

i		
This report should be prepared by the pump installer in detail	l and filed with the Department within 30 days of the	
·	Well Location	
Well Owner Information		
Owner Name: Barron Dels	Latitude:Longitude:	
Owner Name: 13 00000 12 1000		
Mailing Address: 30 Ballantra, Die	Method of Lat/Long (circle one): Conventional Survey,	
11 tt . 10 c 2 91 c 2	USGS quad, Hand-held GPS, Survey-grade GPS	
Hottustry M5 39402		
	14 Sec 27 Twn 4 M Rng 14 W	
City State Zip Code	_	
City State Zap Code	Distance Direction Nearest Town	
	2 Miles 5 W of Hatteistring	
Telephone No. ()	Miles of	
	Power Type	
Pump Type Circle onc	Circle one	
Character	Cocoline Projec Natural Gas	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
	Electric Motor Hand Tractor PTO	
Bucket Piston Turbine	1300410	
Considered Rotary Flowing Well	Windmill Other (specify):	
Centrifugal Rotary Plowing West	2	
Other (specify):	Horse Power Rating of Motor:	
Other (specify).	Scating Depth: /2-19-07 feet	
Date Pump Installed: 12-19-07		
	Number of Stages: 12	
Rated Pump Capacity: 30 Gallons Per Minute	A1122	
Pressp Test Data	Method of Measuring Water Level Circle one	
<u>-</u>	CHICE ONE	
Date Well Tested:	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A): 70 Feet Below Land Surface		
l	Other (specify):	
Pumping Water Level (B): 140 Feet Below Land Surface		
1.	a to the state of	
Drawdown [(B) - (A)]: 90 Peet Below Land Surface	Lot nowing ach' measured when many	
3 3	Well yielded 3 () GPM with a drawdown of	
Test Pumping Rate: Gallons Per Minute	,	
Duration of Pump Test (minimum 4 hours): hours	90 feet after 4 hours of pumping	
Duranon of Panib 1028 (managing 2 month).		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.		
TIMES 117116 0-586		
JAMES WELLS 0-586	Signature of Pump Installer	
Print Name of Pamp Installer and Licease No. (if applicable)		

JAN 0 9 2008

BY: OLWR