

LAMAR  
 F 2007  
 5-6-83

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

Southport Mall

P.O. Box 10631

Jackson, Mississippi 39209

WATER WELL DRILLERS LOG

TOO. GRIFFITH  
 PLUMBING & REPAIR SERVICE, INC.

LAMAR  
~~MISSISSIPPI~~

5-6-83  
 date well completed

see firm name

county well located

| LANDOWNER: <u>Al Herbergeon</u>  | description of formations encountered | from        | to          |
|--|---------------------------------------|-------------|-------------|
| <u>Rt. 6</u>   |                                       |             |             |
| <u>Columbia, MS 39429</u><br>(mailing address)                                 | <u>Topsoil</u>                        | <u>0'</u>   | <u>1'</u>   |
|  | <u>Chalk</u>                          | <u>1'</u>   | <u>42'</u>  |
|  | <u>Sand</u>                           | <u>42'</u>  | <u>45'</u>  |
|  | <u>Chalk</u>                          | <u>45'</u>  | <u>230'</u> |
|  | <u>Sand &amp; Pea Gravel</u>          | <u>230'</u> | <u>300'</u> |
| <b>WELL LOCATION:</b>  |                                       |             |             |
| sec. <u>31</u> T. <u>3</u> N. R. <u>16</u> E.                                  |                                       |             |             |
| <u>12</u> miles <u>NE</u> of <u>Columbia</u>                                   |                                       |             |             |
| (distance) (direction) (nearest town)  |                                       |             |             |
| <b>WELL PURPOSE:</b> <u>home</u><br>(home, irrigation, municipal, industrial)  |                                       |             |             |
| <b>WELL COMPLETION DATA:</b>   |                                       |             |             |
| (1) diameter (inches) <u>4"</u>  |                                       |             |             |
| (2) total depth (feet) <u>280</u>  |                                       |             |             |
| (3) static water level (feet) <u>150</u> <sup>below</sup> above top of ground. |                                       |             |             |
| (4) casing <u>PVC</u> , <u>280</u> ,<br>(material) (depth)                     |                                       |             |             |
| <u>N/A</u> If telescope see back.<br>(size)                                    |                                       |             |             |
| (5) screen <u>20</u> , <u>280</u> ,<br>(length) (depth to top)                 |                                       |             |             |
| <u>4"</u> , <u>PVC</u><br>(size) (material)                                    |                                       |             |             |
| (6) pump <u>1</u> , <u>12</u><br>(HP) (yield gpm)                              |                                       |             |             |
| <u>electric</u><br>(type power)  |                                       |             |             |
| (7) electric log <u>none</u><br>(yes or no)                                    |                                       |             |             |
| <u>N/A</u><br>(organization running log)                                       |                                       |             |             |
| (8) how well bottom plugged <u>check</u><br><u>water</u> <u>1300V</u>          |                                       |             |             |
| <b>DRILLERS REMARKS:</b>   |                                       |             |             |

DEPT. OF NATURAL RESOURCES  
 BUREAU OF LAND & WATER RESOURCES

MAY 18 1983

RECEIVED