County: Lamar Permit #: Driller: Gary Rayborn Date drilling completed: 5-6-05	P Mississippi Department Office of Land a P.O. B Jackson, M (601)	ell Report art 1 t of Environmental Quality nd Water Resources Box 10631 IS 39289-0631 961-5210 4-6938 (fax)	For Office Use Only: Aquifer:
			· · · · · · · · · · · · · · · · ·
State Law requires that this rep 30 days of completion of drilling			
Well Owner Inform			Location
Owner Name DED Dr. 1		Latitude: <u>31 • 04 '30 "</u> Longitude <u>s'1 • 38 '20 '</u>	
Mailing Address: P.O. Box	1634	Method of Lat/Long (circle or	ne): Conventional Survey,
	······	USGS quad, Hand-held	I GPS, Survey-grade GPS
Ferriday 1	A 71334	NE 14 SE 14 Sec 6	$_{\rm Twn}$ / N Rng / 6ω
	tate Zip Code	Distance Direction	Nearest Town of Baxterville
Telephone No. (318) 757 - 3	1274	<u>4</u> Miles <u>NW</u>	of Baxterville
	Well I		
Purpose of Well (circle one) Home In	dustrial Public Supply	Irrigation Fish Culture	(Other:) Rig Suppl
Date well drilling started: 5-6-0	05 Date	well drilling completed: <u>5</u>	6-05
If flowing, method of flow regulation: Va	· · · ·		
Static Water Level: <u>48</u> feet a			
· · ·	steel tape electric tape		
Hole depth: 160 Well d	lepth: 160	Well grouted to a depth of	feet
Type of grout (circle one): Cement	Bentonite Mix		
	sing diameter: <u>4"</u>		PVC
Screen length: <u>20</u> feet Scr	reen diameter: <u>4"</u>	inches Type of screen:	PVC
Screen slot size: 1020 inches		140 feet to	160 feet
Type of completion (circle all applicable)		reamed Telescoped Oper	
Type of completion (encie an approach)		• •	-
Top of lap pipe or reduction in casing:	-		
Logs run (circle all applicable) No log r	run) Electrić Gamma Ray	Density Sonic Neutron	Other:
Name of organization running log(s):		V 141 11 11 11 11	
I certify that the well was drilled, const Department of Environmental Quality			
Department of Environmental Quality	anaror and wrississippi Def	var unene or ricarui regulation	U WARKE DURING ARE TY DA
Rayborn Drilling	Inc 0-60	>	2
Print Name of Water Well Contractor and	/	Signature	Water Well Contractor
			жалан алан алан алан алан алан алан алан

t. **e**≢ ¹. 4

If well telescopes please sketch below and show depths.

Ground Level

I	Description of Formations Encountered	From	То
-	Clay,	0	115
	sand	115	140
	······································		
			<u>├</u>
		-	
			1
	······································		

M-137

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

County: Lamar	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		For Office Use Only Aquifer:				
Permit #: Driller: <u>Gary Raybo</u> rn Date completed: <u>5-6-05</u>			Well #: <u>M - 132</u> Elevation:				
This report should be prepared by		il and filed with the Departme	ent within 30 days of the				
installation of pump. Well Owner Inforn	nation	Well Location					
Owner Name: D+DDril	ling	Latitude: Longitude:					
Mailing Address: P.O. Box 1634 Ferriday LA 71334 City State Zip Code		Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GF 1414 Sec6 Twn_IN_Rng_I(c					
				Distance Direction Nearest Town <u>A</u> Miles <u>NW</u> of <u>Baxterville</u>			
				Telephone No. 318, 757-	32/14	<u> </u>	of Daxterv, Te
				Ритр Туре			ower Type
		Circle one			Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasol	ine Engine Natural				
Bucket Piston	Turbine	Electric Motor Hand	Tractor				
Centrifugal Rotary	Flowing Well		r (specify):				
Other (specify):		Horse Power Rating of Moto	or: <u>5</u>				
Date Pump Installed:54-0	15	Setting Depth: feet					
Rated Pump Capacity:60	Gallons Per Minute	Number of Stages:					
Pump Test Da	ata		leasuring Water Level				
Date Well Tested:			Circle one				
Static Water Level (A):Feet Below Land Surface			easuring Line Steel Ta				
Pumping Water Level (B):F		Other (specify):					
		For flowing well measured	shut in head:				
Drawdown [(B) – (A)]:		-	GPM with a drawdown				
Test Pumping Rate: <u>60</u>	Gallons Per Minute	· · · · · · · · · · · · · · · · · · ·					
Duration of Pump Test (minimum 4 hor	urs):hours	feet after	hours of pur				
							

a Series Second A statistics of the second .