		en Report	For Office Use Only:			
County: Lamar	Part 1		Aquifer:			
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		•			
Driller: Gary Rayborn	P.O. Box 10631		Well #: M - 142			
		IS 39289-0631	L. S. Elevation:			
Date drilling completed: 52705		961-5210 1 6038 (fax)	E-log #:			
(601)354-6938 (fax)		1-0936 (IdA)	D log ".			
State Law requires that this rep	State Law requires that this report be prepared by the driller in detail and filed with the Department within					
30 days of completion of drilling		Wol	Location			
Well Owner Information						
Owner Name D+D Drilling		Latitude:'	" Longitude:			
Mailing Address: P.O. Box 1634		Method of Lat/Long (circle or	ne): Conventional Survey			
Ivianing Address.		TICCS and Hand held	GPS Survey-grade GRS			
F 2 M221		USUS quad, Hand-held	GPS, Survey-grade GPS			
Ferriday LA 71334 City State Zip Code		1414 Sec_18	Twn IN Rng 16W			
1		Distance Direction Nearest Town  Miles W of Batteru 12				
Telephone No. (3R) 157 - 32	<u> </u>	Miles	of Batteru, IR			
	Well 1	l Data				
$R \sim R \sim R$						
2 day out of the control of the cont						
Date well drilling started: 527	05 Date	well drilling completed:	5/27/05			
If flowing, method of flow regulation: Valve Other (describe)						
Ti flowing, method of flow regulation.	Oliner (S		5/27/05			
Static Water Level: feet above or below (circle one) land surface Date measured: 5   2 7   0 5						
Method of Measurement (circle one) steel tape electric tape air line other:						
Hole depuit Well depuit Hole growth to the septime.						
Type of grout (circle one): Cement Bentonite Mix						
Casing length: 180 feet Casing diameter: 41 inches Type of casing: PVC						
Screen length: 20 feet Screen diameter: 4" inches Type of screen: PVC						
1						
Screen slot size: 6020 inches Setting depth: From 180 feet to 700 feet						
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development						
Other (describe):						
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page						
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:						
Name of organization running log(s):  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi						
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.						
Rayborn Dr. Iling Inc 0-60						
Signature of Water Well Contractor						

**State Well Report** 

Ground Level

Landowner Name: \_

Description of Formations Encountered	From	10
Red Sand & Clay	0	35
,		<b>-</b>
white chalk	35	140
med Sand	140	200
med Jana	שך	250
Ţ		
i i i i i i i i i i i i i i i i i i i	S 40 € 7	
<del></del>	2 : 2	305
	process of the	AFF
BY:	<del>レニ</del>	<del>/V T</del>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) to aid in locating the well; 3) any roads, power	he well location; 2) any permanent structures on the property that may r lines, or other items that may aid in locating the property and the well;
4) indicate direction.	4.1
	$\Lambda$ )
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Cate Foote	
Ga.	
71.5m 2.5m	
	118 2 1-01/110
well /M	4.8 a Barterville
Clear	Camp
Creek Rd.	
	Camp
	1
	<b>!</b>
	/
	5

Signature of Water Well Contractor

## STATE WELL REPORT

Part 2 Lamar **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit #: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

Print Name of Pump Installer and License No. (if applicable)

For Office Use Only:				
Aquifer:				
Well #:	142			
Elevation:				

Date completed: \_ (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the 300.24200Well Owner Information Well Location Owner Name: Latitude: Longitude: Mailing Address: Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS Ferriday Twn IN Rng (6W) Nearest Town Direction Distance Telephone No. (318) 757-3274 of Barter ville **Pump Type Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Jet Turbine Electric Motor Hand Bucket Piston Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_\_\_\_ Horse Power Rating of Motor: \_\_\_\_ Other (specify): 5-27-05 Date Pump Installed: \_\_\_\_ Setting Depth: \_\_ Rated Pump Capacity: \_\_\_\_\_\_Gallons Per Minute Number of Stages: \_\_ **Pump Test Data** Method of Measuring Water Level Circle one 5-27-05 Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_\_\_ Feet Below Land Surface Other (specify): Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Test Pumping Rate: \_\_\_\_\_ Gallons Per Minute GPM with a drawdown of Well yielded \_\_\_ Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours feet after hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Rauborn Drilling Inc 0-60

Signature of Fump Installer