	1 State W	en keport				
County: Lamar	P	art 1	For Office Use Only:			
•		of Environmental Quality	Aquifer:			
Permit #:	Office of Land and Water Resources P.O. Box 10631		Well #: M-187			
Driller: Gary Rayborn	1	S 39289-0631	L. S. Elevation:			
Date drilling completed: 12-5-06	1	961-5210	77.10-740			
	[601)352	1-6938 (fax)	E-log #:			
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.						
Well Owner Inform	ation	Wel	Location			
Owner Name D+D Drilling Inc		Latitude:'	_" Longitude:"			
Mailing Address: P.O.Box 1634		Method of Lat/Long (circle one): Conventional Survey,				
		USGS quad, Hand-held GPS, Survey-grade GPS				
Ferriday LA 71334						
Olly	ate Zip Code	Distance Direction Nearest Town 4 Miles 5 W of Bax ervile				
Telephone No. <u>318</u> <u>757 - 36</u>	279	4 Miles 5 W	of Daxtery 11e			
	Well l					
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Rig Supply						
Date well drilling started: 12-5-06 Date well drilling completed: 12-5-06						
If flowing, method of flow regulation: Va	alveOther (d	lescribe)				
Static Water Level: 45 feet above or below scircle one) land surface Date measured: 12-5-06						
Method of Measurement (circle one) steel tape electric tape air line other:						
Hole depth: 200 Well depth: 200 Well grouted to a depth of 6 feet						
Type of grout (circle one): Cement			D 16			
Casing length: 180 feet Cas	sing diameter: 4	inches Type of casing: _	PVC			
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC						
Screen slot size: 1020 inches Setting depth: From 180 feet to 200 feet						
Type of completion (circle all applicable)						
·	Other (describe):					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page						
Logs run (circle all applicable): No log i	run) Electric Gamma Ray	Density Sonic Neutron	Other:			
Name of organization running log(s):						
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi						
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.						
RAYBORN DRILLING, INC.	0-60	of a				
Print Name of Water Well Contractor an	d License No.	Signature	of Water Well Contractor			

RECEIVED

JAN 0 5 2007

If well telescopes please sketch below and show depths. Ground Level	Description of Formations Encountered From To
Citotina 2000i	Red Clay 0 60 Blue Chalk 60 160
	Sand 160 200
If more than one screen, show location of each on sketch	
aid in locating the well; 3) any roads, power lines 4) indicate direction.	ell location; 2) any permanent structures on the property that may s, or other items that may aid in locating the property and the well;
,	columbia Hay 98

aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.
columbia 14 ny 98
, lad
creek sonoi 12 my 13 creek 12 Gulfcamp Rd Baxterville
3 m
Landowner Name
Landowner Name:

Signature of Water Well Contractor

RECEIVED

JAN 0 5 2007

BY: OLWR

STATE WELL REPORT

Part 2

Lamar County: _ Permit #: Driller: Date completed: 12/5/06

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

For Office Use Only:	
Aquifer:	
Well #: <u>M - 187</u> Elevation:	

(601):	334-0938 (Iax)			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Information	Well Location			
Owner Name: D+D Drilling, Inc	Latitude:Longitude:			
Mailing Address: P.O.Box1639	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Ferriday, LA 71334 City State Zip Code	1414 Sec 7Twn IN Rng 16W			
City State Zip Code	Distance Direction Nearest Town			
Telephone No. 318, 757 - 3274	4 Miles 5W of Baxterville			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specifý):	Horse Power Rating of Motor: 5 HP			
Date Pump Installed: 12-5-06	Setting Depth: 105 feet			
Rated Pump Capacity: Gallons Per Minute	Number of Stages:			
D To-4 D-4-	Made J. S.M with J. W. Av. V. and			
Pump Test Data	Method of Measuring Water Level Circle one			
Date Well Tested: 12-5-06				
Static Water Level (A): 45 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
	Other (specify):			
Pumping Water Level (B):Feet Below Land Surface				
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: 60 Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
Gary Rayborn 0-60				
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer				
PECEIVED				

MECEIVED

JAN 0 5 2007

BY: OLWR