		ell Report	For Office Use Only:
County: Lamar		of Environmental Quality	Aquifer:
•	Office of Land at	nd Water Resources	Well #: M-197
Permit #:	P.O. B	ox 10631	
Driller: Gary Rayborn		S 39289-0631	L. S. Elevation:
Date drilling completed: 5/16/07	1 , ,	961-5210	E-log #:
		1-6938 (fax)	
State Law requires that this rep 30 days of completion of drillin	oort be prepared by the		
Well Owner Inform	ation	Wel	l Location
Owner Name D+DDrill		Latitude:'	_" Longitude:"
Mailing Address: P.O.BOX	1634	Method of Lat/Long (circle o	
			d GPS, Survey-grade GPS
Ferriday L	A 71334	<u> </u>	Twn <i>I N</i> Rng_ <i>I6W</i>
City	cate Zip Code	Distance Direction	of Baxterville
Telephone No. (318) 757 - 3	219	Miles	of Darier vine
•	Well	Data	
			Lother Ria Supply
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Rig Supply			
Date well drilling started: 5-16-	2007 Date	well drilling completed:	5-16-2007
If flowing, method of flow regulation:	Valve Other (describe)	5 11 200M
Static Water Level: 60 feet	above of below (circle one)	land surface Date measured	1: 5-16-2001
Method of Measurement (circle one)	steel tape electric tap		c (C) feet
Hole depth: 220 Well			f
Type of grout (circle one): Cement	Bentonite Mix		PVC.
Casing length: 200 feet Casing diameter: 4 inches Type of casing: PVC			
Screen length: 20 feet S	Screen diameter: 4	inches Type of screen:	
Screen slot size: 1020 inches Setting depth: From 200 feet to 220 feet			
Type of completion (circle all applicab	le): Gravel packed Und	erreamed Telescoped Op	pen hole Natural Development
			•
Top of lap pipe or reduction in casing:	feet. If	telescoped or more than one	screen, describe on back of page
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Name of organization running log(s):		Januaith all annlisa	ble requirements of the Mississippi
Name of organization running log(s): I certify that the well was drilled, co	nstructed, and completed i	n accordance with an applica	and state loves
Department of Environmental Qual	ity and/or the Mississippi I	Department of Health regulation	ions and state taws.

RAYBORN DRILLING, INC.

Print Name of Water Well Contractor and License No.

UN 18 007 BYLOLD R

Signature of Water Well Contractor

Ground Level		

Description of Formations Encountered	From	To
Chalk	0	50
SAND	50	70
CHAIK	70	160
Fine SAND COARSE SAND	160	180
COARSE SAND	180	220
	_	
		1

If more than one screen, show location of each on sketch

If more than one screen, show location of each on sketch
Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.
Grad Scarl Balter Balte
Landowner Name:

Signature o	f Wat	eWell	Contractor

STATE WELL REPORT

Part 2

County: Lamar

Date completed: 5-16-0

Permit #:

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: _M - /9 7		
Elevation:		

	il and filed with the Department within 30 days of the
installation of pump. Well Owner Information	Well Location
Owner Name: D+D Drilling INC	Latitude:Longitude:
Mailing Address: P.O Box 1634	Method of Lat/Long (circle one): Conventional Survey,
·	USGS quad, Hand-held GPS, Survey-grade GPS
FERRIDAY LA 71334 City State Zip Code	1/41/4 Sec_ 9Twn_ / NRng_ 16 W
City State Zip Code	Distance Direction Nearest Town
Telephone No. (318) 757-3274	Milesof Baxterville
Ритр Туре	Power Type
Circle one	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:5
Date Pump Installed: 5-16-07	Setting Depth: 126 feet
Rated Pump Capacity: 40 Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: 5-16-07	Air Line Electric Measuring Line Steel Tape
Static Water Level (A):Feet Below Land Surface	Other (specify):
Pumping Water Level (B):Feet Below Land Surface	Catalogue (CF-1-1).
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: 6 Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Gary Rayborn Signature of Pump Installer Print Name of Pump Installer and License No. (if applicable)

> JUN 18 2007 BYOLDS