State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Address: P. O. Box 16.34 Method of Lat/Long (circle one): Conventional Survey. USGS quad; Hand-held GPS, Survey-grade GPS Ferriday LA 71.334 City State Zip Code Distance Direction Well Data Well Data Well Owners, Information Well Data Well Owners, Information Well Data Well Data Well Data Well Data Well Owners, Information Well Data Well Data Well Data Well Owners, Information Well Data Well Data Well Data Well Data Well Owners, Information Well Data Well Dat			en Report	For Office Use Only:
Office of Land and Water Resources P.O. Box 1651 Jackson, MS 39289-0631 (601)961-5210 (601)961-5210 (601)961-5210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210 (601)961-6210	County: Lamar			Aguifer
To Box 1 (601)961-5210 State Law requires that this report be prepared by the driller in detail and filled with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Cocation Latitude: " "Longitude: " " "Longitude: " "Longitude: " "Longitude: " " " "Longitude: " " " "Longitude: " " " " " " " " " " " " " " " " " " "	Permit #:			M- JAI
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Work Name D+D Drilling Inc. Method of LauLong (circle one): Conventional Survey, Well Address: P. O. Box 16.34 Method of LauLong (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS Latitude: ""Longitude: "" Well Data Well Data Well Owner Information Latitude: ""Longitude: "" Method of LauLong (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS Well Data Wel		P.O. B	ox 10631	· .
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information When Name D+D Drilling Inc. Alling Address. P. O. Box 1634 Latitude: "Longitude: "Longi	Driller: Our y Nuger	1		L. S. Elevation:
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Day Jnc. Aliting Address: P. O. Box 16.34 Erenciay , LA 71334 City State Zip Code Distance Direction State Sw. of LoxXervy: Reg 16 w. Well Data Wel	Date drilling completed: 1-21-01	1		E-log #:
Alignost completion of drilling of the well. Well Location Well Location Well Location Well Location D+D Drilling Inc. Alignost Address: P. O. Box 16.34 Method of Lat/Long (circle one): Conventional Survey. USGS quad, Hand-held GPS, Survey-grade GPS Latitude: "Logo quad, Hand-held GPS, Survey-grade GPS Latitude: "Logo quad, Hand-held GPS, Survey-grade GPS Well Data Well		• • •	•	
when Name D+D Drilling Inc. alting Address: P. O. Box 1634 Method of LavLong (circle one): Conventional Survey, USGS quad; Hand-held GPS, Survey-grade GPS	30 days of completion of drilling	g of the well.		
Method of Lav/Long (circle one): Conventional Survey, LA 71334 City			Wel	l Location
USGS quad; Hand-held GPS, Survey-grade GPS Lelephone No. 318) 757-3274 Well Data Well Data Well Data Well Data Well Data Well drilling started:				
Late	Mailing Address: P. O. Box	1634		
Distance SW of Sw			•	
Well Data urpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Rig Supply ate well drilling started:	Ferriday, L	A 71334 ate Zip Code		
are well drilling started:	Telephone No. 318) 757-32	• .	Distance Direction Miles S W	of Baxterville
The well drilling started: 1-27-2007 Date well drilling completed: 7-27-2007 The well drilling in the well was depth of the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations and state laws. The well drilling in the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations and state laws.		Well I) Data	
creen length: 20 feet Screen diameter:inches Type of screen:	Date well drilling started: 1-27 If flowing, method of flow regulation: Value Static Water Level: 10 feet a Method of Measurement (circle one) Hole depth: Well depth: 15' Well depth: 15' Cement	Date alve Other (constant of below) (circle one) steel tape electric tape epth: Bentonite Mix	well drilling completed:	7-27-2007 10 & ECE/12
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): Certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. RAYBORN DRILLING, INC. O-60				PVC OLWI
Other (describe): Cop of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Vame of organization running log(s): certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. RAYBORN DRILLING, INC. O-60	Screen slot size: • 020 inches			/15feet
Top of lap pipe or reduction in casing:				•
Name of organization running log(s): Certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. RAYBORN DRILLING, INC. O-60		Other (describe):		
Name of organization running log(s): Constructed Cons	Top of lap pipe or reduction in casing:	feet. If t	elescoped or more than one sc	reen, describe on back of page
certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. RAYBORN DRILLING, INC.	Logs run (circle all applicable) No log r	un Electric Gamma Ray	Density Sonic Neutron	Other:
Pepartment of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. RAYBORN DRILLING, INC. O-60	Name of organization running log(s):			
RAYBORN DRILLING, INC. O-60				
	Department of Environmental Quality	and/or the Mississippi De	partment of Health regulation	s and state laws.
	RAYBORN DRILLING, INC	0-60		
ALDE NAME OF WAIGH MEIL CONTACTOR AND PROPERTY.	Print Name of Water Well Contractor an			of Water Well Contractor

State Well Report

If well telescopes please sketch below and show depths.

Description of Formations Encountered	From	То
Red Sand	0	60
Rea Sana	10	100
Red Sand Willay streaks	60	90
SAnd	90	115
	_	
	-	-
		ļ
		4
	+-	
		-
		

If more than one screen, show location of each on sketch

4) indicate dir	ection.		Hwy 98	
			Columbia	
	John Pal	3 mi Gulf Campred Me	Baxterville Hwy 13	RECEIVED AUG 0 6 2007 BY: OLWR

Signature of Water Well Contractor

STATE WELL REPORT

Part 2

Permit #:

Driller: 6acy Raybor

(601)961-5210

For Office Use Only:
Aquifer:
Well #: M - 206
Elevation:

Date completed.	(601)354-693	8 (fax)	Elevation:		
This report should be prepared by the pump installation of pump.	installer in detail and	filed with the De	partment within 30 day	ys of the	
Well Owner Information			Well Location		
Owner Name: D&D Drilling.	Inc. Lat	Latitude:Longitude:			
Mailing Address: P. O. Box 1634		hod of Lat/Long (circle one): Convention	al Survey,	
		USGS qua	id, Hand-held GPS, Sui	rvey-grade GPS	
Ferriday LA 7	1334 _	1/4 1/4	Sec 15 Twn /N	Rng 16W	
City State 2		tance Dir	ection Nearest To	own ,	
Telephone No. (318) 757 - 3274		Miles 5	w of Baxte	rville	
Pump Type			Power Type		
Circle one			Circle one		
Air Lift Jet Subme	ersible Die	sel Engine	Gasoline Engine	Natural Gas	
Bucket Piston Turbin	e Elec	ctric Motor	Hand	Tractor PTO	
Centrifugal Rotary Flowing	·	ndmill	Other (specify):		
Other (specify):	Hor	se Power Rating o	of Motor:5	····	
Date Pump Installed: 7-27-07	Sett	ting Depth:	105	_feet RECE	
1-0	Per Minute Nu	mber of Stages:	105 14	- AUG 06 20	
				UY. O.	
Pump Test Data		Metho	od of Measuring Water Circle one	Level . OLW	
Date Well Tested:	1 4.	Line Elec	ctric Measuring Line	Steel Tape	
Static Water Level (A):Feet Below I	Oth	er (specify):			
Pumping Water Level (B):Feet Below L					
Drawdown [(B) – (A)]:Feet Below I			asured shut in head:		
• •	•	•	GPM with a		
Duration of Pump Test (minimum 4 hours):	hours	fe	et afterl	nours of pumping	
I HEREBY CERTIFY that the above statements are	true to the best of my	knowledge.			
Gary Ray born 0-60 Print Name of Pump Installer and License No. (if an)	Signature	Pump Installer		