
State V	Vell Report		
	Driller's Log For Office Use Only:		
Mississippi Departme	Mississippi Department of Environmental Quality Aquifer:		
	and Water Resources Box 2309 Well #: <u>B37</u>		
	n, MS 39225 L. S. Elevation:		
Deta dellina assessintada 10/20/27	J901- 5210		
(601)96	61- 5228 (fax) E-log #:		
State Law requires that this report be prepared by the lie	cense holder responsible for the work and filed with the		
Department at the above address within 30 days of com	pletion of drilling of the well or borehole.		
Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well)	Latitude: <u>31 • 43 · 30</u> " Longitude 2 9 • 59 · 20,		
Mailing Address: PO BOX 220	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 10 DDX 000	USGS quad, Hand-held GPS, Survey-grade GPS		
Neulleban MS 3914x	NW14 NW14 Secolo Twn 9N Rng 20W		
City State Zip Code	Distance Direction Nearest Town <u>Ju</u> Miles of <u>New Hebror</u>		
Telephone No. (60) 694-2919	and whiles		
Well / Bor	ehole Data		
Date drilling started: 6-33-69 Date drilling completed: 6-33	Hole depth: 45 Hole diameter:		
Location of the source of any surface water used for drilling:	ommunity		
Method of dosing and volume of Chlorine used in drilling and deve	elopment: Shack		
Laga ma (airela all ampligable). No log	Logs run (circle all applicable No log-run Electric Gamma Ray Density Sonic Neutron Other:		
	the state of the s		
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Ground Source riear rump		
Seismic Survey Other (describ	e)		
If drilling is not related to water well construction	on, skip the remainder of this block		
Purpose of Well (check one): Home χ Industrial Public Suppl	y Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve (Other (describe)		
	land surface Date measured: 6-23-09		
Method of Measurement (circle one) steel tape electric tape	e air line other:		
Well depth: 125 Well grouted to a depth of 10 feet Typ	e of grout (circle one): Neat Cement) Bentonite Mix		
Casing length: <u>105</u> feet Casing diameter: <u>4</u>	inches Type of casing:		
Screen length: 20feet Screen diameter: 4	inches Type of screen: PVC		
Screen slot size: .008 inches Setting depth: From	105 feet to 125 feet		
Type of completion (circle all applicable): Gravel packed Under			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If t			
	Form: OLWR-SWR-1A (04/08		

3. · · · · · ·

RECEIVED JUL 0 9 2009 BY: OLWR

The sketch below only required for water wells



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	ro (depth)
10PEOil	Ground Level	2
Clay	2	20_
Sand	70	25
Elay	55	75
Sand	55	125
		L
		L
		<u> </u>
		<u></u>
		1
		1
		L
		1
	l	
		<u> </u>
		L
	1	1
	T	[
		1
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Little 1 Landowner Name:

Form: CLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES WELLS D.586

amos

Print Name of Responsible Linsace and Livers No.

They're

Signature of Licensee

RECEIVED JUL 0 9 2009 BY: OLWR

ounty: Lawrence	Part 2	For Office Use Only:
ermit #:	Pump Installer's Completion Report Mississippi Department of Environmental Quality	Aquifer:
riller: JAMES WELLS	Office of Land and Water Resources	-
	P.O. Box 2309 Jackson, MS 39225	Well #: <u>B37</u>
ate completed: 6-23.09	(601)961-5210	Elevation:
opy information from block on Part 1	(601)961-5228 (fax)	
his part of the report must be completed by	a licensed water well contractor or a licensed pump	installer. A copy of Part 1 of the
eport must be attached and both parts filed	with the Department at the above address within 30	days of well completion. ell Location
Well Owner Information	ш — — — — — — — — — — — — — — — — — — —	
wner Name: <u>C. L. L. 141</u>	Latitude: <u>31~43_30</u>	Longitude: <u>89°59'20</u> "
ailing Address: VO Box 22	۵ Method of Lat/Long (check o	one): Conventional Survey,
······································		d GPS, Survey-grade GPS
		$\underline{b}_{T} \underline{9N}_{R} \underline{20} \underline{6}$
New Hebron (1)5		ETTIV ROUW
City State	Zip Code Distance Direction	Nearest Town
elephone No. (OL) 694-291	3/4 1/10 5	of New Hebron
elephone No. (WL) OJ 7- OII		
	b	ower Type
Pump Type Circle one		Circle one
	Discal Engine Good	ine Engine Natural Gas
ir Lift Jet	Submersible Diesel Engine Gasol	
acket Piston 7	Furbine Electric Motor Hand	Tractor PTO
entrifugal Rotary I	Flowing Well Windmill Other	(specify):
-	Large Power Pating of Moto	pr:
ther (specify):		
ate Pump Installed: 6-23-09	Setting Depth:5	feet
ated Pump Capacity:G	allons Per Minute Number of Stages:	14
Pump Test Data		leasuring Water Level
ate Well Tested: (0-23-09		Circle one
		easuring Line Steel Tap
atic Water Level (A): <u>/O</u> Feet Bo	elow Land Surface Other (specify):	
amping Water Level (B): <u>115</u> Feet Be	elow Land Surface	
75	elow Land Surface For flowing well, measured	shut in head:feet
		GPM with a drawdown of
17		(PM with a drawdown of
17	allons Per Minute Well yielded	
17	allons Per Minute Well yielded	hours of pumping

and the second

JUL 0 9 2009

BY: OLWR