State W	ell Report For Office Use Only:			
Part 1 - 1	riller's Log			
County: Mississippi Departmen	t of Environmental Quality Aquiter:			
Permit #: 0-586 Office of Land ar	Notes Resources Well #: 45			
Driller: TAMES WELLS Jackson	, MS 39225 L. S. Elevation:			
Date drilling completed: 6-1-1 d (601)961	- 5228 (fax) E-log #:			
I had had line	ense holder responsible for the work and filed with the			
State Law requires that this report be prepared by the tice Department at the above address within 30 days of comp	letion of drilling of the well or borehole.			
Information on Well Owner				
(Landowner if borehole is not for a water well)	Latitude: 31°38.388" Longitude: 090°03.149			
Owner Name Mary Horton	Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 92 Ellen Bryant Kd.	USGS guad. Hand-held GPS_Survey-grade GPS			
2012	NE 4NW 4 Sec 30 Twn 8N Rng 30W			
Silver Creek M5 34de 3 City State Zip Code	Distance Direction Nearest Town Miles Nu of Silver Creek			
Telephone No. (601) 886 - 7319				
Well / Bore	hole Data			
Date drilling started: 6-1-12 Hole depth: 120 Hole diameter: 71/2				
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: Shock				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 70 feet above of below (circle one) land surface Date measured: 6-1-13				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one); Neat Cement Bentonite Mix				
Casing length: 100 feet Casing diameter: 4 inches Type of casing: 6 VC				
Screen length: 20 feet Screen diameter: 4 inches Type of screen:				
Screen slot size: .008 inches Setting depth: From 100 feet to 100 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				
	Form: OLWR-SWR-1A (04/08)			

RECEIVED
JUL 2 6 2012

BY: OLWR

f well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	- topspil	Ground Level	1
	Clay		90
	sand	90	120
			
			
		_	
			<u> </u>
ļ			
			-
			
			
			
If more than one screen, show location of each or	n sketch		
			
ketch the property layout and include the following:	1) the well location; 2) any permanent structures on the	property that may	y !!
aid in locating the well; 3) any roads, po	ower lines, or other items that may aid in locating the pr	operty and the we	11;
4) a north arrow			
_'			
			l

NA Fariter Huy Silver Creek Landowner Name: Mary Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state JAMES WELLS 0-586

Print Name of Responsible Licensee and License No.

The sketch below only required for water wells

Date

Description of formations encountered must be provided for all

wells and boreholes, unless specifically exempted by regulations

Signature of Licensee

JUL 2 6 2012

BY: O.WR

STATE WELL REPORT				
report must be attached and both parts filed	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax) If the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of a to be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Owner Information Latitude: 31 38.33 Longitude: 090 03.1			
Silver Creek M City State Telephone No. (601) 886 -7319	5 39663 Zip Code	USGS quad, Hand-held NE 1/2 NW 1/2 Sec 30 Distance Direction	GPS, Survey-grade GPS	
Pump Type Circle one			wer Type ircle one	
Air Lift Jet	Submersible	Diesel Engine Gasolir	ne Engine Natural Gas	
Bucket Piston	Turbine (Electric Moto Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other	(specify):	
Date Pump Installed: 4-1-12		Horse Power Rating of Motor:		
Pump Test Data Date Well Tested: 67-/2 Static Water Level (A): 70 Feet Below Land Surface Pumping Water Level (B): 60 Feet Below Land Surface Drawdown [(B) - (A)]: 70 Feet Below Land Surface Drawdown [(B) - (A)]: 70 Feet Below Land Surface Drawdown [(B) - (A)]: 70 Feet Below Land Surface Drawdown [(B) - (A)]: 70 Feet Below Land Surface Drawdown [(B) - (A)]: 70 Feet Below Land Surface For flowing well, measured shut in head:feet Well yielded 70 GPM with a drawdown of Duration of Pump Test (minimum 4 hours):hours of pumping				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. TAMES VELLS 0-586 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer				

Signature of Pump Installer RECEIVED
Form: OLWR-SWR-1B (04/08)

JUL 2 5 2012