State W	ell Report			
County: ce Part 1 - I	Priller's Log For Office Use Only:	1		
Permit #: Mississippi Departmen	t of Environmental Quality Aquifer:	_		
Office of Land a	and Water Resources			
TOWN DOWN COLLEGE	60 20000 A(2)	-		
1 5	1S 39289-0631 L. S. Elevation:	- 1		
, , ,	4-6938 (fax) E-log #:			
State I am requires that this areas I				
State Law requires that this report be prepared by the lice Department at the above address within 30 days of comp	ense holder responsible for the work and filed with the letion of drilling of the well or borehole.			
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)	Latitude: 34 • 19 ,24 / Longitude: 88 • 34 , 37	اليا		
Owner Name Mooreville-Richmond WA		-"		
Mailing Address: PO Box 28	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, (Hand-held GPS) Survey-grade GPS	}		
Mooreville MS 38857 City State Zip Code	5W 1/2 SW 1/4 Sec 4 Twn 95 Rng 7E	-		
City State Zip Code	Distance Direction Nearest Town			
Telephone No. (662) 844 - 0311	of			
Well / Bore	"Oliver Site"	_		
		ļ		
Date drilling started: 10/21/09 Date drilling completed: 1/5	O Hole depth: Hole diameter: 17'2			
Method of dosing and volume of Chlorine used in drilling and development: Potable was ter used				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): This Geeby 4 Survey				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply X Irrigation Fish Culture Other				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 190 feet above or below (circle one) land surface Date measured: 105/10				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 398 Well grouted to a depth offeet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 350 feet Casing diameter: 12 inches Type of casing: 5 tee				
Screen length: 45 feet Screen diameter: 8 inches Type of screen: 55				
Screen slot size: . 25 inches Setting depth: From 353 feet to 398 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: 290 feet. If telescoped or more than one screen describe on next page				

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

Red + Gray Clay	0 3 2 288 8 35 0 405
Gray Clay + Sanit 28 Sanid 35	2 288 8 35 0 405
Grand Clay & Sanit 28	8 35 0 405
Grand Clay & Sanit 28	8 35 0 405
35 Jania 35	0 405
	3 738
	1
	
	+
	+
	
	Ì
	1
	ĺ
·	
•	
	ĺ
	ı
	l
Form: OLW	R-SWR-1A
ipleted in accordance with all anniceable requirements of	FAL.
ipleted in accordance with all anniceable requirements of	FAL.
apleted in accordance with all applicable requirements o issippi Department of Health regulations, if applicable, a	f the and state
apleted in accordance with all applicable requirements o issippi Department of Health regulations, if applicable, a	f the and state
apleted in accordance with all applicable requirements o issippi Department of Health regulations, if applicable, a	f the and state
ipleted in accordance with all anniceable requirements of	f the and state
į,	location; 2) any permanent structures on the property that m or other items that may aid in locating the property and the w

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level.

STATE WELL REPORT

TE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631

Jackson, MS 39289-0631

(601)961-5210

For Office Use Only:		
Aquifer		
Well #:	J57	
Elevation:	-	

Date completed: 3 11 10 Jackson (6	n, MS 39289-0631 Well #: 5.7	
Copy information from block on Part 1 (601)	354-6938 (fax)	
report must be attached and both parts filed with the Departmen	ell contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.	
Well Owner Information	Well Location	
Owner Name: Moores, 11c-Richmond WP	Latitude: 341924N Longitude: 883437 W	
Mailing Address: PO Box 28	Method of Lat/Long (check one): Conventional Survey,	
	USGS quad, Hand-held GPS_X, Survey-grade GPS	
Mooreville MS 38857 City State Zip Code	5W 1/2 Sec 4 T 95 R 7E	
	Distance Direction Nearest Town	
Telephone No. ()	Milesof	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor: 40	
Date Pump Installed: 2 15 10	Setting Depth: 322 feet	
Rated Pump Capacity: 250 Gallons Per Minute	Number of Stages:	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested: 3 04 10	Circle one	
Static Water Level (A): 190 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B): Feet Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]: Feet Below Land Surface	Below Land Surface For flowing well, measured shut in head:feet	
Test Pumping Rate: 257 Gallons Per Minute	Well yielded 257 GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours		

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
Print Name of Pump Installer and License No. (if applicable)	Qoneld & Smith A	RECEIVED
	Form: 0	OLWR-SWR-1B 7 2010