County:	Leflore	4
Permit #:	GW-4634	12 \(\sqrt{2} \)
		Equipment
	ing completed:	10/4/2012

State Well Report

Part 1 - Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

Fo	r Office Use Only:
Aquifer:	
Well #:	A165
L.S. Elevation	
L.S. Elevation	
E-log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

		of completion of ariting of the weil or borenote.
(Lando	Information on Well Owner wner if borehole is not for a water well)	Well or Borehole Location
Owner Name	Joey Salzman	Latitude: 33 ° 44 ' 14 " Longitude: 90 ° 21 ' 11 "
Mailing Address:	6897 County Road 27	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
	Minter City Ms 38944	NW 1/4 NE 1/4 Sec 36 V Twn 22N Rng 1W
	City State Zip code	Distance Direction Nearest Town
Telephone No.	() -	3 Miles Southwest of Minter City
	Weli / B	orehole Data
Date drilling starte	ed: 10/4/2012 Date drilling completed: 10/	4/2012 Hole depth: 126 Hole diameter: 18"
	urce of any surface water used for drilling: Surface and volume of Chlorine used in drilling and developm	
Logs run (check a	•	a Ray
Purpose of boreho	le (check one): 🛛 Water Well 🔲 Geotechnica	l/Geological Investigation Ground Source Heat Pump
	☐ Seismic Survey ☐ Other (describe)
	If drilling is not related to water well co	onstruction, skip the remainder of this block
Purpose of Well (check one) 🔲 Home 🔲 Industrial 🔲 Public Su	pply ☑ Irrigation ☐ Fish Culture ☐ Other:
If flowing, method	of flow regulation: Valve Other (de	escribe)
Static Water Level	: 46 feet above or below (check one) 🗆 la	and ⊠ surface Date measured: 10/5/2012
Method of Measur	rement (check one) 🛛 steel tape 📋 electric tape	☐ air line ☐ other:
Well depth: 126 Well grouted to a depth of 10 feet Type of grout (check one): Neat Cement Mix		
Casing length: 86 feet Casing diameter: 10 inches Type of casing: PVC		
Screen length:	feet Screen diameter: 10	inches Type of screen: PVC
Screen slot size:	.050 inches Setting depth: From	87 feet to 126 feet
Type of completion (check all applicable): 🛛 Gravel packed 🔲 Underreamed 🔲 Telescoped 🔲 Open hole 🔲 Natural Development		
	Other (describe):	
Top of lap pipe or	reduction in casing: feet	(telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

To (depth)

28

40 49

126

From (depth)

Ground level

29

41

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

Clay

Fine Sand

Fine Sand & Gravel

75	below only		£	
i ne skeich	DELOW ORLI	гециитец ,	<i>jor</i> water i	veus

If well telescopes, show depths on sketch.

Ground level

Medium Sand & Gravel

Frame averaided by Frame On & Distr. 044 040 0400. FrameOn & Distr. com.

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may

STATE WELL REPORT

County: Leflore Permit #: GW-46342 Driller: Irrigation Equipment Date drilling completed: 10/4/2012

Copy information from block on Part 1

money and the Person on A Dist. Off 040 0400 Person On A Dist.

Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

Office Use Only:
A165

This part of the report must be completed by a licensed water well contractor or a licensed nump installer. A copy of Part 1 of the

report must be attached and both parts filed with the Departmen Well Owner Information	
	Well Location
Owner Name: Joey Salzman	Latitude: 33 44' 14.4 N Longitude: 90 21' 11.3 W
Mailing Address: 6897 County Road 27	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Minter City Ms 38944 City State Zip code	NW 1/4 NE 1/4 Sec 36 T 22N R 1W
City State Zip code	Distance Direction Nearest Town
Telephone No(3 Miles Southwest of Minter City
Pump Type Check one	Power Type Check one
☐ Air Lift ☐ Jet ☐ Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas
☐ Bucket ☐ Piston ☐ Turbine	☐ Electric Motor ☐ Hand ☐ Tractor PTO
☐ Centrifugal ☐ Rotary ☐ Flowing Well	☐ Windmill ☐ Other (specify):
Other (specify):	Horse Power Rating of Motor. 30
Date Pump Installed: 10/5/2012	Setting Depth: 80 feet
Rated Pump Capacity 1000+/- Gallons Per Minute	Number of Stages: 1
Pump Test Data	Method of Measuring Water Level Check one
Date Well Tested:	Air Line Electric Measuring Line Steel Tape
Static Water Level (A): Feet Below Land Surface	Other (specify):
Pumping Water Level (B): Feet Below Land Surface	
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head: feet
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): hours	feet after hours of pumping
This is for (check one): New Well Replacer	ment of Existing Pump Repair of Existing Pump
I HEREBY CERTIFY that the above statements are true to the best of m	y knowledge.
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

Form: OLWR-SWR-1C (07-09)