/	State W	ell Report	For Office Use Only:
/.µeflore	Р	Part 1	
Trunklin		Vississippi Department of Environmental Quality	
igation Equipment		Office of Land and Water Resources	
A:		30x 10631 18 39289-0631	Well #: <u>0 - 148</u> L. S. Elevation:
At drilling completed: $11 - 29 - 06$	(601)	961-5210	
	(601)35	4-6938 (fax)	E-log #:
State Law requires that this rep	ort be prepared by the	driller in detail and filed w	ith the Department within
30 days of completion of drilling Well Owner Informa		Wel	Location
		33 38' 19.	Location 1N 90° 21' 59.5 _"Longitude:""
wnerNameMarlin Jenni	Lngs	Latitude:''	_" Longitude:
Tailing Address: Box 192		Method of Lat/Long (circle or	ne): Conventional Survey,
ډ		USGS quad, Hand-held	GPS, Survey-grade GPS
		SE 1/4 SE 1/4 Sec 35	
Schlater M	<u>45 38952</u>		_
City Sta	te Zip Code	Distance Direction Miles West	Nearest Town of <u>Schlater</u>
elephone No. ()			· · · · · · · · · · · · · · · · · · ·
	Well	Data	
urpose of Well (circle one) Home Ind	lustrial Public Supply	(Irrigation Fish Culture	Other:
ate well drilling started:	9-06 Date	well drilling completed:	11-29-06
flowing, method of flow regulation: Va		describe)	
tatic Water Level: <u>47</u> feet al			
Aethod of Measurement (circle one)	teel tape electric tape	e air line other:	
Iole depth: <u>117</u> Well de	pth: 117	_ Well grouted to a depth of _	feet
ype of grout (circle one): Cement	Bentonite Mix		
Casing length: 77 feet Casi	ng diameter. 10	inches Type of casing.P	VC 160
screen length: <u>40</u> feet Screen		inches Type of screen:	PVC 160
creen slot size: <u>.050</u> inches	Setting depth: From	78 feet to	<u>117feet</u>
Type of completion (circle all applicable)	Gravel packed Unde	crreamed Telescoped Ope	n hole Natural Development
Fop of lap pipe or reduction in casing:			reen, describe on back of page
ogs run (circle all applicable): (No log r			
Name of organization running log(s): certify that the well was drilled, const	ructed, and completed in	accordance with all applicable	e requirements of the Mississipp
Department of Environmental Quality			
Irrigation Equip	ment Inc.	P+1	mch
	0695		
Patrick M. Chism Print Name of Water Well Contractor and	0695 License No.	Signature	of Water Well Contractor

-

_

ŧ

41447

YMD JOINT WATER MANAGEMENT DISTRICT

.

····	State Well Depart	
Lofloro	State Well Report	For Office Use Only:
County: Leflore	Part 1	
Permit # 6 (14447 1	lississippi Department of Environmental Qu	uality Aquifer:
Irrigation Equipment	Office of Land and Water Resources	Well #: 6-148
Driller:	P.O. Box 10631	
11 20 00	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: $11 - 29 - 06$	(601)961-5210	
	(601)354-6938 (fax)	E-log #:
State Law requires that this repor 30 days of completion of drilling o Well Owner Informatio	t be prepared by the driller in detail and f the well.	filed with the Department within Well Location 19.1N 90° 21' 59. "Longitude: ° 59.
	33 38'	10.1 M 00° 21° 50
Owner NameMarlin Jennin	QS Letitude: 0	' "Longitude: ° '
	Lautoue	- 79 Longnuic
Mailing Address: Box 192	Method of Lat/Long (circle one): Conventional Survey,
Namig / Kadicas		
÷	USGS anad Ha	nd-heid GPS, Survey-grade GPS
	SE 1/4 Sec	c_3521N2W
Schlater MS	38952	
City State	Zip Code Distance Dire	ection Nearest Town
		<u>st_of_Schlater</u>
Telephone No. ()	·····	
	Well Data	
Date well drilling started:	trial Public Supply Irrigation Fish Cult 06 Date well drilling completed: Other (describe)	11-29-06
Date well drilling started:11-29- If flowing, method of flow regulation: Valve Static Water Level:feet abov	0 6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date mea	11-29-06 asured: 12-8-06
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one)	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line other	11-29-06 asured: 12-8-06
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one)	0 6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date mea	11-29-06 asured: 12-8-06
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one) free Hole depth: 117 Well depth	0.6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line other : 117 Well grouted to a dep	11-29-06 asured: <u>12-8-06</u>
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one) free Hole depth: 117 Well depth	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line other	11-29-06 asured: <u>12-8-06</u>
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one) free Hole depth: 117 Well depth Type of grout (circle one): Cement	0 6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means itale electric tape air line other :117 Well grouted to a dep Bentonne Mix	11-29-06 asured: 12-8-06 r
Date well drilling started:	0 6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line other take electric tape air line other : 117 Well grouted to a dep Bentonne Mix diameter: 10 inches Type of ca	11-29-06 asured: 12-8-06 r pth offeet asing:PVC60
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one) free Hole depth: 117 Well depth Type of grout (circle one): Cement	0 6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line other take electric tape air line other : 117 Well grouted to a dep Bentonne Mix diameter: 10 inches Type of ca	11-29-06 asured: 12-8-06 r pth offeet asing:PVC60
Date well drilling started:	0 6 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line other take electric tape air line other : 117 Well grouted to a dep Bentonne Mix diameter: 10 inches Type of ca	11-29-06 asured: 12-8-06 r: pth of10feet asing:PVC 160 creen: PVC 160
Date well drilling started:	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means itate electric tape air line other itate electric tape air line other : 117 Well grouted to a dep Bentonte Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to	11-29-06 asured: 12-8-06 c
Date well drilling started: $11-29-$ If flowing, method of flow regulation:ValveStatic Water Level: $47'$ feet abovMethod of Measurement (circle one)StateHole depth: 117 Well depthType of grout (circle one):CementCasing length: 77 feetCasingScreen length:40feetScreen	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means itate electric tape air line other itate electric tape air line other : 117 Well grouted to a dep Bentonte Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to	11-29-06 asured: 12-8-06 r: pth of10feet asing: PVC 160 asing: PVC 160
Date well drilling started: $11-29-$ If flowing, method of flow regulation: ValveStatic Water Level: $47'$ feet abovMethod of Measurement (circle one)StateHole depth: 117 Well depthType of grout (circle one):CementCasing length: 77 feetCasingScreen length:40feetScreen slot size: 050 inchesType of completion (circle all applicable):	06 Date well drilling completed: Other (describe)	11-29-06 asured: 12-8-06 r:
Date well drilling started:	06 Date well drilling completed: Other (describe)	11-29-06 asured: 12-8-06 r:
Date well drilling started:	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means the electric tape itate electric tape air line other itate electric tape air line other : 117 Well grouted to a dep Bentonte Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to Gravel packed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 r:
Date well drilling started: $11-29-$ If flowing, method of flow regulation: ValveStatic Water Level: $47'$ feet abovMethod of Measurement (circle one)StateHole depth: 117 Well depthType of grout (circle one):CementCasing length: 77 feetCasingScreen length:40feetScreen slot size: 050 inchesType of completion (circle all applicable):	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means the electric tape itate electric tape air line other itate electric tape air line other : 117 Well grouted to a dep Bentonte Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to Gravel packed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 r:
Date well drilling started:	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means the electric tape itate electric tape air line other itate electric tape air line other : 117 Well grouted to a dep Bentonte Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to Gravel packed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 c. pth of 10 feet asing: PVC 160 pVC 160 pVC 160 point of 117 feet Open hole Natural Development one screen, describe on back of page
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one) stee Hole depth: 117 Well depth Type of grout (circle one): Cement (Casing length: 77 feet Casing Screen length: 40 feet Screen Screen slot size: 050 inches Type of completion (circle all applicable): (Top of lap pipe or reduction in casing: Logs run (circle all applicable): (No log run	0.6 Date well drilling completed: Other (describe) e of below (circle one) land surface Date means the electric tape i table electric tape air line Bentonne Mix diameter: 10 inches table feet to Gravel paceed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 c. pth of 10 feet asing: PVC 160 pVC 160 pVC 160 point of 117 feet Open hole Natural Development one screen, describe on back of page
Date well drilling started: $11-29-$ If flowing, method of flow regulation: Valve Static Water Level: $47'$ feet abov Method of Measurement (circle one) stee Hole depth: 117 Well depth Type of grout (circle one): Cement (Casing length: 77 feet Casing Screen length: 40 feet Screen Screen slot size: 050 inches Type of completion (circle all applicable): (Top of lap pipe or reduction in casing: Logs run (circle all applicable): (No log run Name of organization running log(s):	06 Date well drilling completed: Other (describe) e of below (circle one) land surface Date means take electric tape air line other Bentome Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to Gravel packed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 asured: 12-8-06 r:
Date well drilling started:	06 Date well drilling completed: Other (describe)	11-29-06 asured: 12-8-06 r
Date well drilling started:	06 Date well drilling completed: Other (describe) e of below (circle one) land surface Date means take electric tape air line other Bentome Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to Gravel packed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 r
Date well drilling started:	0 6 Date well drilling completed: Other (describe)	11-29-06 asured: 12-8-06 r
Date well drilling started: 11-29- If flowing, method of flow regulation: Valve Static Water Level: 47' feet abov Method of Measurement (circle one) stee Hole depth: 117 Well depth Type of grout (circle one): Cement (Casing length: 77 feet Casing Screen length: 40 feet Screen Screen slot size: 050 inches Type of completion (circle all applicable): (Top of lap pipe or reduction in casing: Logs run (circle all applicable): (Name of organization running log(s): I certify that the well was drilled, construct Department of Environmental Quality and Irrigation	0 6 Date well drilling completed: Other (describe)	11-29-06 asured: 12-8-06 r
Date well drilling started: 11-29- If flowing, method of flow regulation: Valve Static Water Level: 47' feet abov Method of Measurement (circle one) stee Hole depth: 117 Well depth Type of grout (circle one): Cement (Casing length: 77 feet Casing Screen length: 40 feet Screen Screen slot size: 050 inches Type of completion (circle all applicable): (Top of lap pipe or reduction in casing: Logs run (circle all applicable): (Name of organization running log(s): I certify that the well was drilled, construct Department of Environmental Quality and Irrigation	06 Date well drilling completed: Other (describe) e or below (circle one) land surface Date means take electric tape air line Other itake electric tape air line other Bentonre Mix diameter: 10 inches Type of ca diameter: 10 inches Type of sc Setting depth: From 78 feet to Gravel packed Underreamed Telescoped Other (describe):	11-29-06 asured: 12-8-06 r

.

RECEIVED DEC 18 2006 BY: OLWR If well telescopes please sketch below and show depths.

Ground Level

Desc	ription of Formations Encountered]	From	То
Clay			0	29
Fine	Sand		30	37
Fine	Sand/gravel		- 38	55
Med.	Sand/gravel		56	117
			:	
L				
	· · · · · · · · · · · · · · · · · · ·			
L				
	· · · · · · · · · · · · · · · · · · ·			
	······································			
	· · · · · · · · · · · · · · · · · · ·			
ļ				
			I	

C-

If more than one screen, show location of each on sketch

.

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Signature of Water Well Contractor

	STATE WELL REPORT	
Leflore County:	Part 2 Pump Installer's Completion Report	For Office Use Only:
Permit #: 6W 41447	Mississippi Department of Environmental Quality	Aquifer:
Pennit#:(<u>)[] 41 449 17</u> Irrigation Equipment Drille:	P.O. Box 10631 Jackson, MS 39289-0631	Weil#: <u>C-148</u>
Date completed:	(601)961-5210 (601)354-6938 (fax)	Elevation:

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

Well Owner Information			Well Location	
Owner Name:Marlin Jennings		3	Latitude:Longitude:	
Mailing Address: Box 192			Method of Lat/Long (circle one): Conventional Survey,	
	······································		USGS quad, Hand-held GPS, Survey-grade GPS	
	Schlater MS	38952	SE SE $\frac{35}{4}$ Sec $\frac{35}{100}$ Twn $\frac{21}{100}$ Rmg	
C	ity State	Zip Code	Distance Direction Nearest Town	
Telephone No. ()		Miks West of Schlater	

Pump Type Circle one			Power Type Circle one		
Air Lift	Jet	Sabmersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	30; of Motor:	
Date Pump Installed:	12-8-06		Setting Depth:	70	fcct
Rated Pump Capacity:	1150	_Gallons Per Minute	Number of Stages:	1	

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested:Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):		
Pumping Water Level (B): Feet Below Land Surface			
Drawdown [(B) – (A)]:Feet Below Land Surface Test Pumping Rate:Gallons Per Minute	For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		

 I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.	2
 Patrick M. Chism 0695	Patrick 11 Ch	RECEIVE
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	<u>neceive</u>

DEC 18 2006 BY: OLWR