Jackson Jackson	Jackson, MS 39289-0631 L. S. Elevation:			
	(601)961-5210 1)354-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the driller in detail and filed with the Department within				
30 days of completion of drilling of the well. Well Owner Information	717.1	l Location		
		· - ·		
Owner Name Mrs. Norman Truitt	Latitude: 55 • 41 • 47.	S Longitude: 90 • 19 • 23.6		
Mailing Address: 421 E. Jeff Davis A	Ve. Method of Lat/Long (circle of	one): Conventional Survey,		
	USGS quad, Hand-held	1 GPS, Survey-grade GPS		
0 1 144 2-0-	NE 45W 4 Sec 8	Twn 2/N Rng / W		
Greenwood Ms. 38930 City State Zip Code	5			
	Distance Direction Miles West	Nearest Town of Sunny Side		
Telephone No. (662) 455-3047				
Well Data				
Purpose of Well (circle one) Home Industrial Public Supp	ply (Irrigation) Fish Culture	Other:		
Date well drilling started: 3-27-08 Date well drilling completed: 3-27-08				
If flowing, method of flow regulation: Valve Oth				
Static Water Level: 33 feet above on below (circle one) land surface Date measured: 3-29-08				
Method of Measurement (circle one) steel tape electric	tape air line other:			
Hole depth: 116 Well depth: 116 Well grouted to a depth of 10 feet				
	Mix			
Casing length: 80 feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 36 feet Screen diameter: 16 inches Type of screen: PVC				
Screen slot size: , 050 inches Setting depth: Fr	See hack	feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe): _	,	Name of the state		
Top of lap pipe or reduction in easing:feet.	If telescoped or more than one scr	reen, describe on back of page		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of ficalth regulations and state laws.				
Irrigation Equipment Inc Patrick M. Chism 0695	W			
I WOLLOW IN CHILDM	VOC-			
Print Name of Water Well Contractor and License No.	Signature of	f Water Well Contractor		

State Well Report

Part 1
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 10631

For Office Use Only:

42395

Leflore

igation Equipment

State W	ell Report	For Office Use Only:		
County: Leflore P				
Mississippi Departmen	t of Environmental Quality	Aquifer:		
Tryingstion Equipment	Office of Land and Water Resources			
Driller: P.O. I	Box 10631 IS 39289-0631	Well #:		
	961-5210	L. S. Elevation:		
	4-6938 (fax)	E-log #:		
(001)334-0738 (lax) E-log #.				
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed w	ith the Department within		
Well Owner Information	Well	Location		
Owner Name Mrs. Norman Truitt	Lotituda: 33 . 41 .47.8	3. Langitude: 90 . 19 . 23.6		
	Lauride 17.0	2 3		
Mailing Address: 421 E. Jeff Davis Ave.	Method of Lat/Long (circle on	Longitude: 90 º 19 · 23.6 e): Conventional Survey,		
	USGS quad, Hand-held	GPS, Survey-grade GPS		
Greenwood Ms. 38930 City State Zip Code	NE 1/5W 1/4 Sec_ 8	Twn_ <u>2//V_Rng_/ W</u>		
City State Zip Code	Distance Direction	Nearest Town		
Telephone No. (662) 455-3047	Distance Direction Miles West	of Sunnyside		
Telephone No. (602) 733 30 7		′		
Well I)ata			
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture	Other:		
_				
Date well drilling started: 3-27-08 Date w		-2 1-08		
If flowing, method of flow regulation: Valve Other (de	escribe)			
Static Water Level: 33 feet above on below (circle one) land surface Date measured: 3-29-08				
Method of Measurement (circle one) steel tape electric tape	air line other:			
Hole depth: 16 Well depth: 16 Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 80 feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 36 feet Screen diameter: 16 inches Type of screen: PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
I certify that the well was drilled, constructed, and completed in a	_	,		
Department of Environmental Quality and/or the Mississippi Department of fealth regulations and state laws. Irrigation Equipment Inc				
Patrick M. Chism 0695				

Print Name of Water Well Contractor and License No.

RECEIVED

Signature of Water Well Contractor

APR 0 2 2008

BY: OLWR

Ground Level

Description of Formations Encountered	From	To
Clay	0	20
Find Sand	21	27
Fine Sand + Gravel	28	38
Fine Sand + Gravel Medium Sand + Gravel	39	89
	90	99
Fine Sund Medium Sand + Gravel	100	116
Screen 70-89	-	
101:-116		-
		
		\vdash
		\vdash
		1
		\vdash
		
		\vdash
	+	1
		لـــــا

If more than one screen, show location of each on sketch

Sketch the p	roperty layout and include the following: 1) the well location; 2) any permanent structures on the property that may
	aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well
	4) indicate direction

Landowner Name: Mrs. Norman Truitt

Signature of Water Well Contractor

RECEIVED

APR 0 2 2008

BY: OLWR

STATE WELL REPORT				
Mississipp Mississipp	Part 2 In Installer's Completion Report pi Department of Environmental Quality fice of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) For Office Use Only: Aquifer: Well #: D = 194 Elevation:			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Information	Well Location			
Owner Name: Mrs. Norman Truit	· · · · · · · · · · · · · · · · · · ·			
Mailing Address: 421 E. Teff Davis	Method of Lat/Long (circle one): Conventional Survey,			
Greenwood Ms. 389 City State Zip Co	USGS quad, Hand-held GPS, Survey-grade GPS NE 1/2 Sw 1/2 Sec 8 Twn2/N Rng / W Distance Direction Nearest Town Miles West of Sunny Side			
Pum p Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	e Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing We	ell Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor: 4-0			
Date Pump Installed: 3-29-08	Setting Depth: 50 feet			
Rated Pump Capacity: 1400 ± Gallons Per M	Minute Number of Stages: 2			
Pump Test Data	Method of Measuring Water Level			
Date Well Tested:	Circle one			
Static Water Level (A):Feet Below Land S	Air Line Electric Measuring Line Steel Tane			
Pumping Water Level (B):Feet Below Land S	Other (specify):			
Drawdown [(B) - (A)]:Feet Below Land S	Surface For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per N	Minute Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours): hours feet after hours of pumping				
HEREBY CERTIFY that the above statements are true to the best of my backeds. Patrick M. Chism 0695				
Print Name of Pump Installer and License No. (if applicable)	ole) Signature of Pump Installer			

RECEIVED

APR 0 2 2008

BY: OLWR

