County:	County: Leflore				
Permit #:	6W 39197				
Irrigation Equipment					
Date drilling completed: $9-15-04$					

State Well Report

Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: F-162		
L. S. Elevation:		
E-log #:		

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

30 days of completion of drilling of the well.					
Well Owner Information	Well Location				
Owner Name Tackett Fish Farm	Latitude: 33 . 36,22N, Longitude: 90.26, 15W				
Mailing Address: 23939 County Road 523	Method of Lat/Long (circle one): Conventional Survey,				
	USGS quad, Hand-held GPS, Survey-grade GPS				
Schlater, MS 38952	NE SE 7 20N 2W				
City State Zip Code	WE 44 SecTwnRng				
Telephone No. (662-254-7322	Distance Direction Nearest Town 6 Miles SW of Schlater				
Well	Data Pond LW				
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other Replacement				
Date well drilling started: 9-15-04 Date	well drilling completed: $9-15-04$				
If flowing, method of flow regulation: Valve Other (describe)					
Static Water Level: 59' feet above or below (circle one) land surface Date measured: 9-15-04					
Method of Measurement (circle one) (steel tape) electric tape	air line other:				
Hole depth: 125' Well depth: 125'	Wall amounted to a dample of 10 foot				
	wen grouted to a depth ofleet				
Type of grout (circle one): Cement Hentonite Mix					
Casing length: 85 feet Casing diameter: 16	inches Type of casing: PVC Sch. 40				
Screen length: 40 feet Screen diameter: 16					
Screen slot size: .050 inches Setting depth: From	ee back feet to feet				
Type of completion (circle all applicable): Gravel packed Under	rreamed Telescoped Open hole Natural Development				
Other (describe):					
Top of lap pipe or reduction in casing:feet. If t	elescoped or more than one screen, describe on back of page				
	Danite Carlo Nauton Other				
Logs run (circle all applicable): No log run Electric Gamma Ray	Density Sonic Reducti Other:				
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in	accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi De	· · · · · · · · · · · · · · · · · ·				
Irrigation Equipment Inc.	The mixture of treatments from State Hars.				
Patrick M. Chism 0695	Yahick M Chian				
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor				

Ground Level $\int -16\lambda$

Description of Formations Encountered	From	To
Clay	0	35
Fine Sand	36	45
Fine Sand/gravel	46 .	55
Med. Sand/gravel	56	95
Fine Sand	96	101
Med. Sand/gravel	102	
Clav	116	125
	İ	
Screen 76-95	<u> </u>	
Screen 106-125	L	
		LI

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.



Landowner Name: tac	ckett	Fish	Farm
---------------------	-------	------	------

Signature of Water Well Contractor

STATE WELL REPORT

Part 2

Leflore County: _ Permit # 6 W 9-15-04 Date completed:

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

Aquifer:

For Office Use Only:

Date completed:	9-13-04	(60 1)	354-6938 (fax)		
		e pump installer in de	etail and filed with the Department within 30 days of the		
installation of	pump. Well Owner Informat		Well Location		
Owner Name:	Tackett Fish		Latitude:Longitude:		
	23939 County	Road 523	Method of Lat/Long (circle one): Conventional Survey,		
66	Schlater, MS City State 2-254-7322	Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS NE ½ SE ½ Sec 7 Twn 20N Rng 2W Distance Direction Nearest Town 6 Miles SW of Schlater		
	Pump Type Circle one		Power Type Circle one		
Air Lift	Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket	Piston	urbine	Hectric Motor Hand Tractor PTO		
Centrifugal	Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):			Horse Power Rating of Motor:60		
Date Pump Installed	1: 9-15-04		Setting Depth: 80 feet		
Rated Pump Capacit	ty: 2500	Gallons Per Minute	Number of Stages: 2		
Pump Test Data			Method of Measuring Water Level Circle one		
Date Well Tested: Static Water Level (A): 59 Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface		Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface			For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute			Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours			feet afterhours of pumping		
Patrick	Y that the above stateme M. Chisa Of Installer and License No	95	of my knowledge. Parish M Chisw Signature of Purps Installed		

Signature of Pump Installer