	STATE WELL REPO	PRT For Office Use Only:
County: Leflore	Part 1	Well #: <u>225</u>
Permit #: GW-48597	Driller's Log Mississippi Department of Environmen	Aquifer:
Driller: Irrigation Equipment	Office of Land and Water Resou	
Date drilling completed: 10/25/2014	P.O. Box 2309 Jackson, MS 39225-2309	
	(601) 961-5210 (601) 360-0535 (fax)	
State Law requires that this report	be prepared by the license holder resp vithin 30 days of completion of drillin	ponsible for the work and filed with the or of the well or borehole.
Well Owner Informa (Landowner if borehole is not fo	ition	Well or Borehole Location
Owner Name: Ralph Prestidge	Latitude: <u>33 3</u>	4' 15.2 N Longitude: 90 22' 08.9 W
Mailing Address: 37301 County Roa	d 523 Method of Lat/Lo	ong (check one): 🔲 Conventional Survey,
	USGS quad,	🛛 Hand-held GPS, 🔲 Survey-grade GPS
Schlater Ms City Stat		E ¼ <u>NE</u> ¼, Sec <u>26</u> T <u>20 N</u> R <u>2 W</u>
Telephone No. () -	5Mil	
	(Distance)	(Direction) (Nearest Town)
	Well / Borehole Data	4001 048
Date drilling started: 10/25/2014 [Date drilling completed: 10/25/2014 Hole	e depth: <u>126'</u> Hole diameter: <u>24"</u>
Location of the source of any surface wa		
Location of the source of any surface wa Method of dosing and volume of Chloring	e used in drilling and development: 50	РРМ
Location of the source of any surface wa Method of dosing and volume of Chloring	e used in drilling and development: 50	PPM y Sonic Neutron Other:
Location of the source of any surface wa Method of dosing and volume of Chloring	e used in drilling and development: 50	y 🗌 Sonic 🗍 Neutron 🗌 Other:
Location of the source of any surface wa Method of dosing and volume of Chloring Logs run (check all applicable): 🛛 No log	e used in drilling and development: 50 g run [] Electric [] Gamma Ray [] Densit	y 🗌 Sonic 🗍 Neutron 🗌 Other:
Location of the source of any surface wa Method of dosing and volume of Chloring Logs run (check all applicable): I No log Name of organization running log(s): Purpose of borehole (check one): I No	e used in drilling and development: 50 g run [] Electric [] Gamma Ray [] Densit	y Sonic Neutron Other:
Location of the source of any surface wa Method of dosing and volume of Chloring Logs run (check all applicable):	e used in drilling and development: 50 g run 🗋 Electric 🗌 Gamma Ray 🗋 Densit /ater Well 🔲 Geotechnical/Geological Ir	y Sonic Neutron Other:
Location of the source of any surface wa Method of dosing and volume of Chloring Logs run (check all applicable):	e used in drilling and development: 50 g run] Electric] Gamma Ray] Densit /ater Well] Geotechnical/Geological Ir Seismic Survey] Other (<i>describe</i>)	y Sonic Neutron Other:
Location of the source of any surface wa Method of dosing and volume of Chloring Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): N If drilling is not rel Purpose of Well (check all applicable):	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological Ir Seismic Survey Other (describe) dated to water well construction, skip t Home Industrial Public Supply Im	y Sonic Neutron Other:
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N If drilling is not rel Purpose of Well (check all applicable): Other (describe): Replace GW-40	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological Ir Seismic Survey Other (describe) dated to water well construction, skip t Home Industrial Public Supply Im	y Sonic Neutron Other:
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well (check all applicable): Purpose of Well (check all applicable): Other (describe): <u>Replace GW-40</u> If a flowing well, method of flow regulatio	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological Ir Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im	y Sonic Neutron Other: Nvestigation Ground Source Heat Pump <i>the remainder of this block</i> igation Fish Culture
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ If drilling is not rel Purpose of Well (check all applicable): □ Q Other (describe): Replace GW-40 If a flowing well, method of flow regulatio Static Water Level:	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological Ir Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe feet [] above or below] land surface	y Sonic Neutron Other:
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No log Purpose of borehole (check one): No log <i>If drilling is not rel</i> Purpose of Well (check all applicable): Purpose of Well (check all applicable): No log <i>If drilling is not rel</i> Purpose of Well (check all applicable): The provide of the source o	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological Ir Seismic Survey Other (describe) dated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe ieet [] above or below] land surface (check one) Steel tape Electric tape Air line Other (other)	y Sonic Neutron Other:
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ If drilling is not rel Purpose of Well (check all applicable): ☑ Purpose of Well (check all applicable): ☑ ○ Other (describe): Replace GW-40 If a flowing well, method of flow regulatio Static Water Level: 54'	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological Ir Seismic Survey Other (describe) dated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe ieet [] above or below] land surface (check one) Steel tape Electric tape Air line Other (other)	y Sonic Neutron Other: Nestigation Ground Source Heat Pump the remainder of this block igation Fish Culture Date measured: 10/28/2014 ther: (describe) heck one): Neat Cement Bentonite Mix
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well (check all applicable): Purpose of Well (check all applicable): No Other (describe): <u>Replace GW-40</u> If a flowing well, method of flow regulation Static Water Level: <u>54'</u> Method of Measurement (check one) Well depth: <u>126'</u> Well grouted to a Casing length: <u>86'</u> feet	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological In Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe feet [] above or below] land surface (check one) Steel tape Electric tape Air line Other (describe) teet [1 above or below] land surface (check one) Steel tape Electric tape Air line Other (describe) feet Type of grout (check one) Casing diameter: 16" inche	y Sonic Neutron Other: Nestigation Ground Source Heat Pump the remainder of this block igation Fish Culture Date measured: 10/28/2014 ther: (describe) heck one): Neat Cement Bentonite Mix
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well (check all applicable): Purpose of Well (check all applicable): No Other (describe): <u>Replace GW-40</u> If a flowing well, method of flow regulation Static Water Level: <u>54'</u> Method of Measurement (check one) Well depth: <u>126'</u> Well grouted to a Casing length: <u>86'</u> feet Screen length: <u>40'</u> feet	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological In Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe feet [] above or below] land surface (check one) Steel tape Electric tape Air line Other (describe) teet [1 above or below] land surface (check one) Steel tape Electric tape Air line Other (describe) feet Type of grout (check one) Casing diameter: 16" inche	y □ Sonic □ Neutron □ Other: nvestigation □ Ground Source Heat Pump the remainder of this block igation □ Fish Culture a) Date measured: 10/28/2014 ther: (describe) heck one): □ Neat Cement ⊠ Bentonite □ Mix es Type of casing: PVC es Type of screen: PVC
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No <i>If drilling is not rel</i> Purpose of Well (check all applicable): Purpose of Well (check all applicable): No Other (describe): <u>Replace GW-40</u> If a flowing well, method of flow regulation Static Water Level: <u>54'</u> Method of Measurement (check one) Well depth: <u>126'</u> Well grouted to a Casing length: <u>86'</u> Screen length: <u>40'</u> feet Screen slot size: <u>.050</u>	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological In Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe) feet [above or below] land surface (check one) Steel tape Electric tape Air line Other (describe) teet [below] land surface (check one) Steel tape Electric tape Air line Other (check one) Steel tape Electric tape Air line Other (check one) Steel tape Electric tape Air line Other (check one) Steel tape Casing diameter: 16" inche	y □ Sonic □ Neutron □ Other: nvestigation □ Ground Source Heat Pump the remainder of this block igation □ Fish Culture e) Date measured: 10/28/2014 ther: (describe) heck one): □ Neat Cement ⊠ Bentonite □ Mix es Type of casing: PVC es Type of screen: PVC feet to 126' feet
Location of the source of any surface was Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ <i>If drilling is not rel</i> Purpose of Well (check all applicable): ☑ Q Other (describe): Replace GW-40 If a flowing well, method of flow regulation Static Water Level: 54'f Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 86' feet Screen length: 40' feet Screen slot size: .050 in	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological In Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe) feet [above or I below] land surface (check one) Steel tape Electric tape Air line Of depth of: 10° feet Type of grout (check one) Steen diameter: 16° inche Screen diameter: 16° inche nches Setting depth: From 87°	y □ Sonic □ Neutron □ Other: nvestigation □ Ground Source Heat Pump the remainder of this block igation □ Fish Culture e) Date measured: 10/28/2014 ther: (describe) heck one): □ Neat Cement ⊠ Bentonite □ Mix es Type of casing: PVC es Type of screen: PVC feet to 126' feet
Location of the source of any surface wa Method of dosing and volume of Chloring Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ \$ If drilling is not rel Purpose of Well (check all applicable): ☑ Q Other (describe): Replace GW-40 If a flowing well, method of flow regulation Static Water Level: 54' Method of Measurement (check one) ☑ Well depth: 126' Well grouted to a Casing length: 40' feet Screen length: 40' feet Screen slot size: .050 i Type of completion (check all applicable): i	e used in drilling and development: 50 g run Electric Gamma Ray Densit /ater Well Geotechnical/Geological In Seismic Survey Other (describe) ated to water well construction, skip t Home Industrial Public Supply Im 497 n: Valve Other (describe) feet [above or I below] land surface (check one) Steel tape Electric tape Air line Of depth of: 10° feet Type of grout (check one) Steen diameter: 16° inche Screen diameter: 16° inche nches Setting depth: From 87°	y Sonic Neutron Other:

<u>н</u> н

1	For Office Use Only:
Well #:	F 225
	-

The sketch below only required for water wells

If well telescopes, show depths on sketch.

County: Leflore
Permit #: GW-48597

٠,

.

Ground level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

epth)

If more than one screen, show location of each on sketch

Sketch the property layout and in 1) the well location	icidae the following.			
2) any permanent structures	e on the property that m	av aid in locating the well		
3) any roads, power lines, o				
4) a north arrow				
andowner Name: Ralph	Prestidge			
	Tioonago		<u> </u>	
			Form: OLW	R-SWR-1A (04/08)
			d in accordance with all applicable	
	Department of Environm	ental Quality and the Miss	seeppi Department of Health regu	ations,
f applicable, and state laws.	ACAE	4010510044	las	RECEIVE
Patrick Chism	0695	10/25/2014	0	<u>neve</u> iyei
Print Name of Responsible Licer	nsee and License No.	Date	Signature of Licensee	R-SWR10€(1132) 2014
			FUIII. OLVYP	

		STATE V	VELL REPORT			ffice Use Only:
County: Leflore			Part 2	Well	#:	F 225
Permit #: GW-48597		Pump Installe	r's Completion Rep	oort		
Driller: Irrigation Equipme	ent	Mississippi Departn	ment of Environmental C d and Water Resources	Quality Aquif	er	
Date drilling completed: 10/2			O. Box 2309	, .qu.:		
Copy information from block			n, MS 39225-2309 01) 961-5210	L		
) 360-0535 (fax)			
This part of the report must of the report must be attach Well Own Owner Name: Ralph Prest	<u>ed and both pa</u> ner informatic	rts filed with the Dep on	ell contractor or a license partment at the above addi Latitude: 33 34' 15.	<u>ress within 30</u> Well Loca	<i>days o</i> ation	f well completion.
					_	
Mailing Address: 37301 C	ounty Road 5	23	Method of Lat/Long (c	check one):	Co	nventional Survey,
			🔲 USGS quad, 🖾 H	and-held GPS	s, 🗖 s	urvey-grade GPS
Schlater	Ms	38952	SE ½	NE 14, Sec 26	5 T 20	N R 2 W
City	State	Zip code				
Telephone No. ()	-		5 Miles	Northwest	of	Itta Bena
			(Distance)	(Direction)		(Nearest Town)
🗌 Submersible 🖾 Turbine 🗌] Air Lift □ Ce	ntrifugal 🗂 Flowing V	Well 🛛 Jet 🗂 Piston 🗖 R	Rotary 🗂 Othe	er (des	cribe):
	7/2014		Rated Pump Capacity:			
Date Pump Installed 10/2	112014			230011-		
This Dump (sheek and):		virod 🗂 Poplacomon	\ #			
Is This Pump (check one):	New 🛛 Repa		nt pe (check one)			······
• • • • • • • • • • • • • • • • • • • •		Power Ty	pe (check one)	escribe).		
⊠ Electric □ Diesel □ Gaso	bline 🗌 Natura	Power Ty	r pe (check one) D □ Windmill □ Other (de			aas: 2
⊠ Electric □ Diesel □ Gaso	bline 🗌 Natura	Power Ty	pe (check one)			ges: <u>2</u>
⊠ Electric □ Diesel □ Gaso	bline 🗌 Natura	Power Ty Gas Tractor PTC Setting Depth:	r pe (check one) D □ Windmill □ Other (de			ges: <u>2</u>
☑ Electric ☐ Diesel ☐ Gaso Horse Power Rating of Motor	bline	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data	npe (check one) D Windmill Other (do : 80'	feet Number	r of Sta	
☑ Electric ☐ Diesel ☐ Gasc Horse Power Rating of Motor Date Well Tested:	bline	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data	pe (check one) U Windmill D Other (do 80' for Non Flowing Well Duration of Pump Tes	feet Number	r of Sta hours)	: Ho
Electric Diesel Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A):	bline □ Natural r: <u>60</u> Feet	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface	ppe (check one) U Windmill D Other (do 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level	feet Number	hours)	: Hoi eet Below Land Surfa
⊠ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	bline 🗌 Natura r: 60 Feet	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface feet Below Land Surf	ppe (check one) U Windmill D Other (do 80' for Non Flowing Well Duration of Pump Tess Pumping Water Level face Test Pumping Rat	feet Number at <i>(minimum 4</i> I (B):	hours)	: Hoi eet Below Land Surfa
⊠ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	bline 🗌 Natura r: 60 Feet	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface	pe (check one) U Windmill D Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rat ape D Air line D Other (de	feet Number at <i>(minimum 4</i> I (B):	hours)	: Hoi eet Below Land Surfa
☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement <i>(che</i>	bline ☐ Natural r: 60 Feet Feet F eck one): ☐ St	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface	ppe (check one) U Windmill D Other (do 80' for Non Flowing Well Duration of Pump Tess Pumping Water Level face Test Pumping Rat	feet Number at <i>(minimum 4</i> I (B):	hours)	: Hoi eet Below Land Surfa
Z Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head:	Dine Natura r: 60 Feet <i></i> F <i>eck one)</i> : St	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface feet Below Land Surf eel tape Electric ta Pump Test Da Feet Feet	pe (check one) U Windmill D Other (de 80' for Non Flowing Well Duration of Pump Tese Pumping Water Level face Test Pumping Rat rape Air line D Other (de ta for Flowing Well	feet Number at (<i>minimum 4</i> I (B): e: describe):	hours)	: Hor eet Below Land Surfa Gallons Per Min
☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (chee) Measured shut in head:	Dine Natura r: 60 Feet <i></i> F <i>eck one)</i> : St	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface feet Below Land Surf eel tape Electric ta Pump Test Da Feet Feet	pe (check one) U Windmill D Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rat ape D Air line D Other (de	feet Number at (<i>minimum 4</i> I (B): e: describe):	hours)	: Hor eet Below Land Surfa Gallons Per Min
 ☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (chee) Measured shut in head: 	Dine Natura r: 60 Feet <i></i> F <i>eck one)</i> : St	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface feet tape Electric ta Pump Test Da Feet frawdown of	pe (check one) U Windmill D Other (de 80' for Non Flowing Well Duration of Pump Tese Pumping Water Level face Test Pumping Rat rape Air line D Other (de ta for Flowing Well	feet Number at (<i>minimum 4</i> I (B): e: describe):	hours)	: Hor eet Below Land Surfa Gallons Per Mini ours of pumping
⊠ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded	bline □ Natural r: 60 Feet Feet F eck one): □ St	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface feet tape Feet Grawdown of Meter	pe (check one) O U Windmill Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rat ape Air line Other (de ta for Flowing Well feet after Installation	feet Number	r of Sta hours) Fr	: Ho eet Below Land Surfa Gallons Per Mini
Electric Diesel Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer:	bline ☐ Natural r: _60 Feet F eck one): ☐ St GPM with a d	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface Get Below Land Surf eel tape Electric ta Pump Test Da Feet drawdown of Meter	pe (check one) O U Windmill Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rat ape Air line Other (de ta for Flowing Well feet after Installation Meter Serial Numb	feet Number	hours)	: Hor eet Below Land Surfa Gallons Per Mini ours of pumping
Electric Diesel Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Manufacturer:	bline □ Natural r: 60 Feet F eck one): □ St GPM with a c	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface eet tape Electric ta Pump Test Da Feet frawdown of Meter	pe (check one) O U Windmill Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rat ape Air line Other (de ta for Flowing Well feet after Installation U Meter Serial Numb U Type of Meter:	feet Number	hours)	: Ho eet Below Land Surfa Gallons Per Minu ours of pumping
Electric Diesel Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and N	Aultiplier Factor	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface feet tape Electric ta Pump Test Dat Feet drawdown of Meter (AF x .001, gal x 10	pe (check one) O U Windmill Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rate ape Air line Other (de ta for Flowing Well feet after Installation Meter Serial Numt Type of Meter:	feet Number	hours)	: Hor eet Below Land Surfa Gallons Per Minu ours of pumping
Electric Diesel Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and M Installation Date:	Dine Dine Natural r: 60 Feet Feet GPM with a c GPM with a c Multiplier Factor N	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface eet tape Electric ta Pump Test Dat Feet frawdown of Keter (AF x .001, gal x 10 leter installed by:	pe (check one) D Windmill Other (delta) S0	feet Number	hours)	: Hor eet Below Land Surfa Gallons Per Minu ours of pumping
☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and N Installation Date: Is This Meter (check one):	Dine Natural r: 60	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface feet ape Feet drawdown of Keter (AF x .001, gal x 10 leter installed by: inted Replacement	pe (check one) O U Windmill Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rate ape Air line Other (de ta for Flowing Well feet after Installation Meter Serial Numt Type of Meter: nt	feet Number	hours)	: Hor eet Below Land Surfa Gallons Per Minu nours of pumping
☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and N Installation Date: Is This Meter (check one):	Aultiplier Factor	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface feet ape Feet Grawdown of Keter (AF x .001, gal x 10 leter installed by: formation you are ce	<pre>pe (check one) D U Windmill Other (de</pre>	feet Number	nof Sta	: Hor eet Below Land Surfa Gallons Per Minu nours of pumping
☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and N Installation Date: Is This Meter (check one):	Aultiplier Factor	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface eet Below Land Surface feet ape Feet Grawdown of Keter (AF x .001, gal x 10 leter installed by: formation you are ce	pe (check one) O U Windmill Other (de 80' for Non Flowing Well Duration of Pump Tes Pumping Water Level face Test Pumping Rate ape Air line Other (de ta for Flowing Well feet after Installation Meter Serial Numt Type of Meter: nt	feet Number	nof Sta	: Hor eet Below Land Surfa Gallons Per Minu nours of pumping
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and M Installation Date: Is This Meter (check one): [Aultiplier Factor Multiplier Factor New C Repairs	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface Geet Below Land Surface Geet ape Electric ta Pump Test Dat Feet Grawdown of Keter (AF x .001, gal x 10 leter installed by: Grantion you are ce ural wells, a list of ap	pe (check one) D Windmill O for Non Flowing Well Duration of Pump Tesse e Pumping Water Level face face Test Pumping Rat ape Air line Other (dita for Flowing Well feet after Installation	feet Number	nof Sta	: Hor eet Below Land Surfa Gallons Per Minu nours of pumping
☑ Electric □ Diesel □ Gasc Horse Power Rating of Motor Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (che Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and M Installation Date: Is This Meter (check one): Important: By submitting	Aultiplier Factor Multiplier Factor New C Repairs	Power Ty Gas Tractor PTC Setting Depth: Pump Test Data Below Land Surface Geet Below Land Surface Geet ape Electric ta Pump Test Dat Feet Grawdown of Keter (AF x .001, gal x 10 leter installed by: Grantion you are ce ural wells, a list of ap	pe (check one) D Windmill O for Non Flowing Well Duration of Pump Tesse e Pumping Water Level face face Test Pumping Rat ape Air line Other (dita for Flowing Well feet after Installation	feet Number	nof Sta	: Hor eet Below Land Surfa Gallons Per Minu nours of pumping

NOV 04 2014

•• •

EN OLWP