	STATE WELL REPORT	For Office Use Only:
County: Leflore	Part 1 Drillor's Log	Well #: / / 0
Permit #: GW-49373	Driller's Log Mississippi Department of Environmental Quality	Aquifer:
Driller: Irrigation Equipment, Inc.	Office of Land and Water Resources P.O. Box 2309	E-Log #:
Date drilling completed: 5/7/16	Jackson, MS 39225-2309	
	┘ (601) 961-5210 (601) 360-0535 (fax)	
	be prepared by the license holder responsible for	
Department at the above address w Well Owner Informa	within 30 days of completion of drilling of the we	ell or borehole.
(Landowner if borehole is not fo		
Owner Name: Videlma Plantation, Inc	c Latitude: _33 29' 21.1"	Longitude: 90 21' 14.1"
Mailing Address: 5977 CR 145	Method of Lat/Long (check of	ne): 🔲 Conventional Survey,
	USGS quad 🕅 Hand-hel	d GPS, 🔲 Survey-grade GPS
Greenwood MS City Stat		Sec <u>25</u> T <u>19N</u> R <u>2W</u>
Telephone No. () -	Miles	of Itta Bena
	(Distance) (Direc	tion) (Nearest Town)
	Well / Borehole Data	
Date drilling started: 5/7/16	Date drilling completed: 5/7/16 Hole depth: 12	7' Hole diameter: 24"
	tor used for drilling: Surface Water	
Location of the source of any surface wa	ter used for drilling. Our face water	
Method of dosing and volume of Chlorine	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log		Neutron Other:
Location of the source of any surface wa Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s):	e used in drilling and development: 50 PPM	Neutron D Other:
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🕅 W	e used in drilling and development: 50 PPM	
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S	e used in drilling and development: 50 PPM g run] Electric] Gamma Ray] Density] Sonic [/ater Well] Geotechnical/Geological Investigation	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🔲 S <i>If drilling is not rela</i>	e used in drilling and development: <u>50 PPM</u> g run Electric Gamma Ray Density Sonic /ater Well Geotechnical/Geological Investigation Seismic Survey Other (<i>describe</i>) ated to water well construction, skip the remained	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable):	e used in drilling and development: <u>50 PPM</u> g run] Electric] Gamma Ray] Density] Sonic [/ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (<i>describe</i>)	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable):	e used in drilling and development: <u>50 PPM</u> g run 🗋 Electric 🗌 Gamma Ray 🗋 Density 🗌 Sonic [//ater Well 📄 Geotechnical/Geological Investigation Seismic Survey 📄 Other (<i>describe</i>) <i>ated to water well construction, skip the remained</i> Home 🗋 Industrial 🗋 Public Supply 🖾 Irrigation 🗆 Fis	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable):	e used in drilling and development: <u>50 PPM</u> g run Electric Gamma Ray Density Sonic /ater Well Geotechnical/Geological Investigation Seismic Survey Other (<i>describe</i>) ated to water well construction, skip the remained	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ S <u>If drilling is not rel</u> Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulatio Static Water Level: _43f	e used in drilling and development: <u>50 PPM</u> g run] Electric] Gamma Ray] Density] Sonic [/ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (<i>describe</i>) <i>ated to water well construction, skip the remained</i> Home] Industrial] Public Supply [Irrigation] Fisher: Valve Other (describe) n: Valve Other (describe) feet [] above or [] below] land surface Date means (check one)	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ S <u>If drilling is not rel</u> Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulatio Static Water Level: _43f	e used in drilling and development: 50 PPM g run] Electric] Gamma Ray] Density] Sonic [//ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (describe) ated to water well construction, skip the remained Home] Industrial] Public Supply [Irrigation] Fis n: Valve Other (describe) feet [] above or [] below] land surface Date mea	Ground Source Heat Pump
Method of dosing and volume of Chlorine Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ s If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: _43f Method of Measurement (check one) ☑	e used in drilling and development: <u>50 PPM</u> g run] Electric] Gamma Ray] Density] Sonic [/ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (<i>describe</i>) <i>ated to water well construction, skip the remained</i> Home] Industrial] Public Supply [Irrigation] Fisher: Valve Other (describe) n: Valve Other (describe) feet [] above or [] below] land surface Date means (check one)	Ground Source Heat Pump der of this block sh Culture asured: 5/9/16 be)
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ \$	e used in drilling and development: <u>50 PPM</u> g run] Electric] Gamma Ray] Density] Sonic [/ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (<i>describe</i>)	☐ Ground Source Heat Pump der of this block sh Culture asured: <u>5/9/16</u> be)] Neat Cement ⊠ Bentonite □ Mix
Method of dosing and volume of Chlorine Logs run (check all applicable):	a used in drilling and development: 50 PPM g run [] Electric [] Gamma Ray [] Density [] Sonic [] /ater Well [] Geotechnical/Geological Investigation Seismic Survey [] Other (describe) ated to water well construction, skip the remained a Home [] Industrial [] Public Supply [] Irrigation [] Fisher n: Valve Other (describe) ieet [] above or [] below] land surface Date mean (check one) Steel tape [] Electric tape [] Air line [] Other: (describe)	□ Ground Source Heat Pump der of this block sh Culture asured: 5/9/16 be) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W □ \$	e used in drilling and development: <u>50 PPM</u> g run] Electric] Gamma Ray] Density] Sonic [//ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (<i>describe</i>)	☐ Ground Source Heat Pump der of this block sh Culture asured: <u>5/9/16</u> be)] Neat Cement ⊠ Bentonite □ Mix of casing: <u>PVC</u> of screen: <u>PVC</u>
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>43</u> f Method of Measurement (check one) Well depth: <u>127</u> Well grouted to a Casing length: <u>87</u> feet Screen length: <u>40</u> feet Screen slot size: <u>.050</u> i	a used in drilling and development: 50 PPM g run [] Electric [] Gamma Ray [] Density [] Sonic [//ater Well [] Geotechnical/Geological Investigation Seismic Survey [] Other (describe) ated to water well construction, skip the remained n: Valve	□ Ground Source Heat Pump der of this block sh Culture asured: 5/9/16 be) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 127 feet
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>43</u> f Method of Measurement (check one) Well depth: <u>127</u> Well grouted to a Casing length: <u>87</u> feet Screen length: <u>40</u> feet Screen slot size: <u>.050</u> i Type of completion (check all applicable)	e used in drilling and development: <u>50 PPM</u> g run Electric Gamma Ray Density Sonic /ater Well Geotechnical/Geological Investigation Seismic Survey Other (<i>describe</i>) <u></u> <i>ated to water well construction, skip the remained</i> ated to water well construction, skip the remained Home Industrial Public Supply Irrigation Fisher n: Valve <u></u> Other (describe) <u></u> n: Valve <u></u> Other (describe) <u></u> feet [above or I below] land surface Date means (check one) Steel tape Electric tape Air line Other: (descrifted depth of: <u>10</u> feet Type of grout (check one): I Casing diameter: <u>16</u> inches Type of Screen diameter: <u>16</u> inches Type of nches Setting depth: From <u>88</u> <u>5</u> <u>6</u> for inches Inches Type of Gravel packed Underreamed Open hole I for	Ground Source Heat Pump der of this block sh Culture asured: 5/9/16 be) Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 127 feet Natural Development
Method of dosing and volume of Chlorine Logs run (check all applicable): 🖾 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>43</u> f Method of Measurement (check one) Well depth: <u>127</u> Well grouted to a Casing length: <u>87</u> feet Screen length: <u>40</u> feet Screen slot size: <u>.050</u> i Type of completion (check all applicable)	a used in drilling and development: 50 PPM g run [] Electric [] Gamma Ray [] Density [] Sonic [//ater Well [] Geotechnical/Geological Investigation Seismic Survey [] Other (describe) ated to water well construction, skip the remained n: Valve	□ Ground Source Heat Pump der of this block sh Culture asured: 5/9/16 be) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 127 feet Natural Development
Method of dosing and volume of Chlorine _ogs run (check all applicable):	e used in drilling and development: <u>50 PPM</u> g run] Electric] Gamma Ray] Density] Sonic [/ater Well] Geotechnical/Geological Investigation Seismic Survey] Other (<i>describe</i>) <i>ated to water well construction, skip the remained</i> ated to water well construction, skip the remained ated to water well constructio	□ Ground Source Heat Pump der of this block sh Culture asured: 5/9/16 be) □ Neat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 127 feet Natural Development

• • •

	For (Office Use Only:
Weli #:	J	198

The sketch below only required for water wells

If well telescopes, show depths on sketch.

County: Leftore
Permit #: GW-49373

.

Ground level	
<u> </u>	
	L
	-
	-
	_
	-
	-
	-

<u>Description of formations encountered must be provided for all wells</u> and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	43
Fine Sand & Gravel	44	57
Med. Sand & Gravel	58	127
		······
	1	
· · · · · · · · · · · · · · · · · · ·		
La	L	L

If more than one screen, show location of each on sketch

Sketch the property layout and include the following:	*····	а ₁ 4,			
1) the well location					
any permanent structures on the property that ma	ly aid in locating the	well			
any roads, power lines, or other items that may ai	d in locating the prop	perty and the w	/ell		
4) a north arrow	• • •				
					1
Landerman Manage					
Landowner Name:					Ì
LHERERY CERTIEV that the well/herehole was drilled		5		: OLWR-SWR-1A (04/0	B)
I HEREBY CERTIFY that the well/borehole was drilled, or	Instructed, and composed the	piered in accord	dance with all appl	icable	
requirements of the Mississippi Department of Environme	ntal Quality and the	MISSISSIPPI De	partment of Health	regulations,	
if applicable, and state laws.			>		
0695	5/17/16				
Print Name of Responsible Licensee and License No.	Date		Signature of Lice	ensee Hece	Iven
			Form: Ol	WR-SWR-1A (4/13)	
				. ,	

MAY 2 5 2016

By OLWR

	STATE WELL REPORT	For Office Use Only:
County: Leflore	Part 2	Well #: 5/98
Permit #: GW-49373	Pump Installer's Completion Report	
Driller: Irrigation Equipment, Inc.	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
Date drilling completed: 5/7/16	P.O. Box 2309	
Copy information from block on Part 1	Jackson, MS 39225-2309 (601) 961-5210	
	(601) 360-0535 (fax)	
	d by a licensed water well contractor or a licensed pum	
of the report must be attached and both p Well Owner Informat	parts filed with the Department at the above address with the second sec	ithin 30 days of well completion.
Owner Name: Videlma Plantation, Inc		Longitude: 90 21' 14.1"
Mailing Address: 5977 CR 145		one): Conventional Survey,
	🔲 USGS quad, 🛛 Hand-ho	eld GPS, 🔲 Survey-grade GPS
Greenwood MS City State		4, Sec <u>25</u> T <u>19N</u> R <u>2W</u>
Telephone No. () -	Miles	of Itta Bena
		ection) (Nearest Town)
	Pump Type (check one)	
	Centrifugal D Flowing Well D Jet D Piston D Rotary	
Date Pump Installed <u>5/9/16</u> Is This Pump (<i>check one</i>): ⊠ New □ Re	Rated Pump Capacity: 21004	Gallons Per Minute
	Power Type (check one)	
		a).
🛛 Electric 🗋 Diesel 🔲 Gasoline 🗖 Natur	ral Gas 🔲 Tractor PTO 🗌 Windmill 🔲 Other (describe	· · · · · · · · · · · · · · · · · · ·
🛛 Electric 🗋 Diesel 🔲 Gasoline 🗖 Natur	ral Gas 🔲 Tractor PTO 🗌 Windmill 🔲 Other (describe	· · · · · · · · · · · · · · · · · · ·
🛛 Electric 🗋 Diesel 🔲 Gasoline 🗖 Natur	ral Gas 🔲 Tractor PTO 🗌 Windmill 🔲 Other (describe	· · · · · · · · · · · · · · · · · · ·
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor:60	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 Feet Pump Test Data for Non Flowing Well	· · · · · · · · · · · · · · · · · · ·
☑ Electric ☐ Diesel ☐ Gasoline ☐ Natur Horse Power Rating of Motor: 60 60 Cate Well Tested:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 Feet Pump Test Data for Non Flowing Well	Number of Stages: 1
Electric Diesel Gasoline Natur Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fer	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 Feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini-	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface
Electric Diesel Gasoline Natur Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fee Drawdown [(B) - (A)]:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B):	Number of Stages: <u>1</u> <i>imum 4 hours</i>): <u>Hours</u> Feet Below Land Surface Gallons Per Minute
Electric Diesel Gasoline Natur Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fee Drawdown [(B) - (A)]:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Number of Stages: <u>1</u> <i>imum 4 hours</i>): <u>Hours</u> Feet Below Land Surface Gallons Per Minute
 ☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fee Drawdown [(B) - (A)]: 	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 Feet Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe Other (describe)	Number of Stages: <u>1</u> <i>imum 4 hours</i>): <u>Hours</u> Feet Below Land Surface Gallons Per Minute
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet Feet	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute be):
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 Feet Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe Other (describe)	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute be):
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): □ \$ Measured shut in head:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet Feet	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute be):
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): □ \$ Measured shut in head: Well yielded GPM with a	ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet 1 Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗋 Electric tape 🖨 Air line 🖨 Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute be):
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor: 60 Date Well Tested:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe Pump Test Data for Flowing Well Feet Adrawdown of feet after Meter Installation	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute be): hours of pumping
Electric Diesel Gasoline Natur Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): S Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Type of Meter: Type of Meter:	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute be):
Electric Diesel Gasoline Natur Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fee Drawdown [(B) - (A)]: Method of measurement (check one): S Measured shut in head: Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Fotalizer Register Unit and Multiplier Factor	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet A drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: or (AF x .001, gal x 1000, etc):	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute Gallons Per Minute Hours be): Hours of pumping
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor: 60 Date Well Tested:	ral Gas 🗌 Tractor PTO 🗌 Windmill 🗋 Other (describe Setting Depth: 70 feet 1 Pump Test Data for Non Flowing Well Duration of Pump Test (mini- et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape 🗋 Electric tape 🖨 Air line 🖨 Other (describe Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by:	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute Gallons Per Minute Hours be): Hours of pumping
Electric Diesel Gasoline Natur Arrise Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fer Static Water Level (A): Fer Drawdown [(B) - (A)]: Method of measurement (check one): Meth	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet A drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Meter installed by: Meter installed by: Data for this meter was installation you are certifying that this meter was installation	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute Gallons Per Minute Hours of pumping hours of pumping Hours alled to manufacturer standards. Hours
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor: 60 Date Well Tested:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet A drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: or (AF x .001, gal x 1000, etc): Data for Pump Test Data for Electric tape Description Descriptio	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute Gallons Per Minute Hours of pumping hours of pumping Hours alled to manufacturer standards. Hours
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor: 60 Date Well Tested:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet A drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Meter installed by: Meter installed by: Data for this meter was installation you are certifying that this meter was installation	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute Gallons Per Minute Hours of pumping hours of pumping Hours alled to manufacturer standards. Hours
☑ Electric □ Diesel □ Gasoline □ Natur Horse Power Rating of Motor: 60 Date Well Tested:	ral Gas Tractor PTO Windmill Other (describe Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describ Pump Test Data for Flowing Well Feet Adrawdown of feet after Meter Installation Meter Serial Number: Type of Meter: or (AF x .001, gal x 1000, etc): Meter installed by: paired Replacement Information you are certifying that this meter was instatural wells, a list of approved meters is on the MDEQ n	Number of Stages: 1 imum 4 hours): Hours Feet Below Land Surface Gallons Per Minute Gallons Per Minute Hours of pumping hours of pumping Hours alled to manufacturer standards. Hours

· . .

By OLWR