County:	Leflore	
Permit #:	GW-49372	!
Driller:	Irrigation Eq	uipment, Inc.
Date drill	ng completed:	5/7/16

STATE WELL REPORT Part 1

Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well #:	K161
Aquifer:	<u> </u>
E-Log #:	4-land of the state of the stat

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of com	pletion of drilling of the well or borehole.
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Videlma Plantation, Inc	Latitude: 33 29' 14.8" Longitude: 90 20' 38.4"
Mailing Address: 5977 CR 145	Method of Lat/Long (check one): Conventional Survey,
Control of the Contro	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Greenwood MS 38930 City State Zip code	<u>NE</u> ¼ <u>NW</u> ¼, Sec <u>30</u> ⊤ <u>19N</u> R <u>1W</u>
Telephone No. () -	Miles of Itta Bena (Distance) (Direction) (Nearest Town)
Well / Bo	rehole Data
Date drilling started: 5/7/16 Date drilling completed:	·
— — Method of dosing and volume of Chlorine used in drilling and dev	
•	nma Ray Density Sonic Neutron Other:
Name of organization running log(s):	
	price!/Coolegical Investigation TI Count Course Heat Duran
	nnical/Geological Investigation
	Other (describe)
If drilling is not related to water well con	struction, skip the remainder of this block
Purpose of Well <i>(check all applicable</i>): ☐ Home ☐ Industrial ☐ F	Public Supply ⊠ Irrigation ☐ Fish Culture
Other (describe):	
f a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 41 feet [☐ above or ☒ belo (check one)	w] land surface Date measured: 5/12/16
Method of Measurement (check one) 🛭 Steel tape 🗌 Electric tape	pe Air line Other: (describe)
Well depth: 120 Well grouted to a depth of: 10 fee	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix
Casing length: 80 feet Casing diameter: 12	inches Type of casing: PVC
Screen length: 40 feet Screen diameter: 12	inches Type of screen: PVC
Screen slot size: .050 inches Setting depth:	From 81 feet to 120 feet
Гуре of completion (check all applicable): 🏻 Gravel packed 🗌 U	nderreamed ☐ Open hole ☐ Natural Development
Other (describe)	
Other (describe):	i i
Top of lap pipe or reduction in casing:	Receive

Form: OLWR-SWAYA 2/532016

		For Office Use	e Only:
county: Leflore	Well #:	KILLET	
Permit #: GW-49372	<u> </u>		
he sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exem	must be provided for	r all wells
well telescopes, show depths on sketch.			-) To (dombh)
Fround level	Description of Formations Encounter Clay	ed From (depth Ground leve	
	Fine Sand & Gravel	55	68
	Med. Sand & Gravel	69	118
	Clay	119	120
	Oldy		1.20
			
more than one screen, show location of each on sketch			
ketch the property layout and include the following:			
the well location any permanent structures on the property that m	av aid in location the well		
3) any roads, power lines, or other items that may a	id in locating the well		
4) a north arrow	,		
			1
andowner Name:			
andowner Name:			
	operation and completed in a construction	Form: OLWF	R-SWR-1A (04/08)
HEREBY CERTIFY that the well/borehole was drilled, o	onstructed, and completed in accordance	with all applicable	` '
HEREBY CERTIFY that the well/borehole was drilled, of quirements of the Mississippi Department of Environmapplicable, and state laws.	ental Quality and the Miseissippi Departm	with all applicable	` '
andowner Name: HEREBY CERTIFY that the well/borehole was drilled, cequirements of the Mississippi Department of Environment applicable, and state laws. 695 Print Name of Responsible Licensee and License No.	constructed, and completed in accordance ental Quality and the Mississippi Departm	with all applicable	` '

Signature of Licensee
Form: OLWR-SWR-1A (4/13)
MAY 2 5 2016

County	Leflore
County.	
Permit #:	GW-49372
Driller:	Irrigation Equipment, Inc.
Date drilli	na completed:

Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fox)

(601) 360-0535 (fax)

For	r Office Use Only:
Well #:	K161
Aquifer:	-

Well Owner Information	Department at the above address within 30 days of well completion. Well Location
O Vidalma Diautation Inc	22 20! 44 0"
Owner Name: Videlma Plantation, Inc	Latitude: 33 29' 14.8" Longitude: 90 20' 38.4"
Mailing Address: 5977 CR 145	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Creaminal MC 29020	
Greenwood MS 38930 City State Zip code	<u>NE</u> ¼ <u>NW</u> ¼, Sec <u>30</u> T <u>19N</u> R <u>1W</u>
Telephone No. () -	Miles ofttta Bena
	(Distance) (Direction) (Nearest Town)
Pump ·	Type (check one)
☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	g Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe):
	Rated Pump Capacity: 1100+/- Gallons Per Minute
Is This Pump (check one): ☐ New ☒ Repaired ☐ Replacem	
Power	Type (check one)
🛛 Electric 🗌 Diesel 🗎 Gasoline 🖺 Natural Gas 🗎 Tractor P	TO Windmill Other (describe):
Horse Power Rating of Motor: 30 Setting Dep	oth: 70 feet Number of Stages: 2
Pump Test Da	ta for Non Flowing Well
Date Well Tested:	Duration of Pump Test (minimum 4 hours): Hours
	Duration of Pump Test (minimum 4 hours): Hours ace Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): Feet Below Land Surfa	ace Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S	ace Pumping Water Level (B): Feet Below Land Surface urface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Selectric	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute ctape Air line Other (describe):
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Electric Pump Test I	ace Pumping Water Level (B): Feet Below Land Surface urface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Electric Pump Test I Measured shut in head: Feet	ace Pumping Water Level (B): Feet Below Land Surface Furface Test Pumping Rate: Gallons Per Minute for tape Data for Flowing Well Data for Flowing Well
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute ctape Air line Other (describe):
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape Air line Other (describe): Data for Flowing Well feet after hours of pumping
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sic tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer:	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation Meter Serial Number:
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name:	ace Pumping Water Level (B): Feet Below Land Surface Feet Below Land Surface Gallons Per Minute ic tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation Meter Serial Number: Type of Meter:
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation Meter Serial Number: Type of Meter:
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by:	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (check one): _ New _ Repaired _ Replacem	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation Meter Serial Number: Type of Meter: 1000, etc):
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: _ Is This Meter (check one): _ New _ Repaired _ Replacem _ Important: By submitting the above information you are	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation Meter Serial Number: Type of Meter: 1000, etc): ment exertifying that this meter was installed to manufacturer standards.
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacem Important: By submitting the above information you are	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute sc tape Air line Other (describe): Data for Flowing Well feet after hours of pumping er Installation Meter Serial Number: Type of Meter: 1000, etc):
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): Steel tape Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacem Important: By submitting the above information you are	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute cctape
Static Water Level (A): Feet Below Land Surfa Drawdown [(B) - (A)]: Feet Below Land S Method of measurement (check one): _ Steel tape _ Electric Pump Test I Measured shut in head: Feet Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Meter installed by: Is This Meter (check one): _ New _ Repaired _ Replacem Important: By submitting the above information you are For agricultural wells, a list of a For agricultural wells, a list of a For agricultural wells, a list of a	ace Pumping Water Level (B): Feet Below Land Surface surface Test Pumping Rate: Gallons Per Minute cctape

MAY 2 5 2016