County: Leflore	County: Leflore		State Well Report Part 1 – Driller's Log	
Permit #: GW-45	939 /		of Environmental Quality ad Water Resources	wai#: <u>6313</u>
Driller: Irrigatio	on Equipment		Box 2309	L.S. Elevation:
Date drilling completed	t 05/17/2012		MS 39225	
			961-5210 1-5228 (fax)	
			y the license holder responsible	
	Information on V		s of completion of drilling of the well or borehole. Well or Borehole Location	
(Lando	-	not for a water well)		
Owner Name	Sims Investment	Properties	Latitude: <u>33</u> ° <u>31</u> ' <u>12</u>	Longitude: °7_ '
Mailing Address:	217 West Market	t Street	Method of Lat/Long (check one)	Conventional Survey,
			🗌 USGS quad, 🛛 Hai	nd-held GPS, 🔲 Survey-grade
	Greenwood	Ms 38930		7
	City	State Zip code	Distance Direction	
Talanhana M-	$\left( \right)$			
Telephone No.		······	1 MilesEast	of Greenwood
Location of the so Method of dosing Logs run (check al	and volume of Chlori	Date drilling completed: _05/ ater used for drilling: _Surface ne used in drilling and developm log run _ Electric _ Gamma	e Water	
Location of the so Method of dosing Logs run (check al Name of organizat	urce of any surface w and volume of Chlori	ater used for drilling: Surface ne used in drilling and developm log run Electric Gamma	e Water nent: 50 PPM a Ray Density Sonic I	
Location of the so Method of dosing Logs run (check al Name of organizat	urce of any surface w and volume of Chlori Il applicable): 🖾 No tion running log(s): le (check one): 🖾	ater used for drilling: Surface ne used in drilling and developm log run Electric Gamma Water Well Geotechnica Seismic Survey Other (	e Water hent: 50 PPM a Ray Density Sonic N //Geological Investigation G describe)	Neutron [] Other: round Source Heat Pump
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho	urce of any surface w and volume of Chlori Il applicable): 🛛 No ion running log(s): le (check one): 🖾 If drilling i	ater used for drilling: Surface ne used in drilling and developm log run Electric Gamma Water Well Geotechnica Seismic Survey Other ( is not related to water well co	e Water hent: 50 PPM a Ray Density Sonic IN VGeological Investigation G describe) Destruction, skip the remainder	Neutron [] Other: round Source Heat Pump
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c	urce of any surface w and volume of Chlori Il applicable): X No tion running log(s): Ie (check one): X If drilling is theck one) Home	ater used for drilling: Surface ne used in drilling and developm log run Electric Gamma Water Well Geotechnica Seismic Survey Other ( is not related to water well con e Industrial Public Sur	e Water hent: 50 PPM a Ray Density Sonic IN VGeological Investigation G describe) onstruction, skip the remainder poly Invigation I Tish Cult	Neutron Other: round Source Heat Pump of this block
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of Well (c If tlowine, method	urce of any surface w and volume of Chlori Il applicable): 🖾 No ion running log(s): Ile (check one): 🖾 If drilling i theck one) 🗌 Home	ater used for drilling:       Surface         ne used in drilling and developm         b log run       Electric         Gamma         Water Well       Geotechnica         Seismic Survey       Other (de         Industrial       Public Survey         Valve       Other (de	e Water hent: 50 PPM a Ray Density Sonic IN VGeological Investigation G describe) Destruction, skip the remainder	Neutron Other: round Source Heat Pump of this block are Other:
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho If thowine, method Static Water Level	urce of any surface w and volume of Chlori Il applicable): 🖾 No tion running log(s): Ile (check one): 🖾 If drilling i theck one) 🗌 Home of flow regulation: V : 14 feet ab	ater used for drilling:       Surface         ne used in drilling and developm         b log run       Electric         Gamma         Water Well       Geotechnica         Seismic Survey       Other (de         Industrial       Public Survey         Valve       Other (de         Other (de       Other (de	e Water hent: 50 PPM a Ray Density Sonic IN VGeological Investigation G describe) onstruction, skip the remainder poly Irrigation Fish Cult- scribe) nd Surface Date measured:	Neutron Other: round Source Heat Pump of this block are Other: 05/17/2012
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho If thowing, method Static Water Level Method of Measur	urce of any surface w and volume of Chlori Il applicable): 🖾 No ion running log(s): Ile (check one): 🖾 If drilling i theck one) 📋 Home of flow regulation: V : 14 feet ab ement (check one)	ater used for drilling: Surface ne used in drilling and developm olog run Electric Gamma Water Well Geotechnica Seismic Survey Other ( is not related to water well col is not related to water well col ove or below (check one) is taken the stoch tape is electric tape	e Water hent: 50 PPM a Ray Density Sonic IN UGeological Investigation G describe) onstruction, skip the remainder pals Irrigation Fish Cult- scribe)	Neutron Other: round Source Heat Pump of this block are Other: 05/17/2012
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method or Measur Well depuis 127	urce of any surface w and volume of Chlori Il applicable): 🖾 No ion running log(s): Ile (check one): 🖾 If drilling i theck one) 🗌 Home of flow regulation: V : 14 feet ab ement (check one) g Well genued	ater used for drilling: Surface ne used in drilling and developm olog run Electric Gamma Water Well Geotechnica Seismic Survey Other ( is not related to water well con e Industrial Public Sur Valve Other (de ove or below (check one) I has stoel tape is cleetric tape	e Water nent: 50 PPM a Ray □ Density □ Sonic □ N I/Geological Investigation □ G describe) onstruction, skip the remainder poly ☑ Inrigation □ Fish Cult scribe) nd ☑ surface Date measured: □ air fine □ other: i ype of ground (check one) □ ?	Neutron Other: round Source Heat Pump of this block are Other: 05/17/2012 Yeat Coment I Demonite I M
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Purpose of Well (c If flowing, method Static Water Level Method or Measur Wethol or Measur Wethol or Measur	urce of any surface w and volume of Chlori il applicable): S No cion running log(s): le (check one): S <i>If drilling i</i> theck one) Home of flow regulation: S : 14 feet ab ement (check one) g well genuted 37 feet	ater used for drilling: Surface ne used in drilling and developm olog run Electric Gamma Water Well Geotechnica Seismic Survey Other (de s not related to water well con the Industrial Public Survey Valve Other (de ove or below (check one) in tak store tape in electric tape man depair of 10 fast Casing diameter: 10	e Water hent: 50 PPM a Ray □ Density □ Sonic □ h UGeological Investigation □ G describe) onstruction, skip the remainder poly ☑ Irrigation □ Fish Cult scribe) nd ⊠ surface Date measured: □ air line □ other:	Neutron Other: round Source Heat Pump of this block are Other: 05/17/2012 Jeat Comen Demonite Maing: PVC
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Purpose of Well (c If flowine, method Static Water Level Method or Measur Wethol or Measur Wethol or Measur Wethol or Measur Wethol or Measur Screen length: 4	urce of any surface w and volume of Chlori il applicable): S No cion running log(s): le (check one): S <i>If drilling i</i> theck one) Home of flow regulation: V : 14 feet ab ement (check one) g Well genued 37 feet 10 feet	ater used for drilling: Surface ne used in drilling and developm olog run Electric Gamma Water Well Geotechnica Seismic Survey Other (de s not related to water well con e Industrial Public Sur Valve Other (de ove or below (check one) Ital stoel tape Colectric tape man depticut 10 fact Casing diameter: 10 Screen diameter: 10	e Water hent: 50 PPM a Ray □ Density □ Sonic □ h UGeological Investigation □ G describe) Distruction, skip the remainder poly ☑ Irrigation □ Fish Cult scribe) nd ☑ surface Date measured: □ air time □ other: iype of grout (clock one) □ h inches Type of case	Neutron Other: round Source Heat Pump of this block are Other: 05/17/2012 Jeat Comean Demonite M ing: PVC xen: PVC
Location of the so Method of dosing Logs run (check al Name of organizat Purpose of boreho Purpose of boreho Purpose of Well (c If flowing, method Static water Level Method of Measur Well depuis <u>127</u> Casing length: <u>4</u> Screen length: <u>4</u>	urce of any surface w and volume of Chlori il applicable): S No ion running log(s): le (check one): S <i>If drilling i</i> theck one) Home of flow regulation: V : 14 feet ab ement (encek one) f Well genued R7 feet 10 feet .050 i	ater used for drilling: Surface ne used in drilling and developm olog run Electric Gamma Water Well Geotechnica Seismic Survey Other (de s not related to water well con e Industrial Public Sur Valve Other (de ove or below (check one) I and stoel tape Colectric tape man deptie of 10 fact Casing diameter: 10 Screen diameter: 10 inches Setting depth: From	e Water nent: 50 PPM a Ray □ Density □ Sonic □ N U/Geological Investigation □ G describe) onstruction, skip the remainder poly □ Irrigation □ Fish Cult scribe) nd □ surface Date measured: □ air line □ other: iype of ground (clock one) □ ? inches Type of casi inches Type of scree	Veutron [] Other: round Source Heat Pump  of this block ure [] Other:  05/17/2012  Jent Cement [] Demonite [] M  ing: PVC  ren: PVC

RECEIVED				
MAY	2 4 2012			
BY				

BY: OLWR

## The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

•

.

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	31
Fine Sand	32	38
Fine Sand & Gravel	39	44
Medium Sand & Gravel	45	127
		1
		<b> </b>
		· · · · · · · · · · · · · · · · · · ·
	<b>_</b>	L

If more than one screen, show location of each on sketch

aid	layout and include the folk in locating the well; 3) any north arrow.	owing: 1) the well locatio roads, power lines, or othe	n; 2) any permanent structures of er items that may aid in locating t	a the property that may the property and the well;
Landowner Name: I certify that the well/b Mississippi Departmen laws. <u>Patrick Chism</u> Print Name of Responsible Li	of Environmental Quality : 0695	ted, and completed in acco	rdance with all applicable require nent of Health regulations, if appli Signature of Licensee	Form: OLWR-SWR-1A (04/08) ments of the icable, and state RECEIVED MAY 2 4 2012

## **STATE WELL REPORT**

County:	Leflore
Permit #:	GW-45939
	Irrigation Equipment
	ing completed: 05/17/2012
<u>Copy in</u>	formation from block on Part 1

## Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer:		
Well #:	L313	
Elevation:		

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information			Well Location		
Owner Name: Sims Investment Properties			Latitude: 33 31' 12 N Longitude: 90 07' 24 W		
Mailing Address:	217 West Market St	reet	Method of Lat/Long (check one): Conventional Survey,		
			USGS quad, 🛛 Hand-held GPS, 🗌 Survey-grade GPS		
	Greenwood	Ms 38930	<u>SE</u> ¼ <u>SE</u> ¼ S∞ 7 <u>T</u> 19N R 2E		
	City State Zip code		Distance Direction Nearest Town		
Telephone No.	() -		1 Miles East of Greenwood		
	Pump Type Check one		Power Type Check one		
🗌 Air Lift	🗌 Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket	Piston	Turbine	Electric Motor Hand Tractor PTO		
Centrifugal	Rotary	Flowing Well	Windmill   Other (specify):		
Other (specify): _	·		Horse Power Rating of Motor: 25		
Date Pump Install	ed: 05/17/2012		Setting Depth:feet		
Rated Pump Capa	city 900+/-	Gallons Per Minute	Number of Stages: 1		
	Pump Test Da	<b>a</b>	Method of Measuring Water Level Check one		
Date Well Tested:			Air Line Electric Measuring Line Steel Tape		
Static Water Level	l (A):	Feet Below Land Surface	Other (specify):		
Pumping Water Le	evel (B):	Feet Below Land Surface			
Drawdown [(B) -	(A)]:	Feet Below Land Surface	For flowing well, measured shut in head: feet		
Test Pumping Rate	e:	Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump	Test (minimum 4 hours):	hours	feet after hours of pumping		
This is for (c	check one): Ne	w Well Replacen	nent of Existing Pump Repair of Existing Pump		
I HEREBY CERT Patrick Chism		ents are true to the best of m 0695	y knowledke RECEIVED		
	ump Installer and License	No. (if applicable)	Signature of Pump Installer MAY 2 /, 2012		
		·····	Form: OLWR-SWR-1C (07-09)		
Form provided by Fo	orms On-A-Disk · 214-340-94	29 · FormsOnADisk.com	BY: OLWR		