		ELL REPORT	For Office Use Only	y:
County: Leflore		Part 1	Well #: 1330	
Permit #: GW-48164		ller's Log	Aquifer:	
Driller: Irrigation Equipment		ent of Environmental C and Water Resources	uality E-Log #:	
). Box 2309		
Date drilling completed: 05/21/2014	Jackson,	MS 39225-2309		
		1) 961-5210 360-0535 (fax)		
	. ,	ι,	11 C A 1 1 CH 1 A A	,
State Law requires that this report b				ne
Department at the above address wi Well Owner Informati			l or Borehole Location	
(Landowner if borehole is not for				
Owner Name: Dunn Farms		Latitude: 33 28' 43.	N Longitude: 90 14' 07.5 W	_
Mailing Address: 9337 County Road 1	42	Method of Lat/Long (c	neck one): 🛛 Conventional Survey	Ι,
		🔲 USGS quad, 🛛 Ha	nd-held GPS, 🗌 Survey-grade GPS	/
Itta Bena Ms	38941	<u>NE</u> ½	SW 14, Sec 30 T 19 N R 1 E	
City State	Zip code		• ··· · -	
Telephone No. () -		2 Miles (Distance)	Southwest of Greenwood (Direction) (Nearest Town)	
	Well / Bo	rehole Data		
Date drilling started: 05/21/2014 Da	te drilling completed:	05/21/2014 Hole depi	h: 125' Hole diameter: 24"	
Location of the source of any surface wate	r used for drilling:	urface Water		
Method of dosing and volume of Chlorine a	used in drilling and dev	elopment: 50 PPM		
Logs run (check all applicable): 🛛 No log i	run 🗌 Electric 🗌 Gam	ma Ray 🗌 Density 🗍 S	onic 🗌 Neutron 🗌 Other:	
Name of organization running log(s):				
Purpose of borehole (check one): 🛛 Wa	ter Well 🔲 Geotect	inical/Geological Investig	ation 🔲 Ground Source Heat Pur	np
🗆 Se	ismic Survey	Other (describe)		
If drilling is not rela	ed to water well cor	struction skin the re	mainder of this block	
	eu io waier weit con	SIFUCTION, SKIP INE FE	mainder of this block	
Purpose of Well (check all applicable):	lome 🗌 Industrial 🔲 F	ublic Supply 🛛 Irrigation	n 🗖 Fish Culture	
Other (describe):				
If a flowing well, method of flow regulation:	Valve	Other (describe)		
Static Water Level: 23' fee	et [□ above or ⊠ belo (check one)	w] land surface Da	e measured: 05/25/2014	
Method of Measurement (check one) 🛛 SI	. ,	e 🗌 Air line 🗌 Other: (describe)	
Well depth: 125 Well grouted to a de	epth of: <u>10'</u> fee	Type of grout (check of	ne): 🔲 Neat Cement 🛛 Bentonite [] Mix
Casing length: 85 feet	Casing diameter: 16"	inches	Type of casing: PVC	<u>. </u>
	Screen diameter: 16"	inches	Type of screen: PVC	
	hes Setting depth:			feet
Type of completion (check all applicable):	🛛 Gravel packed 🔲 U	nderreamed 🗌 Open ho		to a c
			a Trag and a transformed and a second and a se	
Top of lap pipe or reduction in casing:	Feet	-		
If telesc	oped or more than on	e screen, describe on na	nt nage	

Form: C	LVVR-SV	VR-1A (4	4/13)	
Dept of	LVVR-SV	1999 - 1997 1999 - 1997		:-/

F	For Office Use Only:
Well #:	L 330

The sketch below only required for water wells

If well telescopes, show depths on sketch.

County: Leflore
Permit #: GW-48164

,

Ground level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	17
Fine Sand	18	29
Fine Sand & Gravel	30	55
Medium Sand & Gravel	56	125
	<u> </u>	
····		
	· · · · · · · · · · · · · · · · · · ·	
	•	· · · · · · · · · · · · · · · · · · ·

If more than one screen, show location of each on sketch

1) the well locat			
2) any permane 3) any roads, po	nt structures on the property that m ower lines, or other items that may a	ay aid in locating the	well
4) a north arrow		nd in locating the pro	perty and the well
			RECEIVED
			JUN 04 2014
			BY: OLWR
Landowner Name:	Dunn Farms		
I HEREBY CERTIFY requirements of the N if applicable, and stat	lississippi Department of Environme	constructed, and com ental Quality and the	Form: OLWR-SWR-1A (04/08) pleted in accordance with all applicable Mississippi Department of Health regulations,
Patrick Chism	0695	05/29/2014	605
Print Name of Respo	Insible Licensee and License No.	Date	Signature of Licensee
			Form: OLWR-SWR-1A (4/13)

1.41.		ELL REPORT	For Office Use Only:
County: Leflore	-	Part 2	Well #: 1330
Permit #: GW-48164	Mississippi Departm	"'s Completion Report ent of Environmental Quality	
Driller: Irrigation Equipment		and Water Resources D. Box 2309	Aquifer:
Date drilling completed: 05/21/2014 Copy information from block on Part 1	Jackson	, MS 39225-2309	
copy momauon non block on ratti		1) 961-5210 360-0535 (fax)	
This part of the report must be comple	, , , , , , , , , , , , , , , , , , ,		installer A conv of Part 1
of the report must be attached and bot	h parts filed with the Depa	artment at the above address with	hin 30 days of well completion.
Well Owner Inform	nation	Wei	II Location
Owner Name: Dunn Farms		Latitude: 33 28' 43.3 N	Longitude: 90 14' 07.5 W
Mailing Address: 9337 County Roa	d 142	Method of Lat/Long (check or	ne): 🔲 Conventional Survey,
		USGS quad, 🛛 Hand-hel	d GPS, 🔲 Survey-grade GPS
ltta Bena Ms	38941	<u>NE</u> ¼ <u>SW</u> ¼,	Sec <u>30</u> T <u>19 N</u> R <u>1 E</u>
City St	ate Zip code		
Telephone No. () -		2 Miles South (Distance) (Direc	
	Pump Typ	e (check one)	
🛭 Submersible 🛛 Turbine 🗖 Air Lift 🗆] Centrifugal 🔲 Flowing W	Vell 🔲 Jet 🗋 Piston 🗋 Rotary 🕻] Other (describe):
Date Pump Installed 05/25/2014		Rated Pump Capacity: 2500+/	- Gallons Per Minute
s This Pump (check one): 🛛 New 🗋 🛛			
	Power i yp	e (check one)	
	Setting Depth:		
Horse Power Rating of Motor: 60	Setting Depth:	70 feet N	umber of Stages:
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f	70 feet N for Non Flowing Well Duration of Pump Test (minin	number of Stages: 1 num 4 hours):
Horse Power Rating of Motor: 60	Pump Test Data f	70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: num 4 hours): Hour Feet Below Land Surfac
Horse Power Rating of Motor: 60 Date Well Tested:	Pump Test Data f Pump Test Data f Feet Below Land Surface Feet Below Land Surfa	70feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate:	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta	70feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate:	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Peet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat	70feet N	number of Stages: num 4 hours): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surfa Steel tape Electric ta Pump Test Dat Feet	70feet N	number of Stages: num 4 hours): Hours Feet Below Land Surface Gallons Per Minute e):
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet h a drawdown of Meter In	70feet N	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut e): hours of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet h a drawdown of Meter In	70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut e): Gallons Per Minut
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet h a drawdown of Meter In	70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut e): hours of pumping
Horse Power Rating of Motor: 60	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet h a drawdown of Meter In	70 feet N feet N feet N feet N feet N puration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ace Test Pumping Well a feet after after After	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut e): hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): 1 Method of measurement (check one): 1 Meter Manufacturer: Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fi	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet h a drawdown of Meter In actor (AF x .001, gal x 100	70 feet N for Non Flowing Well Duration of Pump Test (minin Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: 1 num 4 hours): Feet Below Land Surfac Gallons Per Minut e): hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: Pump Test Data f Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet h a drawdown of Meter In actor (AF x .001, gal x 100 Meter installed by:	70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace ace Test Pumping Rate: ape Air line Other (describe a for Flowing Well	number of Stages: num 4 hours): Hour Feet Below Land Surfac Gallons Per Minut e): Gallons Per Minut
Horse Power Rating of Motor: 60 Date Well Tested:	Setting Depth: Pump Test Data f Pump Test Data f Feet Below Land Surface Feet Below Land Surface Feet Below Land Surface Feet h a drawdown of Feet h a drawdown of Meter In actor (AF x .001, gal x 100 Meter installed by: Repaired □ Replacement we information you are cer	70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: 1 num 4 hours): Feet Below Land Surfac
Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fi Installation Date: Is This Meter (check one): New I Important: By submitting the abo		70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: 1 num 4 hours): Hours Feet Below Land Surface Gallons Per Minut e): Gallons Per Minut e): hours of pumping hours of pumping Gallons
Horse Power Rating of Motor: 60		70 feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	number of Stages: 1 num 4 hours):

JUN 04 2014

BY: OLWR

, r