M KATE V	VELL REPORT For Office Use Only:
County: Leflore	Part 1 Well #:
Mississimi Departm	riller's Log nent of Environmental Quality
Driller: Irrigation Equipment Office of Land	and Water Resources E-Log #:
I be dollar completed. VII IVIZVIJ	O. Box 2309 n, MS 39225-2309
)1) 961-5210 360-0535 (fax)
State Law requires that this report be prepared by the la Department at the above address within 30 days of con	icense holder responsible for the work and filed with the appletion of drilling of the well or borehole.
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Fitts Farms Inc.	Latitude: 33 26' 11.0 N Longitude: 90 24' 49.5 W
Mailing Address: 10 Paul Fitts Lane	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, 🛛 Hand-held GPS, 🗌 Survey-grade GPS
Moorhead Ms 38761	NW 5W 1/2 SW 1/2, Sec 9 T 18 N R 2W
City State Zip code	
Telephone No	6 Miles Southwest of Itta Bena (Distance) (Direction) (Nearest Town)
Weli / Bo	orehole Data
Date drilling started: 07/10/2013 Date drilling completed:	07/10/2013 Hole depth: 125 Hole diameter: 24"
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and de	
meniod of dosing and volume of Chiorine used in drilling and de	
Logs run (check all applicable): 🛛 No log run 🗌 Electric 🗌 Gai	mma Ray 🔲 Density 🗍 Sonic 🗌 Neutron 🗍 Other:
	mma Ray 🔲 Density 🗍 Sonic 🗌 Neutron 🗍 Other:
Name of organization running log(s):	mma Ray Density Sonic Neutron Other:
Name of organization running log(s):	
Name of organization running log(s): Purpose of borehole (check one): 🛛 Water Well 🔲 Geotec 🗌 Seismic Survey 🗌	chnical/Geological Investigation
Name of organization running log(s): Purpose of borehole (check one): 🛛 Water Well 🔲 Geotec 🗌 Seismic Survey 🔲 If drilling is not related to water well co	Chnical/Geological Investigation Ground Source Heat Pump Other (<i>describe</i>) Instruction, skip the remainder of this block
Name of organization running log(s): Purpose of borehole (check one): 🛛 Water Well 🔲 Geotec 🗌 Seismic Survey 🔲 If drilling is not related to water well co Purpose of Well (check all applicable): 🗌 Home 🗋 Industrial 🗋	Chnical/Geological Investigation Ground Source Heat Pump Other (<i>describe</i>) Instruction, skip the remainder of this block
Name of organization running log(s): Purpose of borehole (check one): X Water Well C Geotec Seismic Survey If drilling is not related to water well co Purpose of Well (check all applicable): Home Industrial Other (describe): <u>Replace GW-00573</u>	Chnical/Geological Investigation Ground Source Heat Pump Other (<i>describe</i>) <i>Instruction, skip the remainder of this block</i> Public Supply Irrigation Fish Culture
Name of organization running log(s): Purpose of borehole (check one): Vert Water Well Geotec Seismic Survey Geotec If drilling is not related to water well co Purpose of Well (check all applicable): Home Industrial Vert (describe): Replace GW-00573 If a flowing well, method of flow regulation: Valve	Shnical/Geological Investigation Other (describe) Instruction, skip the remainder of this block Public Supply Irrigation Fish Culture Other (describe)
Name of organization running log(s): Purpose of borehole (check one): Vert Water Well Geotec Seismic Survey G If drilling is not related to water well co Purpose of Well (check all applicable): Home Industrial Vert (describe): Replace GW-00573 If a flowing well, method of flow regulation: Valve Static Water Level: 50' feet [above or belowed belowed or belowed belowed belowed or belowed belowed belowed belowed or belowed by belowed belowe	chnical/Geological Investigation Ground Source Heat Pump Other (describe)
Name of organization running log(s): Purpose of borehole (check one): X Water Well Cocon Seismic Survey If drilling is not related to water well co Purpose of Well (check all applicable): Home Industrial Other (describe): <u>Replace GW-00573</u> If a flowing well, method of flow regulation: Valve Static Water Level: <u>50'</u> feet [I above or X bel (check one)	chnical/Geological Investigation Ground Source Heat Pump Other (describe)
Name of organization running log(s):Purpose of borehole (check one):	chnical/Geological Investigation Ground Source Heat Pump Other (describe)
Name of organization running log(s):Purpose of borehole (check one):	chnical/Geological Investigation Ground Source Heat Pump Other (describe)
Name of organization running log(s):Purpose of borehole (check one):	chnical/Geological Investigation Ground Source Heat Pump Other (describe)
Name of organization running log(s): Purpose of borehole (check one): I Water Well Geotect Seismic Survey I Seismic Survey I Seismic Survey If drilling is not related to water well co Purpose of Well (check all applicable): Home Industrial Image: Other (describe): Replace GW-00573 If a flowing well, method of flow regulation: Valve Static Water Level: 50' feet [] above or I bell (check one) Method of Measurement (check one) Steel tape Electric ta Well depth: 125 Well grouted to a depth of: 10 feet Casing length: 85 feet Casing diameter: 16 Screen length: 40 feet Screen diameter: 16	chnical/Geological Investigation Ground Source Heat Pump Other (describe)
Name of organization running log(s): Purpose of borehole (check one): I Water Well Seismic Survey I If drilling is not related to water well co Purpose of Well (check all applicable): Home Purpose of Well (check all applicable): Home If a flowing well, method of flow regulation: Valve Static Water Level: 50' feet [] above or I bell (check one) Method of Measurement (check one) Steel tape Electric ta Well depth: 125 Well grouted to a depth of: 10 feet Casing diameter: 16 Screen length: 40 feet Screen diameter: 16 Screen slot size: .050 inches Setting depth	chnical/Geological Investigation □ Ground Source Heat Pump Other (describe)
Name of organization running log(s): Purpose of borehole (check one): ☑ Water Well □ Geotec □ Seismic Survey □ If drilling is not related to water well co Purpose of Well (check all applicable): □ Home □ Industrial □ ☑ Other (describe): Replace GW-00573 If a flowing well, method of flow regulation: Valve Static Water Level: 50' Method of Measurement (check one) ☑ Steel tape □ Electric ta Well depth: 125 Well grouted to a depth of: 10 Gasing length: 85 Screen length: 40 Yope of completion (check all applicable): ☑ Gravel packed □ ta	chnical/Geological Investigation □ Ground Source Heat Pump Other (describe)
□ Seismic Survey □ If drilling is not related to water well co Purpose of Well (check all applicable): □ Home □ Industrial □ ☑ Other (describe): Replace GW-00573 If a flowing well, method of flow regulation: Valve Static Water Level: 50' feet [□ above or ☑ bell (check one) Method of Measurement (check one) ☑ Steel tape □ Electric ta Well depth: 125 Well grouted to a depth of: 10 Casing length: 85 Screen length: 40 Screen slot size: .050 inches Setting depth Type of completion (check all applicable): ☑ Gravel packed □ ta	chnical/Geological Investigation □ Ground Source Heat Pump Other (describe)

Pause manifed the Pause On & Blate Add AdA ANA Pause Automatic and

County: Leftore Permit #: GW-48004 The sketch below only required for water we If well telescopes, show depths on sketch. Ground level		and boreholes, u		I must be provided f	th) To (depti
The sketch below only required for water we f well telescopes, show depths on sketch.		and boreholes, un Description of Fo Clay Fine Sand Course Sand	nless specifically exem ormations Encounte	red From (dep Ground lev 36 46	th) To (depti vel 35 45 75
I well telescopes, show depths on sketch.		and boreholes, un Description of Fo Clay Fine Sand Course Sand	nless specifically exem ormations Encounte	red From (dep Ground lev 36 46	th) To (depti vel 35 45 75
		Description of Fo Clay Fine Sand Course San	ormations Encounte	red From (dep Ground lev 36 46	th) To (dept vel 35 45 75
Sround level		Clay Fine Sand Course San	d	Ground lev 36 46	/el 35 45 75
		Fine Sand Course San		36 46	45 75
		Course San		46	75
			<u>.</u>		
			· · · · · · · · · · · · · · · · · · ·		
			·····		
more than one screen, show location	of each on sketch	L			
sketch the property layout and inclu	ide the following:				·····
1) the well location 2) any permanent structures or	-	av aid in locating the	well		
3) any roads, power lines, or of4) a north arrow	ther items that may a	id in locating the pro	perty and the well		
andowner Name: Fitts Fan	ms				
				Form: OLV	R-SWR-1A (04/0
HEREBY CERTIFY that the well/bo equirements of the Mississippi Depa applicable, and state laws.	orehole was drilled, c artment of Environme	onstructed, and com ental Quality and the	pleted in accordance Mississippi Departn	e with all applicable	A
Patrick Chism	0695	02/20/2014	Va)	
Print Name of Responsible License	e and License No.	Date	Sig	nature of Licensee	
				Form: OLWF	R-SWR-1A (4/1

. _____

	STATE WELL REPORT Part 2 For Office Use Only: Wells: M 144
County: Leflore	
Permit #: GW-48004	Pump Installer's Completion Report Mississippi Department of Environmental Quality
Driller: Irrigation Equipment	Office of Land and Water Resources Aquiler:
Date drilling completed: 07/10/2013	P.O. Box 2309
Copy information from block on Part 1	Jackson, MS 39225-2309 (601) 961-5210
	(601) 360-0535 (fax)
	ed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 parts filed with the Department at the above address within 30 days of well completion. Ation Well Location
	Latitude: 33 26' 11.0 N Longitude: 90 24' 49.5 W
Mailing Address: 10 Paul Fitts Lane	
Making Address IV Faul Fills Lanc	
	USGS quad, 🛛 Hand-held GPS, 🗌 Survey-grade GPS
Moorhead Ms City Sta	38761 te Zip code
	6 Miles Southwest of Itta Bena (Distance) (Direction) (Nearest Town)
	Pump Type (check one)
🖸 Submersible 🛛 Turbine 🛛 Air Lift 🗌	Centrifugal 🔲 Flowing Well 🔲 Jet 🗍 Piston 🔲 Rotary 🗍 Other (describe):
	Rated Pump Capacity: 2300+/- Gallons Per Minute
Is This Pump (check one): 🛛 New 🗌 R	
	Power Type (check one) ural Gas Tractor PTO Windmill Other (describe): Setting Depth: 90 feet Number of Stages: 2
Horse Power Rating of Motor: 60	ural Gas 🗆 Tractor PTO 🗋 Windmill 🗋 Other <i>(describe)</i> : Setting Depth: 90 feet Number of Stages: 2 Pump Test Data for Non Flowing Well
Horse Power Rating of Motor: 60	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fr Drawdown [(B) - (A)]:	ural Gas Tractor PTO Windmill Other (describe): Setting Depth: 90 feet Number of Stages: 2 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Hour eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Galions Per Minute
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fr Drawdown [(B) - (A)]:	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fr Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i>	ural Gas Tractor PTO Windmill Other (describe): Setting Depth: 90 feet Number of Stages: 2 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Hour eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Galions Per Minute
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fo Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head:	ural Gas Tractor PTO Windmill Other (describe): Setting Depth: 90 feet Number of Stages: 2 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Houration eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fo Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head:	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fr Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM with	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fr Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer:None installed	ural Gas Tractor PTO Windmill Other (describe): Setting Depth: 90 feet Number of Stages: 2 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Hourate Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Galions Per Minute Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Feet a drawdown of
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Windmill Other (describe): Setting Depth: 90 feet Number of Stages: Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): Duration of Pump Test (minimum 4 hours): Hours eet Below Land Surface Pump Test Data for Flowing Water Level (B):
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A):Fi Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yieldedGPM with Meter Manufacturer: None installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date:I Is This Meter (check one): □ New □ Re Important: By submitting the above	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Fri Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer: GPM with Meter Manufacturer: GPM with Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter (check one): □ New □ Re Important: By submitting the above For agricu	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Windmill Other (describe):

and analisted by Parasa On & Piels Of I 010 0100. ParasaOn & Dials

.