Replaces # 6W- 13314

County:	Leflore		
Permit #:	GW-48592	!	
Driller:	Irrigation Equipment		
Date drill	ing completed:	10/23/2014	

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

	e Use Only:
M	147
	<u>M</u>

Department at the above address within 30 days of co	Well or Borehole Location	
(Landowner if borehole is not for a water well)		
Owner Name: Bear Creek Fisheries	Latitude: <u>33 27' 08.7 N</u> Longitude: <u>90 26' 48.6 W</u>	
Mailing Address: P.O. Box 646	Method of Lat/Long (check one): Conventional Survey,	
	USGS quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS	
Moorhead Ms 38761	<u>SE</u> ¼ <u>SW</u> ¼, Sec <u>6</u> T <u>18N</u> R <u>2 W</u>	
City State Zip code		
elephone No	3 Miles East of Moorhead (Distance) (Direction) (Nearest Town)	
No. 11 /		
	Borehole Data	
Date drilling started: 10/23/2014 Date drilling completed	d: 10/23/2014 Hole depth: 117' Hole diameter: 24"	
ocation of the source of any surface water used for drilling:	Surface Water	
Method of dosing and volume of Chlorine used in drilling and	development: 50 PPM	
•		
.ogs run (check all applicable): ☑ No log run ☐ Electric ☐ G	Gamma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other:	
lame of organization running log(s):		
3 3(,		
	otechnical/Geological Investigation	
Purpose of borehole (check one): Water Well George	otechnical/Geological Investigation	
Purpose of borehole (check one): Water Well Geo	Other (describe)	
Purpose of borehole (check one): Water Well Geo	_	
Purpose of borehole (check one): Water Well Geo	Other (describe) construction, skip the remainder of this block	
Purpose of borehole (check one): Water Well Geof Seismic Survey If drilling is not related to water well Purpose of Well (check all applicable): Home Industrial	Other (describe) construction, skip the remainder of this block	
Purpose of borehole (check one): Water Well Georgian Seismic Survey If drilling is not related to water well applicable): Purpose of Well (check all applicable): Other (describe): Replace GW-13314	☐ Other (describe)	
Purpose of borehole (check one): Water Well Geof Seismic Survey If drilling is not related to water well Purpose of Well (check all applicable): Home Industrial	☐ Other (describe)	
Purpose of borehole (check one): Water Well Georgian Seismic Survey If drilling is not related to water well applicable): Purpose of Well (check all applicable): Other (describe): Replace GW-13314	□ Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface Date measured: 10/24/2014	
Purpose of borehole (check one): Water Well George Seismic Survey If drilling is not related to water well Purpose of Well (check all applicable): Other (describe): Replace GW-13314 If a flowing well, method of flow regulation: Valve Static Water Level: 50' feet [above or \(\text{ is } \) is the static water well.	Other (describe)	
Purpose of borehole (check one): Seismic Survey If drilling is not related to water well	Other (describe)	
Purpose of borehole (check one): Seismic Survey	Other (describe)	
Purpose of borehole (check one): Seismic Survey	□ Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface □ Date measured: 10/24/2014 c tape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC	
Purpose of borehole (check one): Seismic Survey	□ Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface □ Date measured: 10/24/2014 c tape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC	
Purpose of borehole (check one): Seismic Survey	Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface Date measured: 10/24/2014 c tape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC	
Purpose of borehole (check one): Seismic Survey	Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface Date measured: 10/24/2014 c tape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC epth: From 85' feet to 117' feet	
Purpose of borehole (check one): ☐ Water Well ☐ Geoff ☐ Seismic Survey If drilling is not related to water well ☐ Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): ☐ Replace GW-13314 If a flowing well, method of flow regulation: Valve ☐ Static Water Level: 50' ☐ feet [☐ above or ☐ to (check one) ☐ the feet ☐ feet ☐ above or ☐ to (check one) ☐ Steel tape ☐ Electric ☐ Ele	Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface Date measured: 10/24/2014 c tape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC epth: From 85' feet to 117' feet □ Underreamed □ Open hole □ Natural Development	
Purpose of borehole (check one): Seismic Survey	Other (describe) construction, skip the remainder of this block □ Public Supply □ Irrigation ☒ Fish Culture Other (describe) below] land surface Date measured: 10/24/2014 c tape □ Air line □ Other: (describe) feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mix 16" inches Type of casing: PVC 16" inches Type of screen: PVC cepth: From 85' feet to 117' feet □ Underreamed □ Open hole □ Natural Development	

Form: OLWR-SWR-7A (43) WR

The sketch below only required for water wells If well telescopes, show depths on sketch. Ground level Description of formations encountered must be provide and boreholes, unless specifically exempted by regulations from the specifically exempted by regulations encountered. Clay Ground Fine Sand Fine Sand Fine Sand Gravel Fine Sand Ado Fine Sand Gravel Fine Sand Fine Sand Telescription of formations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered must be provide and boreholes, unless specifically exempted by regulations encountered from (Clay Fine Sand Fine Sand	Use Only:
Ground level Description of Formations Encountered From (d) Clay Ground Fine Sand 40 Fine Sand & Gravel 52 Medium Sand & Gravel 62 Fine Sand 76 Medium Sand & Gravel 85	d for all wells
Ground level Fine Sand 40 Fine Sand & Gravel 52 Medium Sand & Gravel 62 Fine Sand 76 Medium Sand & Gravel 85	
Fine Sand 40 Fine Sand & Gravel 52 Medium Sand & Gravel 62 Fine Sand 76 Medium Sand & Gravel 85	
Fine Sand & Gravel 52 Medium Sand & Gravel 62 Fine Sand 76 Medium Sand & Gravel 85	51
Medium Sand & Gravel62Fine Sand76Medium Sand & Gravel85	61
Fine Sand 76 Medium Sand & Gravel 85	75
Medium Sand & Gravel 85	
	84
Fine Sand 118	117
	121
If more than one screen, show location of each on sketch	
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) a north arrow	
HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applica equirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health re	NLWR-SWR-1A (04/08) able gulations,
Tapplicable, and state laws. Patrick Chism 0695 10/27/2014	
Print Name of Responsible Licensee and License No. Date Signature of Licens	RECEIVE
	WR-SWR-1A (4/13)

NOV 0 4 2014

County:	Leflore
Permit #:	GW-48592
Driller:	Irrigation Equipment

Copy information from block on Part 1

Date drilling completed: 10/23/2014

STATE WELL REPORT Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309

ickson, MS 39225-230 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:	
Well#:	M 147	
Aquifer:		

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Owner Information Well Location** Owner Name: Bear Creek Fisheries Latitude: 33 27' 08.7 N Longitude: 90 26' 48.6 W Mailing Address: P.O. Box 646 Method of Lat/Long (check one):

Conventional Survey, ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS Moorhead 38761 SE 14 SW 14, Sec 6 T 18 N R 2 W State Zip code Telephone No. East Moorhead (Distance) (Direction) (Nearest Town) Pump Type (check one) ☐ Submersible ☑ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe): Date Pump Installed 10/24/2014 Rated Pump Capacity: 2300+/-Gallons Per Minute Is This Pump (check one): ☑ New ☐ Repaired ☐ Replacement Power Type (check one) ☑ Electric ☐ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO ☐ Windmill ☐ Other (describe): Horse Power Rating of Motor: 60 _____ Setting Depth: **80**° feet Number of Stages: 2 **Pump Test Data for Non Flowing Well** Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): _____ Feet Below Land Surface Pumping Water Level (B): _____ Feet Below Land Surface Drawdown [(B) - (A)]: ____ Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (check one): ☐ Steel tape ☐ Electric tape ☐ Air line ☐ Other (describe): **Pump Test Data for Flowing Well** Measured shut in head: Feet GPM with a drawdown of ______ feet after hours of pumping Meter Installation Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: _____Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Meter installed by: Is This Meter (check one): ☐ New ☐ Repaired ☐ Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEO website.

10/27/2014

Date

Print Name of Pump Installer and License No. (if applicable)

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Signature of Pump Patraller Form: OLWR-SWR-1B (4/13)

NOV 0 4 2014