County: Leflore	STATE WELL REPORT Part 1	For Office Use Only: Well#: M 150
0141 40754	Driller's Log	
	Mississippi Department of Environmental Qua	ality
Driller: Irrigation Equipment Inc. Date drilling completed: 02/12/15	Office of Land and Water Resources P.O. Box 2309	E-Log #:
	Jackson, MS 39225-2309 (601) 961-5210	
	(601) 360-0535 (fax)	I for all a second find the state of a
State Law requires that this report Department at the above address	be prepared by the license holder responsibl within 30 days of completion of drilling of th	ie jor the work and jued wun the we well or borehole.
Well Owner Informa	ation Well (or Borehole Location
(Landowner if borehole is not f	or a water well) Latitude: 33 24' 28.4 I	N Longitude: 90 21' 29.3 W
Owner Name: Lindsey Land Trust		Longitude. <u>50 21 25.5 W</u>
Mailing Address: 10500 County Roa	d 243 Method of Lat/Long (che	ck one): Conventional Survey,
	USGS quad, 🛛 Hand	d-held GPS, 🔲 Survey-grade GPS
Sidon Ms	38954 <u>NE</u> ½ <u>SW</u>	V ¼, Sec 24 T 18 N R 2 W
City Sta	te Zip code	
Telephone No. () -	1 Miles (Distance) (North of Morgan City (Direction) (Nearest Town)
	Well / Borehole Data	
Date drilling started: 02/12/2015	Date drilling completed: 02/12/2015 Hole depth:	117' Hole diameter: 18"
Location of the source of any surface wa	ter used for drilling: Surface Water	
	e used in drilling and development; 50 PPM	
Method of dosing and volume of Chlorin	e used in drilling and development: JUFFM	
-		
Logs run (check all applicable): 🛛 No lo	g run 🗋 Electric 🗋 Gamma Ray 🔲 Density 🗍 Sol	
-		
Logs run (check all applicable): 🛛 No lo	g run 🗋 Electric 🗋 Gamma Ray 🔲 Density 🗍 So	
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 V	g run 🗌 Electric 🗋 Gamma Ray 🔲 Density 🛄 Sol	
Logs run (check all applicable): X No lo Name of organization running log(s): Purpose of borehole (check one): X V	g run Electric G Gamma Ray Density Sol	ition 🔲 Ground Source Heat Pump
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Son Vater Well 🔹 🗍 Geotechnical/Geological Investiga Seismic Survey 👘 Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i>	ntion Ground Source Heat Pump nainder of this block
Logs run (check all applicable):	g run Electric Gamma Ray Density Souther Well Geotechnical/Geological Investiga Seismic Survey Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home Industrial Public Supply Irrigation	ntion Ground Source Heat Pump nainder of this block
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sor Vater Well 🔹 Geotechnical/Geological Investiga Seismic Survey 👘 Other (<i>describe</i>) Indend to water well construction, skip the rem	ntion Ground Source Heat Pump <i>nainder of this block</i> Fish Culture
Logs run (check all applicable):	g run Electric Gamma Ray Density Souther Well Geotechnical/Geological Investiga Seismic Survey Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home Industrial Public Supply Irrigation	ntion Ground Source Heat Pump <i>nainder of this block</i> Fish Culture
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sor Vater Well 🔹 Geotechnical/Geological Investiga Seismic Survey 👘 Other (<i>describe</i>) Indend to water well construction, skip the rem	ntion Ground Source Heat Pump nainder of this block
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): N <i>If drilling is not re</i> Purpose of Well (check all applicable): D Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>34'</u>	g run Electric Gamma Ray Density Souther Well Geotechnical/Geological Investiga Seismic Survey Other (describe) Lated to water well construction, skip the removement of the state of t	ntion Ground Source Heat Pump nainder of this block Fish Culture e measured: 02/14/2015
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 V <i>If drilling is not real</i> Purpose of Well (check all applicable): [Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>34'</u> Method of Measurement (check one) 🖄	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sor Vater Well 🔹 Geotechnical/Geological Investiga Seismic Survey 📄 Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home 🗋 Industrial 🗌 Public Supply 🖾 Irrigation I on: Valve Other (describe) feet [] above or 🖄 below] land surface Date (check one)	ntion Ground Source Heat Pump nainder of this block Fish Culture e measured: 02/14/2015 escribe)
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamma Ray 🗌 Density 🗌 Sor Vater Well 🔹 Geotechnical/Geological Investiga Seismic Survey 📄 Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home 🗋 Industrial 🗌 Public Supply 🖾 Irrigation I on: Valve Other (describe) feet [] above or 🖾 below] land surface Date (check one) Steel tape 🗋 Electric tape 🗋 Air line 🗋 Other: (de	tion Ground Source Heat Pump nainder of this block Fish Culture e measured: 02/14/2015 escribe) pe): Oneat Cement Bentonite
Logs run (check all applicable): 🛛 No lo Name of organization running log(s): Purpose of borehole (check one): 🖾 V <i>If drilling is not re</i> Purpose of Well (check all applicable): [Other (describe): If a flowing well, method of flow regulations Static Water Level: <u>34'</u> Method of Measurement (check one) 🖾 Well depth: <u>117'</u> Well grouted to an Casing length: <u>77'</u> feet	g run ☐ Electric ☐ Gamma Ray ☐ Density ☐ Sor Vater Well ☐ Geotechnical/Geological Investiga Seismic Survey ☐ Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home ☐ Industrial ☐ Public Supply ⊠ Irrigation I Home ☐ Industrial ☐ Public Supply ⊠ Irrigation I on: Valve Other (describe) feet [☐ above or ⊠ below] land surface Date (<i>check one</i>) Steel tape ☐ Electric tape ☐ Air line ☐ Other: (<i>de</i> depth of: _ 10' feet Type of grout (<i>check on</i>	ttion ☐ Ground Source Heat Pump nainder of this block ☐ Fish Culture e measured: 02/14/2015 escribe) pe): ☐ Neat Cement ⊠ Bentonite ☐ ype of casing: _PVC
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rel If drilling is not rel</i> Purpose of Well (check all applicable): Other (describe): If a flowing well, method of flow regulation Static Water Level: <u>34'</u> Method of Measurement (check one) Well depth: <u>117'</u> Well grouted to a Casing length: <u>77'</u> feet Screen length: <u>40'</u> feet	g run ☐ Electric ☐ Gamma Ray ☐ Density ☐ Sor Vater Well ☐ Geotechnical/Geological Investiga Seismic Survey ☐ Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home ☐ Industrial ☐ Public Supply ⊠ Irrigation I Home ☐ Industrial ☐ Public Supply ⊠ Irrigation I feet [] above or ⊠ below] land surface Date (<i>check one</i>) Steel tape ☐ Electric tape ☐ Air line ☐ Other: (<i>de</i> depth of: 10' feet Type of grout (<i>check on</i> Casing diameter: 10" inches Type	ttion ☐ Ground Source Heat Pump mainder of this block ☐ Fish Culture e measured: 02/14/2015 escribe) pe): ☐ Neat Cement ⊠ Bentonite ☐ ype of casing: PVC ype of screen: PVC
Logs run (check all applicable): Name of organization running log(s): Purpose of borehole (check one): V If drilling is not real If drilling is not real Other (describe): If a flowing well, method of flow regulation Static Water Level: 34' Method of Measurement (check one) Well depth: 117' Well grouted to a Casing length: 77' feet Screen length: 40' feet Screen slot size: .050	g run ☐ Electric ☐ Gamma Ray ☐ Density ☐ Sol Vater Well ☐ Geotechnical/Geological Investiga Seismic Survey ☐ Other (<i>describe</i>) <i>lated to water well construction, skip the rem</i> Home ☐ Industrial ☐ Public Supply ⊠ Irrigation I on: Valve Other (describe) feet [] above or ⊠ below] land surface Date (<i>check one</i>) Steel tape ☐ Electric tape ☐ Air line ☐ Other: (<i>de</i> depth of: 10' feet Type of grout (<i>check on</i> Casing diameter: 10" inches Type Screen diameter: 10" inches Type	ttion ☐ Ground Source Heat Pump mainder of this block ☐ Fish Culture e measured: 02/14/2015 escribe) me): ☐ Neat Cement ⊠ Bentonite ☐ ype of casing: PVC ype of screen: PVC feet to _114- 117feet
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ V □ If drilling is not real Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 34' Method of Measurement (check one) ⊠ Well depth: 117' Well grouted to a Casing length: 77' Screen length: 40' Type of completion (check all applicable)	g run □ Electric □ Gamma Ray □ Density □ Souther S	ttion ☐ Ground Source Heat Pump mainder of this block ☐ Fish Culture e measured: 02/14/2015 escribe) me): ☐ Neat Cement ⊠ Bentonite ☐ ype of casing: PVC ype of screen: PVC feet to _114- 117 fea = Natural Development
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ V □ If drilling is not real Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 34' Method of Measurement (check one) ⊠ Well depth: 117' Well grouted to a Casing length: 77' Screen length: 40' Type of completion (check all applicable)	g run ☐ Electric ☐ Gamma Ray ☐ Density ☐ Sor Vater Well ☐ Geotechnical/Geological Investiga Seismic Survey ☐ Other (describe) lated to water well construction, skip the rem and Home ☐ Industrial ☐ Public Supply ⊠ Irrigation I on: Valve Other (describe) feet [☐ above or ⊠ below] land surface Date (check one) Steel tape ☐ Electric tape ☐ Air line ☐ Other: (de depth of: 10' feet Type of grout (check on Casing diameter: 10" inches Type screen diameter: 10" inches Type inches Setting depth: From5 _ 7 _ 7): ⊠ Gravel packed ☐ Underreamed ☐ Open hole	ttion ☐ Ground Source Heat Pump mainder of this block ☐ Fish Culture e measured: 02/14/2015 escribe) = () Neat Cement ⊠ Bentonite ☐ ype of casing: PVC ype of screen: PVC feet to _114fer = () Natural Development

· • • • •

L L

County: Leflore Permit #: <u>GW-48754</u>		Well #:	For Office Us MB0	se Only:
he sketch below only requir (well telescopes, show depth		Description of formations encountered a and boreholes, unless specifically exem		
Ground level	_	Description of Formations Encountered		
/	×	Clay	Ground lev	
		Fine Sand	24	43
		Fine Sand & Gravel	44	58
		Medium Sand & Gravel	59	113
		Fine Sand	114	117
	·			
more than one screen, sh	now location of each on sketch	L	1	
 the well location any permanent s 	structures on the property that ma	ay aid in locating the well id in locating the property and the well		
ndowner Name:	Lindsey Land Trust			

Form: OLWR-SWR-1A (04/08) I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws. Patrick Chism 0695 05/22/2015

Patrick Chism	0032	05/22/2015		-	THE OWNER AND SECOND	
Print Name of Responsible Licens	ee and License No.	Date	Signatur	re of Licensee Form: OLWR-SW	RECE	VF
				Form: OLWR-SW	VR-1A (4/13)	W Trans Roya"
					Mar 27	2015

!

74-7**1**

Ł

BY: OLWP

County: Leflore		STATE V	VELL REPORT Part 2	For Office Use Only: Well #: M_{15}^{O}
Permit #: GW-48	754	Pump Installer	's Completion Report	
Driffer: Irrigation		Mississippi Departm	ent of Environmental Quality and Water Resources	Aquifer:
Date drilling complete). Box 2309	Aquiler.
	from block on Part 1		, MS 39225-2309 1) 961-5210	<u></u>
			360-0535 (fax)	
This part of the r	eport must be complete	ed by a licensed water we	ell contractor or a licensed pump	installer. A copy of Part 1
of the report mus	t be attached and both	parts filed with the Depo	artment at the above address with	hin 30 days of well completion.
	Well Owner Informa	ation		
Owner Name: Li	ndsey Land Trust		Latitude: 33 24' 28.4 N	Longitude: 90 21' 29.3 W
Mailing Address:	10500 County Roa	d 243	Method of Lat/Long (check or	ne): 🔲 Conventional Survey,
			🔲 USGS quad, 🖾 Hand-hel	d GPS, 🔲 Survey-grade GPS
Sidon	Ms	38954	<u>NE</u> ½ <u>SW</u> ½,	Sec <u>24</u> T <u>18 N</u> R <u>2 W</u>
City	Sta	te Zip code		
Telephone No.	() -		(Distance) (Direc	
	· · · · · · · · · · · · · · · · · · ·	···· ··· ··· ··· ··· ·················		
			e (check one)	
			Vell 🔲 Jet 🗋 Piston 🗋 Rotary 🗌	
•				Gallons Per Minute
Is This Pump (che	ck one): 🛛 New 🗌 R	epaired Replacement	te (check one)	
			U Windmill Other (describe)	
	el i li Gasoline i i Nati	Iral Gas EL Fractor PTU		
Horse Power Ratir		Setting Depth:		
		Setting Depth:	70' feet N	
	ng of Motor: 30	Setting Depth:		umber of Stages:
Horse Power Ratir Date Well Tested:	ng of Motor: 30	Setting Depth: Pump Test Data 1	70' feet N for Non Flowing Well Duration of Pump Test (minin	umber of Stages: num 4 hours): Hou
Horse Power Ratin Date Well Tested: Static Water Level	ng of Motor: <u>30</u> (A): F	Pump Test Data t	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	umber of Stages: num 4 hours): Hou Feet Below Land Surfac
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A	ng of Motor: <u>30</u> (A): F A)]:	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surface	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate:	umber of Stages: num 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A	ng of Motor: <u>30</u> (A): F A)]:	Setting Depth: Pump Test Data to eet Below Land Surface Feet Below Land Surface I Steel tape Electric ta	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape [] Air line [] Other (describe	umber of Stages: num 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (/ Method of measur	(A): F A)]: F	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate:	umber of Stages: num 4 hours): Hou Feet Below Land Surfac Gallons Per Minu
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Measured shut in I	ng of Motor: <u>30</u> (A): F A)]: F ement <i>(check one)</i> : [] head:	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surfa Steel tape Electric ta Pump Test Dat Feet	70' feet N	umber of Stages: num 4 hours): Hou Feet Below Land Surfac Gallons Per Minu e):
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (/ Method of measur	ng of Motor: <u>30</u> (A): F A)]: F ement <i>(check one)</i> : [] head:	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surfa Steel tape Electric ta Pump Test Dat Feet	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape [] Air line [] Other (describe	umber of Stages: num 4 hours): Hou Feet Below Land Surfac Gallons Per Minu e):
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Measured shut in I	ng of Motor: <u>30</u> (A): F A)]: F ement <i>(check one)</i> : [] head:	Setting Depth: Pump Test Data f eet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet a drawdown of	70' feet N	umber of Stages: num 4 hours): Hou Feet Below Land Surfac Gallons Per Minu e):
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Measured shut in I	ng of Motor: <u>30</u> (A): F A)]: ement <i>(check one)</i> : □ head: GPM with	Setting Depth: Pump Test Data to eet Below Land Surface Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet a drawdown of Meter I	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describe Control of Control of Con	umber of Stages: hum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu e): hours of pumping
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Measured shut in I Well yielded Meter Manufacture	ng of Motor: 30 (A): F A)]: F ement <i>(check one):</i> [] head: GPM with	Setting Depth: Pump Test Data i eet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet a drawdown of Meter I	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ace Test Pumping Well feet after	umber of Stages: hum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu e): hours of pumping
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (<i>I</i> Method of measur Measured shut in I Well yielded Meter Manufacture Meter Model Num	ng of Motor: <u>30</u> (A): F A)]: F ement <i>(check one)</i> : head: GPM with er: ber/Name:	Setting Depth: Pump Test Data to eet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat _ Feet a drawdown of Meter I	70' feet N feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	umber of Stages: _1 hum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu a): hours of pumping
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Measured shut in I Well yielded Meter Manufacture Meter Model Num Totalizer Register	ng of Motor: <u>30</u> (A): F A)]: F ement <i>(check one)</i> : head: GPM with er: ber/Name:	Setting Depth: Pump Test Data i eet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat A drawdown of Meter I Ctor (AF x .001, gal x 100	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	umber of Stages: hum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu a): hours of pumping
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (<i>I</i> Method of measur Measured shut in I Well yielded Meter Manufacture Meter Model Num Totalizer Register Installation Date:	ng of Motor: <u>30</u> (A): F A)]: ement <i>(check one)</i> : head: GPM with er: GPM with Unit and Multiplier Fac	Setting Depth: Pump Test Data i eet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat A drawdown of Meter I Ctor (AF x .001, gal x 100	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): gace Pumping Water Level (B): gace Test Pumping Rate: gape Air line Other (describe a for Flowing Well	umber of Stages: hum 4 hours): Hou Feet Below Land Surfac Gallons Per Minu e): hours of pumping
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Metasured shut in I Well yielded Meter Manufacture Meter Model Num Totalizer Register Installation Date: Is This Meter (che	ng of Motor: 30 (A): (A): ement (check one): head:	Setting Depth: Pump Test Data i eet Below Land Surface Feet Below Land Surface Feet Below Land Surface I Steel tape Electric ta Pump Test Dat Test Dat A drawdown of Meter I Ctor (AF x .001, gal x 100 Meter installed by: epaired Replacement <i>e information you are ce</i>	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): gace Pumping Water Level (B): gace Test Pumping Rate: gape Air line Other (describe a for Flowing Well	umber of Stages: 1
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (A Method of measur Measured shut in I Well yielded Meter Manufacture Meter Model Numi Totalizer Register Installation Date: Is This Meter (che Important: E	Imp of Motor: 30 (A): (A): ement (check one): ement (check one):	Setting Depth: Pump Test Data i eet Below Land Surface Feet Below Land Surface Feet Below Land Surface I Steel tape Electric ta Pump Test Dat Test Dat A drawdown of Meter I Ctor (AF x .001, gal x 100 Meter installed by: epaired Replacement <i>e information you are ce</i>	70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	umber of Stages: 1
Horse Power Ratin Date Well Tested: Static Water Level Drawdown [(B) - (/ Method of measur Measured shut in I Well yielded Meter Manufacture Meter Model Numi Totalizer Register Installation Date: Is This Meter (che Important: E	A): F (A): F (A): F ement (check one): [] head: head: ber/Name: Unit and Multiplier Fac Ck one): [] New [] R By submitting the above For agrice		70' feet N for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B):	umber of Stages: 1

MAX 27 2015

1

BY: OLWR