	State Well	Dam4	•	
county: <u>Leflore</u>	State Well	keport	For Office Use Only:	
	Part 1 – Driller's Log Mississippi Department of Environmental Que		Aquifer: 139	
Irrigation Equipment	Office of Land and Water Resources		Aquifer: 11 15 /	
Drilla: Sacton Eduthment	P.O. Box 2309		Well #:	
Date drilling completed: 6-8-11	Jackson, MS 39225 (601)961- 5210		L. S. Elevation:	
Al.	(601)961-5228 (fax)			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the				
The state of the s				
		Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)		Latitude: 33 · 27 · 03.5" Longitude: 90 · 16 · 506		
Owner Name Dallanns				
Mailing Address: 24388 Hwy 7 South			ne): Conventional Survey,	
		USGS quad, Hand-held GPS, Survey-grade GPS		
Itta Bena Ms. 38941		F 4 SE 4 Sec 3	Twn 18 N Rng IW	
City State Zip Code		tance Direction Miles // E	Nearest Town	
Telephone No. ()_		Miles _// E	of Wuito	
,				
Well / Borehole Data				
Date drilling started: 68-11 Date drilling completed: 68-11 Hole depth: 121 Hole diameter: 24"				
Location of the source of any surface water used for delivery.				
Method of dosing and volume of Chlorine used in drilling and development: 50 PPM				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 25 feet above of below (circle one) land surface Date measured: 6-10-11				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 121 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 8/ feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC				
Screen slot size: . 050 inches Setting depth: From 82 feet to 12/ feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in easing: feet. If telescoped or more than one screen, describe on next page				
- • • • · · · · · · · · · · · · · · · ·		VI HEA E WINN VIIE SCIE	ern mescrive on next pape	

Form: OLWR-SWR-1A (04/08)

Form; OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

Patrick M. Chism 0695

Landowner Name:

Print Name of Responsible Licensee and License No.

Signature of Licensee

STD A TOTAL				
County: Leflore STATE WELL REPORT For Office Use Only:				
	art 2 For Office Use Only:			
Irrigation Equipment Mississippi Departme	s Completion Report Aquifer: nt of Environmental Quality			
Office of Land	and Water Resources			
	Box 2309 n, MS 39225			
(601)961-5210 Elevation:			
	51-5228 (fax)			
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the				
	at the above address within 30 days of real completion			
	Well Location			
Owner Name: D+T Farms	Latitude: Landing			
	Latitude: Longitude:			
Mailing Address: 24388 Hwy 7 South	Method of Lat/Long (check one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
The Bens Ms. 38941 City State Zip Code	NE 4 SE 4 Sec 3 T18N R I W			
i iiii iii iii iii ii ii ii ii ii ii ii	Distance Direction. Nearest Town			
Telephone No. ()	Distance Direction Nearest Town Miles NE of Out to			
Pump Type	Powef Type			
Circle one Air Lift Jet Submersible	Circle one			
Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor: 60			
Date Pump Installed: 6-10-11	Setting Depth: 70 feet			
Rated Pump Capacity: 2500 2 Gallons Per Minute	Number of Stages:			
Pump Test Data	Method of Measuring Water Level			
Date Well Tested:	Circle one			
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (creeifs)			
Pumping Water Level (B):Feet Below Land Surface	Other (specify):			
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping			
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump				
Acpused the state of the state				

I HEREBY CERTIFY that the above statements are true to the best of my happyledge.

Patrick M. Chism 0695

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer
Form: OLWR-SWR-1C (07-09)



RECEIVED

JUN 2 3 2011

BY: OLWR