	STATE WELL REF	PORT	1	ffice Use Only:
County: Leflore	Part 1		Well #:	M180
Permit #:	Driller's Log Mississippi Department of Environr	mental Quality	Aquifer:	
Driller: Irrigation Equipment	Office of Land and Water Re	sources	E-Log #:	
Date drilling completed: 06/05/2013	P.O. Box 2309 Jackson, MS 39225-23	09		
	(601) 961-5210 (601) 360-0535 (fax)			
			on the work	and filed with the
State Law requires that this report l Department at the above address w	e preparea by the license notaer i ithin 30 days of completion of drii	responsible j Iling of the w	vell or boreh	ole.
Well Owner Information	ion	Well or I	Borehole Loca	ation
(Landowner if borehole is not fo	1	2 40' 04 6 N	1	90 24' 33.3 W
Owner Name: Royann Leflore	Latitude: 3	3 19 UI.0 N		50 24 55.5 11
Aailing Address: 12500 County Road	530 Method of La	t/Long (check	one): 🔲 Co	nventional Survey,
	USGS au	ad. 🕅 Hand-h	eld GPS, 🔲 S	urvey-grade GPS
			Sec 21 T 17	, /
Morgan City Ms City State	38946 Zip code	<u> 5W</u> % <u>5E</u> %	, Sec <u>21</u> <u>17</u>	<u>N</u> R <u>ZW</u>
Felephone No. () -		Miles Nor	theast of	Swiftown
•	(Distance)	(Din	ection)	(Nearest Town)
	Well / Borehole Data			
ate drilling started: 06/05/2013 D	ate drilling completed: 06/05/2013	Hole depth: _1	1 27 Ho	le diameter: _18"
ocation of the source of any surface wat				
nethod of dosing and volume of Chlorine	used in drilling and development:	50 PPM		
			Neutron	Other:
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log			Neutron	Other:
.ogs run (check all applicable): 🛛 No log				Other:
.ogs run (check all applicable): 🛛 No log Name of organization running log(s):	run 🗌 Electric 🗌 Gamma Ray 🗌 De	nsity 🗌 Sonic		Other:
ogs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🕅 W	run 🗌 Electric 🗌 Gamma Ray 🗌 De	nsity 🗌 Sonic		
ogs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S	run 🗌 Electric 🗌 Gamma Ray 🗌 De ater Well 🔄 Geotechnical/Geologic eismic Survey 📄 Other (describ	nsity [] Sonic al Investigation	n 🗌 Ground	I Source Heat Pump
ogs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗆 S <i>If drilling is not rel</i> a	run 🗌 Electric 🗌 Gamma Ray 🗌 De ater Well 🔹 Geotechnical/Geologic eismic Survey 📄 Other (describ ated to water well construction, sk	nsity [] Sonic al Investigation e) <i>tip the remai</i>	n	I Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rel</i> a	run 🗌 Electric 🗌 Gamma Ray 🗌 De ater Well 🔹 Geotechnical/Geologic eismic Survey 📄 Other (describ ated to water well construction, sk	nsity [] Sonic al Investigation e) <i>tip the remai</i>	n	I Source Heat Pump
ogs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S	run 🗌 Electric 🗌 Gamma Ray 🗌 De ater Well 🔹 Geotechnical/Geologic eismic Survey 📄 Other (describ ated to water well construction, sk	nsity [] Sonic al Investigation e) <i>tip the remai</i>	n	I Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rela</i> Purpose of Well (check all applicable):] Other (<i>describe</i>):	run 🗌 Electric 🗌 Gamma Ray 🗌 De ater Well 🔹 Geotechnical/Geologic eismic Survey 📄 Other (describ ated to water well construction, sk Home 🗆 Industrial 🗆 Public Supply 🛛	nsity Sonic al Investigation e) <i>cip the remai</i>	n	I Source Heat Pump
ogs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S <i>If drilling is not rela</i> Purpose of Well (<i>check all applicable</i>): □ □ Other (<i>describe</i>): f a flowing well, method of flow regulation	run Electric Gamma Ray De ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply [2] h: Valve Other (describe)	nsity Sonic al Investigation be) <i>tip the remai</i> Irrigation cribe)	n Ground nder of this I Fish Culture	I Source Heat Pump
ogs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ S <i>If drilling is not rela</i> Purpose of Well (<i>check all applicable</i>): □ □ Other (<i>describe</i>): f a flowing well, method of flow regulation	run Electric Gamma Ray De ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply N: Valve Other (describ A: Valve Other (describ D: Valve Other (describ D: Valve Other (describ D: Valve Other (describ	nsity Sonic al Investigation be) <i>tip the remai</i> Irrigation cribe)	n	I Source Heat Pump
Logs run (check all applicable):	run Electric Gamma Ray De ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply a: Valve Other (describ	nsity [] Sonic al Investigation be) cip the remai I Irrigation [] [cribe) e Date m	n Ground <i>nder of this I</i> Fish Culture easured: 06/	I Source Heat Pump
Logs run (check all applicable): ☑ No log Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: _26' Method of Measurement (check one) ☑	run Electric Gamma Ray De ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply x: Valve Other (describ x: Valve Other (describ cet [above or M below] land surface (check one) Steel tape Electric tape Air line	nsity Sonic al Investigation be) i <i>ip the remai</i> d Irrigation cribe) e Date m] Other: <i>(desc</i>	n Ground <i>nder of this i</i> Fish Culture easured: 06/ <i>ribe</i>)	d Source Heat Pump
Logs run (check all applicable): I No log Name of organization running log(s): Purpose of borehole (check one): I W I f drilling is not relation Purpose of Well (check all applicable): I Purpose of Well (check all applicable): I Other (describe):	run Electric Gamma Ray Definition ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply X: Valve Other (describ	Insity Sonic al Investigation be) cip the remain I Irrigation cribe) Date me Date me Cribe) Cribe) cribe)	n	d Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 W 🗌 S <i>If drilling is not rela</i> Purpose of Well (<i>check all applicable</i>): ☐ Other (<i>describe</i>): f a flowing well, method of flow regulation	run Electric Gamma Ray Definition ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply X: Valve Other (describ	Insity Sonic al Investigation be) cip the remain I Irrigation cribe) Date me Date me Cribe) Cribe) cribe)	n	d Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix
Logs run (check all applicable): I No log Name of organization running log(s): Purpose of borehole (check one): I W I S If drilling is not relation Purpose of Well (check all applicable): I Other (describe): Other (describe): f a flowing well, method of flow regulation Static Water Level: 26' Method of Measurement (check one) I Well depth: 127 Well grouted to a Casing length: 87	run Electric Gamma Ray Definition ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply X: Valve Other (describ Steel [] above or [X] below] land surface (check one) Steel tape Steel tape Electric tape Air line depth of: 10 feet Type of group Casing diameter: 10 i	Insity Sonic al Investigation be) inp the remain d Irrigation cribe) d Irrigation cribe	n Ground <i>Inder of this I</i> Fish Culture easured: 06/ <i>ribe)</i> Neat Ceme of casing: F	d Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela If drilling is not rela</i> Ourpose of Well (check all applicable): Other (describe): f a flowing well, method of flow regulation Static Water Level: 26' Method of Measurement (check one) Well depth: 127 Well grouted to a Casing length: 87 feet Screen length: 40	run Electric Gamma Ray Definition ater Well Geotechnical/Geologic eismic Survey Other (describ ated to water well construction, sk Home Industrial Public Supply X: Valve Other (describ Steel [] above or [X] below] land surface (check one) Steel tape Steel tape Electric tape Air line depth of: 10 feet Type of group Casing diameter: 10 i	Insity Sonic al Investigation be) ip the remain d Irrigation I cribe) d Irrigation I cribe I	n Ground mder of this I Fish Culture easured: 06/ ribe) Neat Ceme e of casing: F e of screen: F	d Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix PVC PVC
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): <i>If drilling is not rela If drilling is not rela If drilling is not rela</i> Ourpose of Well (check all applicable): Other (describe): f a flowing well, method of flow regulation Static Water Level: 26' Method of Measurement (check one) Nell depth: 127 Well grouted to a Casing length: 87 feet Screen length: 40	run Electric Gamma Ray Desemblance ater Well Geotechnical/Geologic eismic Survey Other (describing ated to water well construction, sk Home Industrial Public Supply N: Valve Other (describing A: Valve Other (describing Steel Industrial Public Supply Steel tape Electric tape Air line Geotechnical/Geologic Geotechnical/Geologic Geotechnical/Geologic Steel Industrial Public Supply Steel Steel Tape Electric tape Air line Geothor feet Type of group Geotechnical/Geotechnical/Geologic Casing diameter: 10 i Geotechnical/Geotech	Insity Sonic al Investigation be) in the remain d Irrigation cribe) d Irrigation cribe cribe cribe cribe cribe cribe cribe cribe	n Ground mder of this if Fish Culture easured: 06/ ribe) Neat Ceme of casing: F of screen: F feet to 127	a Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix PVC PVC feet
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): No Purpose of Well (check all applicable): Purpose of Well (check all applicable):	run Electric Gamma Ray Desemblance ater Well Geotechnical/Geologic eismic Survey Other (describing ated to water well construction, sk Home Industrial Public Supply N: Valve Other (describing A: Valve Other (describing Steel Industrial Public Supply Steel tape Electric tape Air line Geotechnical/Geologic Geotechnical/Geologic Geotechnical/Geologic Steel Industrial Public Supply Steel Steel Tape Electric tape Air line Geothor feet Type of group Geotechnical/Geotechnical/Geologic Casing diameter: 10 i Geotechnical/Geotech	Insity Sonic al Investigation be) in the remain g Irrigation I cribe) cribe) cribe) cribe) d Irrigation I cribe) cribe) d Irrigation I cribe) cribe) d Irrigation I cribe) cribe) d Irrigation I cribe) cribe Type inches Type inches Type cribe	n Ground mder of this i Fish Culture easured: 06/ ribe) Neat Ceme of casing: F of screen: F feet to 127 Natural Deve	a Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix PVC PVC feet lopment ECEIVE
Logs run (check all applicable): No log No log No log No log No log No log No log No log No log Purpose of borehole (check one): No No log S If drilling is not relation Purpose of Well (check all applicable): Other (describe): Other (describe): I a flowing well, method of flow regulation Static Water Level: 26' Method of Measurement (check one) Static lepth: 127 Well depth: 127 Well grouted to a Casing length: 87 Screen length: 40 Green slot size: .050 No log	run Electric Gamma Ray Definition of the product o	Insity Sonic al Investigation be) in the remain g Irrigation I cribe) cribe) cribe) cribe) d Irrigation I cribe) cribe) d Irrigation I cribe) cribe) d Irrigation I cribe) cribe) d Irrigation I cribe) cribe Type inches Type inches Type cribe	n Ground mder of this i Fish Culture easured: 06/ ribe) Neat Ceme of casing: F of screen: F feet to 127 Natural Deve	a Source Heat Pump block 21/2013 ent ⊠ Bentonite □ Mix PVC PVC feet lopment ECEVE

•

/

		For Office U	se Only:
ounty: Leflore	Well #	Pisc)
ermit #: GW-47254			<u> </u>
	L		
	Description of the second second second		for all walls
he sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exen	must be provided	<u>s</u>
well telescopes, show depths on sketch.	Description of Formations Encounter	red From (dep	oth) To (dep
iround level	Clay	Ground le	
	Fine Sand & Clay	30	48
	Fine Sand	49	60
	Fine Sand & Gravel	61	67
	Medium Sand & Gravel	68	127
			· · · ·
f more than one screen, show location of each on sketch			
1. 4 4			
ketch the property layout and include the following: 1) the well location			
any permanent structures on the property that n	nay aid in locating the well		
3) any roads, power lines, or other items that may	aid in locating the property and the well		
4) a north arrow			

AUG 0 5 2013 BY: CHIME

Landowner Name:	Royann Leflore		
			A
			Form: OLWR-SWR-1A (04/08)
I HEREBY CERTIFY	that the well/borehole was drilled, o	constructed, and comple	leted in accordance with all applicable
requirements of the M	lississippi Department of Environm	ental Quality and the Mi	hississippi Department of Health regulations,
if applicable, and stat	e laws.	-	
Patrick Chism	0695	07/25/2013	d
Print Name of Respo	onsible Licensee and License No.	Date	Signature of Licensee

Form: OLWR-SWR-1A (4/13)

1 J

	STATE V	VELL REPORT	For C	office Use Only:
County: Leflore		Part 2	Well #:	P180
Permit #: GW-47254		r's Completion Report		
Driller: Irrigation Equipment		nent of Environmental Quality	Aquifer:	
Date drilling completed: 06/05/2013	P.0	O. Box 2309		
Copy information from block on Part 1		n, MS 39225-2309 01) 961-5210	L	
		360-0535 (fax)		
This part of the report must be complete	d by a licensed water we	ell contractor or a licensed pumi	o installer. A	copy of Part 1
of the report must be attached and both	parts filed with the Depe	artment at the above address wit	hin 30 days o	f well completion.
Well Owner Informa	tion	We	II Location	
Owner Name: Royann Leflore		Latitude: 33 19' 01.6 N	_ Longitude	e: 90 24' 33.3 W
Mailing Address: 12500 County Road	1 530	Method of Lat/Long (check o	ne): 🗌 Co	nventional Survey,
		🛛 USGS quad, 🖾 Hand-he	d GPS, 🗌 S	urvey-grade GPS
Morgan City Ms City Stat	38946 e Zip code	<u>SW</u> ¼ <u>SE</u> ¼,	Sec <u>21</u> ⊺ <u>17</u>	<u>N</u> R <u>2 W</u>
Telephone No. () -		Miles Morth		Swiftown (Nearest Town)
	Dumo Tur	e (check one)		
Submersible Turbine Air Lift (
		Rated Pump Capacity: 1000+	-	_ Gallons Per Minut
Is This Pump (check one): 🛛 New 🗌 Re				
	Power I Vi	ne (check one)		
		pe (check one)		
🛛 Electric 🗌 Diesel 🗌 Gasoline 🗋 Natu):	
	ral Gas 🗌 Tractor PTO	Windmill D Other (describe)		aes: 1
☑ Electric □ Diesel □ Gasoline □ Natu Horse Power Rating of Motor: 30	ral Gas 🗌 Tractor PTO	Windmill D Other (describe)		iges: <u>1</u>
	ral Gas	Windmill D Other (describe)		iges: <u>1</u>
Horse Power Rating of Motor: 30	ral Gas Tractor PTO Setting Depth: Pump Test Data 1	Windmill Other (describe, 70 feet	umber of Sta	
Horse Power Rating of Motor: 30	ral Gas	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minir	num 4 hours	: Ho
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Fe	ral Gas Tractor PTO Setting Depth: Pump Test Data f Tractor PTO Pump Test Data f	Windmill Other (describe, 70 feet N for Non Flowing Well for Non Flowing Well for Non Flowing Well Duration of Pump Test (mining Pumping Water Level (B):	num 4 hours	eet Below Land Surfa
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Tractor Below Land Surface Feet Below Land Surface	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (mining Pumping Water Level (B): ace Test Pumping Rate:	num 4 hours	: Ho eet Below Land Surfa
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Fe	ral Gas Tractor PTO Setting Depth: Pump Test Data I Pump Test Data I Feet Below Land Surface Feet Below Land Surface Steel tape Electric ta	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minir Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describe)	num 4 hours	eet Below Land Surfa
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Peter Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Data	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (mining Pumping Water Level (B): ace Test Pumping Rate:	num 4 hours	eet Below Land Surfa
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one):	ral Gas Tractor PTO Setting Depth: Pump Test Data I Peet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet Feet	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (mining Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describe) ta for Flowing Well	num 4 hours; e):	eet Below Land Surfa Gallons Per Mine
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head:	ral Gas 🗌 Tractor PTO Setting Depth: Pump Test Data f Pump Test Data f Steel Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric ta Pump Test Dat Feet a drawdown of	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (mining Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describe) ta for Flowing Well	num 4 hours; e):	eet Below Land Surfa Gallons Per Min
Horse Power Rating of Motor: 30	ral Gas Tractor PTO Setting Depth: Pump Test Data I Peet Below Land Surface Feet Below Land Surface Steel tape Electric ta Pump Test Dat Feet a drawdown of Meter I	Image: Second system Windmill Other (describe, feet N) 70 feet N for Non Flowing Well Image: Second system Duration of Pump Test (mining Pumping Water Level (B): Image: Second system ace Test Pumping Rate: ape Air line Other (describe) ta for Flowing Well	umber of Sta	E Ho eet Below Land Surfa Gallons Per Min mours of pumping
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head:	ral Gas 🗌 Tractor PTO Setting Depth: Pump Test Data 1 Pump Test Data 1 Steel Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric ta Pump Test Dat Feet a drawdown of Meter I	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describ) ta for Flowing Well feet after	umber of Sta	eet Below Land Surfa Gallons Per Mini
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: None Installed Meter Model Number/Name:	ral Gas 🗌 Tractor PTO Setting Depth: Setting Depth: Pump Test Data I Feet Below Land Surface Feet Below Land Surface Meter I	Windmill Other (describe, 70 feet N for Non Flowing Well Duration of Pump Test (minir Duration of Pump Test (B):	umber of Sta	E Hou eet Below Land Surfa Gailons Per Mine rours of pumping
Horse Power Rating of Motor: 30 Date Well Tested:	ral Gas 🗌 Tractor PTO Setting Depth: Pump Test Data 1 Pump Test Data 1 Steel Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric ta Pump Test Dat Feet a drawdown of Meter 1 tor (AF x .001, gal x 100	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describ) ta for Flowing Well feet after	umber of Sta	eet Below Land Surfa Gallons Per Mini
Horse Power Rating of Motor: 30 Date Well Tested: Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Pump Test Data I Steel Below Land Surface Feet Below Land Surface Feet Below Land Surface Feet a drawdown of Meter I tor (AF x .001, gal x 100 Meter installed by:	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minir Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describ) ta for Flowing Well	umber of Sta	eet Below Land Surfa Gallons Per Min
Horse Power Rating of Motor: 30 Date Well Tested:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Tractor PTO Pump Test Data I Tractor Pump Test Data I Tractor Land Surface Feet Below Land Surface Feet Below Land Surface Feet The tage Tractor Land Surface I feet Tractor (AF x .001, gal x 100 Meter I stalled by: Epaired Replacement	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describe) ta for Flowing Well feet after feet after Type of Meter: 200, etc):	umber of Sta	eet Below Land Surfa Gallons Per Min
Horse Power Rating of Motor: 30 Date Well Tested:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Tractor PTO Pump Test Data I Tractor Data I Tractor Data I Tractor Land Surface Feet Below Land Surface Feet Below Land Surface Feet The Data I Tractor Data I Trac	Windmill Other (describe, 70 feet for Non Flowing Well Duration of Pump Test (minin Pumping Water Level (B): ace Test Pumping Rate: ape Air line Other (describe) ta for Flowing Well feet after feet after Type of Meter: 200, etc):	lumber of Sta	eet Below Land Surfa Gallons Per Mini
Horse Power Rating of Motor: 30 Date Well Tested:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Tractor PTO Pump Test Data I Tractor Data I Tractor Land Surface Feet Below Land Surface Feet Below Land Surface Teet Below Land Surface Feet Teet Teet Teet Teet Teet Teet Tee	Windmill Other (describe, 70 feet N for Non Flowing Well Duration of Pump Test (minin Duration of Pump Test (minin Pumping Water Level (B):	lumber of Sta	eet Below Land Surfa Gallons Per Mini
Horse Power Rating of Motor: 30 Date Well Tested:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Tractor PTO Pump Test Data I Tractor Data I Tractor Land Surface Feet Below Land Surface Feet Below Land Surface Teet Below Land Surface Feet Teet Teet Teet Teet Teet Teet Tee	Windmill Other (describe, 70 feet N for Non Flowing Well Duration of Pump Test (minin Duration of Pump Test (minin Pumping Water Level (B):	lumber of Sta	E Hou eet Below Land Surfa Gailons Per Mine nours of pumping facturer standards.
Horse Power Rating of Motor: 30 Date Well Tested:	ral Gas Tractor PTO Setting Depth: Pump Test Data I Tractor PTO Pump Test Data I Tractor Data I Tractor Land Surface Feet Below Land Surface Feet Below Land Surface Feet Below Land Surface Pump Test Dat Tractor Lance Pump Test Dat Tractor Lance Meter I Tractor (AF x .001, gal x 100 Meter installed by: Paired Replacement Information you are cer Itural wells, a list of app ements are true to the b	Windmill Other (describe, 70 feet N for Non Flowing Well Duration of Pump Test (minin Duration of Pump Test (minin Pumping Water Level (B):	lumber of Sta	eet Below Land Surfa Gallons Per Minu