County:	Leflore	
Permit #:	GW-48019	
Driller:	Irrigation Eq	uipment
Date drilli	ing completed:	05/06/2014

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well #:	P188
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of comp	oletion of drilling of the well or borehole.
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Anderson Planting Company	Latitude: 33 19' 24.8 N Longitude: 90 26' 39.7 W
Mailing Address: 550 Three Mile Lake Road	Method of Lat/Long (check one): ☐ Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Inverness Ms 38753	SE 1/2 SW 1/4, Sec 19 T 17 N R 2 W
City State Zip code	
Telephone No. () -	1 Miles Northwest of Swiftown (Distance) (Direction) (Nearest Town)
Well / Davi	
	ehole Data
Date drilling started: 05/06/2014 Date drilling completed:	05/06/2014 Hole depth: 127' Hole diameter: 24"
Location of the source of any surface water used for drilling:	urface Water
Method of dosing and volume of Chlorine used in drilling and deve	lopment: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gami	ma Ray 🗌 Density 🗎 Sonic 🗎 Neutron 🗎 Other:
Name of organization running log(s):	
Purpose of borehole (check one): ☑ Water Well ☐ Geotech	nical/Geological Investigation
☐ Seismic Survey ☐ 0	Other (describe)
·	struction, skip the remainder of this block
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ P	ublic Supply ☑ Irrigation ☐ Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 28' feet [☐ above or ☒ below (check one)	v] land surface Date measured: 05/12/2014
Method of Measurement (check one) $oximes$ Steel tape $oximes$ Electric tape	e Air line Other: (describe)
Well depth: 127' Well grouted to a depth of: 10' feet	Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix
Casing length: 87' feet Casing diameter: 16"	inches Type of casing: PVC
Screen length: 40' feet Screen diameter: 16"	inches Type of screen: PVC
Screen slot size:050 inches Setting depth:	From 88' feet to 127' feet
Type of completion (check all applicable): ☑ Gravel packed ☐ Ur	nderreamed Open hole Natural Development
Other (describe):	The Same State Course to See Secret State Course to See Secret State Secret Sec
Top of lap pipe or reduction in casing: Feet	
If telescoped or more than one	e screen, describe on next page Form: OEWR-SWR-1A (4/13)
	FORME GEVEN-SVIN-TA (4/13)

		For Office Use (Inly:
i offere		For Office Use (Jiny.
bunty: Leflore	Well#:	1100	
ermit #: GW-48019	<u> </u>		
ne sketch below only required for water wells	Description of formations encountered n	nust be provided for al	ll wells
well telescopes, show depths on sketch.	and boreholes, unless specifically exemp		
wea tetescopes, snow mepuis on sween.	Description of Formations Encountere	d From (depth)	To (depth)
round level	Clay	Ground level	18
	Fine Sand	19	29
	Fine Sand & Gravel	30	71
	Medium Sand & Gravel	72	127
			
			
ļ			
	-		
l l			
	•		
more than one screen, show location of each on sketcl	h		
	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that	g: that may aid in locating the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that to 4) a north arrow	g: that may aid in locating the well may aid in locating the property and the well		
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that to 4) a north arrow	g: that may aid in locating the well may aid in locating the property and the well		
2) any permanent structures on the property to 3) any roads, power lines, or other items that 4) a north arrow Anderson Planting 6 HEREBY CERTIFY that the well/borehole was dri	g: that may aid in locating the well may aid in locating the property and the well Company illed, constructed, and competed in accordance	with all applicable	SWR-1A (04/08)
Anderson Planting HEREBY CERTIFY that the well/borehole was drieguirements of the Mississippi Department of Environments of the Mississippi Department of Envir	g: that may aid in locating the well may aid in locating the property and the well Company illed, constructed, and competed in accordance	with all applicable	
Anderson Planting HEREBY CERTIFY that the well/borehole was driequirements of the Mississippi Department of Envirage lands, and state laws.	chat may aid in locating the well may aid in locating the property and the well may aid in locating the property and the well company Company illed, constructed, and competed in accordance vironmental Quality and the Mississippi Departmental Quality and Quality and Quality and Quality and Quality and Quality and Quality	with all applicable	
ketch the property layout and include the following 1) the well location 2) any permanent structures on the property to 3) any roads, power lines, or other items that to 4) a north arrow Anderson Planting HEREBY CERTIFY that the well/borehole was driequirements of the Mississippi Department of Environments	chat may aid in locating the well may aid in locating the property and the well may aid in locating the property and the well company Company illed, constructed, and competed in accordance vironmental Quality and the Mississippi Departmental Quality and the Mississippi Departmenta	with all applicable ent of Health regulation	

JUN 0 4 2014

County:	Leflore	
Permit #:	GW-48019	<u> </u>
Driller:	Irrigation Eq	uipment
	ing completed:	05/06/2014
	•	m block on Part 1

Francisco de la Francia Com A. Distr. 044 040 0400 - Francia Com A.Distr. com

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well #:	P188
Aquifer:	

Well O	Owner Information				Well Loc		well completion.
Owner Name: Andersor	n Planting Compa	ny	Latitude: 3	3 19' 24.	8 N Lo	ngitude:	90 26' 39.7 W
Mailing Address: 550 Th	hree Mile Lake Ro	ad	Method of La	t/Long (c	heck one):	☐ Con	ventional Survey,
			USGS qua	ad, 🛛 Ha	and-held GPS	S, 🔲 Su	rvey-grade GPS
Inverness	Ms	38753			/(∪' ₩ ¼, Sec <u>1</u> '	9 T <u>17 N</u>	N R 2W
City	State	Zip code					
Telephone No() -		(Distance)	Miles _	(Direction)	_ of _	Swiftown (Nearest Town)
		Pump Typ	e (check one)				
☐ Submersible ☑ Turbine		•			-	-	
Date Pump Installed05				pacity:	2300+/-		_ Gallons Per Minute
Is This Pump (check one):	New □ Repaire		e (check one)				
Eleatric D. Dissel E. Co	nadina (T. MM				a a with a \-		
☐ Electric ☑ Diesel ☐ Ga				•	,		2
Horse Power Rating of Mo	tor: OU	Setting Depth:	10		feet Numbe	r of Stag	jes: <u>Z</u>
		Pump Test Data fo	or Non Flowing	ı Well		· · ·	
			ooo	,			
Date Well Tested:				_	t (minimum 4	hours):	Hours
	Feet Be		Duration of Po	ump Test	·		
Static Water Level (A):	Feet Be	elow Land Surface	Duration of Po	ump Test ter Level	(B):	Fe	et Below Land Surface
Static Water Level (A): Drawdown [(B) - (A)]:	Feet Be	elow Land Surface at Below Land Surfa	Duration of Po Pumping Wat ce Test Pum	ump Test ter Level ping Rate	(B):	Fe	et Below Land Surface Gallons Per Minute
	Feet Be	elow Land Surface et Below Land Surfa el tape Electric ta	Duration of Po Pumping Wat ce Test Pum pe ☐ Air line ☐	ump Test ter Level ping Rate Other (c	(B):	Fe	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (a	Feet Be	elow Land Surface at Below Land Surfa al tape Pump Test Data	Duration of Po Pumping Wat ce Test Pum pe ☐ Air line ☐	ump Test ter Level ping Rate Other (c	(B):	Fe	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (a	Feet Bo	elow Land Surface et Below Land Surfa el tape Pump Test Data et	Duration of Popular Pumping Wate Community Test Pumpe Air line	ump Tesi ter Level ping Rate l Other (c	(B):e:	Fe	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (a) Measured shut in head:	Feet Bo	elow Land Surface et Below Land Surfa et tape Electric tap Pump Test Data et	Duration of Popular Pumping Wate Community Test Pumpe Air line	ump Tesi ter Level ping Rate l Other (c	(B):e:	Fe	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (a) Measured shut in head:	Feet Becheck one): Stee	elow Land Surface et Below Land Surfa et tape Electric ta Pump Test Data et wdown of Meter In	Duration of Popular Pumping Water Test Pumping	ump Tesi ter Level ping Rate I Other (c Vell	(B):e:	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (c) Measured shut in head: Well yielded Meter Manufacturer:	Feet Becker Feet Beckeck one): ☐ Stee	elow Land Surface et Below Land Surfa et tape Electric tap Pump Test Data et wdown of Meter In	Duration of Portion of	ump Tesi ter Level ping Rate I Other (c Vell	(B):e:	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (c) Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name	Feet Bo	elow Land Surface et Below Land Surfa et tape Electric tap Pump Test Data et wdown of Meter In	Duration of Portion of	ump Tesi ter Level ping Rate I Other (c Vell	(B):e:	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (c) Measured shut in head: Well yielded Meter Manufacturer:	Feet Bo	elow Land Surface et Below Land Surface et tape Electric tap Pump Test Data et wdown of Meter In	Duration of Portion of	ump Tesi ter Level ping Rate I Other (c Vell	(B):e:	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (a) Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nam Totalizer Register Unit and Installation Date:	Feet Bo	elow Land Surface et Below Land Surface et tape Electric tap Pump Test Data et wdown of Meter In	Duration of Portion of	ump Tesi ter Level ping Rate I Other (c Vell	(B):e:	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A):	Feet Book Feet Feet Feet Feet Feet Feet Feet Fee	elow Land Surface et Below Land Surface et tape Electric tap Pump Test Data et wdown of Meter In AF x .001, gal x 1000 er installed by: ed Replacement	Duration of Portion of	ump Tesi ter Level ping Rate Other (c Vell eet after ial Numb Meter:	(B):	ho	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (a) Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nam Totalizer Register Unit and Installation Date:	Feet Bo	elow Land Surface et Below Land Surface et tape Electric tap Pump Test Data et wdown of Meter In AF x .001, gal x 1000 er installed by: ed Replacement	Duration of Portion of	ump Tesi ter Level ping Rate Other (c Vell eet after ial Numb Meter:	(B):	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A):	Feet Bo	elow Land Surface et Below Land Surface et tape Electric tap Pump Test Data et wdown of Meter In AF x .001, gal x 1000 er installed by: ed Replacement rmation you are cert il wells, a list of appr	Duration of Portion of	ump Tesi ter Level ping Rate Other (c Vell eet after ial Numb Meter:	(B):	Fed	et Below Land Surface Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (c) Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nam Totalizer Register Unit and Installation Date: Is This Meter (check one): Important: By submit	Feet Bo Fee Check one): Stee Fee GPM with a dra GPM with a dra Mete Mete Mete Repaire ting the above infor For agricultura the above statemen	elow Land Surface et Below Land Surface et tape Electric tap Pump Test Data et www. Meter In AF x .001, gal x 1000 er installed by: ed Replacement rmation you are ceru il wells, a list of appr	Duration of Portion of	ump Tesi ter Level ping Rate Other (c Vell eet after dial Numb Meter:	er:	ho	et Below Land Surface Gallons Per Minute

JUN 0 4 2014