County: Leflore Permit #: GW-49292 Driller: Irrigation Equipment, Inc. Date drilling completed: 5-25-16	STATE WELL R Part 1 Driller's Log Mississippi Department of Envin Office of Land and Water P.O. Box 2309 Jackson, MS 39225- (601) 961-5210 (601) 360-0535 (fa	Well #: P P 7 Yonmental Quality Aquifer: -2309 -2309
State Law requires that this report b Department at the above address with Well Owner Informat (Landowner if borehole is not for Owner Name: Leflore County School	thin 30 days of completion of a ion a water well)	er responsible for the work and filed with the drilling of the well or borehole. Well or Borehole Location 33 20' 40.4" Longitude: 90 18' 9.7"
Mailing Address: <u>1901 Highway 82 We</u> Greenwood MS		Lat/Long (check one): ☐ Conventional Survey, quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS NW ½ NE ¼, Sec 16 T 17N R 1W
City State Telephone No. () -	Zip code (Distanc	Miles SE of Morgan City
Name of organization running log(s): Purpose of borehole (check one): X Wa		gical Investigation
<i>If drilling is not rela</i> Purpose of Well (<i>check all applicable</i>):		skip the remainder of this block
If a flowing well, method of flow regulation Static Water Level: <u>18</u> fe	et [☐ above or ⊠ below] land surfa (check one)	lescribe)
Well depth: 127 Well grouted to a d Casing length: 87 feet Screen length: 40 feet Screen slot size: .050 ir	Casing diameter: <u>16</u> Screen diameter: <u>16</u>	inches Type of screen: PVC
Type of completion (check all applicable):	Gravel packed 🗌 Underreamed	d □ OpenMiche I Watural Development

Form: OLWR-SWR-1A (4/13)

۰ ،

County: Leflore Permit #: GW-49292	Well	For Office Use Only: # FA7
The sketch below only required for water wells If well telescopes, show depths on sketch.	Description of formations encounters and boreholes, unless specifically exe	ed must be provided for all wells empted by regulations
Ground level	Description of Formations Encount	
	Clay	Ground level 23
	Fine Sand	24 42
	Fine Sand & Gravel	43 85
	Med. Sand & Gravel	86 127
	······································	
If more than one screen, show location of each on sket	tch	
Sketch the property layout and include the followi 1) the well location 2) any permanent structures on the property 3) any roads, power lines, or other items that 4) a north arrow	r that may aid in locating the well at may aid in locating the property and the well Rec	eived
	11 IN	29 2016
	JUN	
	By	OLWR
Landowner Name:		

I HEREBY CERTIFY that the well/borehole was drilled, co requirements of the Mississippi Department of Environme	onstructed, and componental Quality and the	Form: OLWR-SWR-1A (04/08) pleted in accordance with all applicable Mississippi Department of Health regulations,
if applicable, and state laws. 0695	6-24-16	all
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee
	······································	Form: OLWR-SWR-1A (4/13)

.

•

		LL REPORT		Office Use Only:
County: Leflore		art 2	VVCII #	
Permit #: GW-49292	Mississippi Departmen	Completion Report t of Environmental Qualit	v	
Driller: Irrigation Equipment, Inc.	Office of Land ar	nd Water Resources	Aquifer:	
Date drilling completed: 5-25-16		3ox 2309 IS 39225-2309		· · · · · · · · · · · · · · · · · · ·
<u>Copy information from block on Part 1</u>		961-5210 0.0525 (fex)		
	. ,	0-0535 (fax)		
This part of the report must be complet of the report must be attached and both				
Well Owner Inform			Vell Location	
Owner Name: Leflore County Schoo	ol District I	.atitude: 33 20' 40.4"	Longitud	le: 90 18' 9.7"
Mailing Address: 1901 Highway 82 V	Vest	Method of Lat/Long (check	one): 🗌 C	onventional Survey,
	· · · · · · · · · · · · · · · · · · ·	-		
		🗌 USGS quad, 🖾 Hand-h	neld GPS, 🗌	Survey-grade GPS
Greenwood MS	38930	<u>NW</u> 1⁄4 <u>NE</u> 1	¼, Sec <u>16</u> T <u>1</u>	17N R 1W
City Sta	ite Zip code		0 5	Marray 011
Felephone No. () -			SE of	Morgan City (Nearest Town)
	······			
	Pump Type (check one)		
] Submersible 🛛 Turbine 🗋 Air Lift 🗌				
	Rat	ed Pump Capacity: 2100	+/-	Gallons Per Minute
s This Pump <i>(check one)</i> : 🛛 New 🔲 R	epaired 🗌 Replacement	(•••••••••••••••••••••••••••••••••••••••
	Fower type (check one)		
🗍 Electric 🛛 Diesel 🔲 Gasoline 🗋 Nati			e):	
☐ Electric ⊠ Diesel □ Gasoline □ Nat Horse Power Rating of Motor:60	ural Gas 🔲 Tractor PTO 🔲	Windmill 🗌 Other (describ		tages: 1
	ural Gas	Windmill 🗋 Other (<i>describ</i>		tages: <u>1</u>
Horse Power Rating of Motor: 60	ural Gas	Windmill Other (describ) feet Non Flowing Well	Number of S	- <u></u>
Horse Power Rating of Motor: 60	ural Gas	Windmill Other (describ) Othe	Number of S	s): Hours
Horse Power Rating of Motor: 60	ural Gas	Windmill Other (describ) Othe	Number of S	s): Hours
Horse Power Rating of Motor: 60	ural Gas Tractor PTO Setting Depth: 7 Pump Test Data for Eet Below Land Surface	Windmill Other (describ) Othe	Number of S	s): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]:	ural Gas Tractor PTO Setting Depth: 70 Pump Test Data for feet Below Land Surface Feet Below Land Surface	Windmill Other (describ) Othe	Number of S	s): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Setting Depth: 70 Pump Test Data for feet Below Land Surface Feet Below Land Surface	Windmill Other (describ) Othe	Number of S	s): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> _	ural Gas Tractor PTO Setting Depth: 70 Pump Test Data for eet Below Land Surface Feet Below Land Surface Steel tape Electric tape	Windmill Other (describ) Othe	Number of S	s): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one):	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for Teet Below Land Surface Steel tape Electric tape Pump Test Data for Feet Feet	Windmill Other (describ) Other (describ) Other (describ) Ouration of Pump Test (min Pumping Water Level (B): Test Pumping Rate: Other (describ) Other (describ) Other Flowing Well	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for feet Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data for	Windmill Other (describ) Other (describ) Other (describ) Ouration of Pump Test (min Pumping Water Level (B): Test Pumping Rate: Other (describ) Other (describ) Other Flowing Well	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for Teet Below Land Surface Steel tape Electric tape Pump Test Data for Feet Feet	Windmill 🗌 Other (describ) feet Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): Test Pumping Rate: Air line 🗋 Other (description or Flowing Well feet after	Number of S	s): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60	ural Gas Tractor PTO Setting Depth: 70 Pump Test Data for Teet Below Land Surface Steel tape Electric tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗌 Other (describ)feet Non Flowing Well Duration of Pump Test (mir Pumping Water Level (B): Test Pumping Rate: Air line 🗋 Other (describerted) or Flowing Well feet after allation	Number of S himum 4 hour hibe):	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Vell yielded GPM with Meter Manufacturer:	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗋 Other (describ)feet Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): Test Pumping Rate: Air line 🗋 Other (describer or Flowing Well feet after allation	Number of S himum 4 hour hibe):	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Forawdown [(B) - (A)]: Method of measurement (check one): Method of measurement (check one): Measured shut in head: Vell yielded GPM with Meter Manufacturer: Meter Model Number/Name:	ural Gas 🗌 Tractor PTO 🗌 Setting Depth: 70 Pump Test Data for Ceet Below Land Surface I Feet Below Land Surface I Steel tape 🗌 Electric tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗋 Other (describ)feet Non Flowing Well Duration of Pump Test (mir Pumping Water Level (B): Test Pumping Rate: Air line 🗋 Other (descr or Flowing Well feet after allation feet after Meter Serial Number: Type of Meter:	Number of S himum 4 hour hibe):	s): Hours Feet Below Land Surface Gallons Per Minute
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Meter Inst ctor (AF x .001, gal x 1000, 4	Windmill Other (describ) Other (describ) Other (describ) Other (describ) Ouration of Pump Test (min) Pumping Water Level (B): Test Pumping Rate: Other (describ) Other (describ) Other flowing Well Other flowing Well Other Serial Number: Type of Meter: Other Serial Number: Other Ser	Number of S himum 4 hour hibe):	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Setting Depth: 70 Pump Test Data for Teet Below Land Surface Steel tape Electric tape Pump Test Data for Feet a drawdown of Meter Inst Ctor (AF x .001, gal x 1000, of Meter installed by:	Windmill Other (describ) Other (describ) Other (describ) Other (describ) Ouration of Pump Test (min) Pumping Water Level (B): Test Pumping Rate: Other (describ) Other (describ) Other flowing Well Other flowing Well Other Serial Number: Type of Meter: Other Serial Number: Other Ser	Number of S himum 4 hour hibe):	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Keter Inst ctor (AF x .001, gal x 1000, 4 Meter installed by: epaired Replacement	Windmill 🗋 Other (describ) feet Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): Test Pumping Rate: Air line 🗋 Other (describer) Gamma Flowing Well feet after feet after allation Flow feet feet [Type of Meter: etc):	Number of S nimum 4 hour ibe): Becei	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping VEC
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Forawdown [(B) - (A)]: Method of measurement (check one): Method of measurement (check one): Metasured shut in head: Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Fotalizer Register Unit and Multiplier Fainstallation Date: s This Meter (check one): New R Important: By submitting the above	ural Gas Tractor PTO Setting Depth: 7(Pump Test Data for Feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Keter Inst ctor (AF x .001, gal x 1000, 4 Meter installed by: epaired Replacement e information you are certify	Windmill 🗋 Other (describ) Description of Pump Test (min) Pumping Water Level (B): Test Pumping Rate: Air line 🗋 Other (description) or Flowing Well feet after allation feet after Meter Serial Number: Type of Meter: etc): bing that this meter was ins	Number of S himum 4 hour ibe): ECEI JUN 2 By OI talled to man	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping VEC
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas 🗌 Tractor PTO 🗌Setting Depth: 7(Pump Test Data for feet Below Land Surface IFeet Below Land Surface] Steel tape 🗌 Electric tape Pump Test Data foFeet a drawdown of feet a drawdown of feet ctor (AF x .001, gal x 1000, wheter installed by: epaired 🗌 Replacement e information you are certify ultural wells, a list of approvi	Windmill Other (describ) Offeet Onon Flowing Well Ouration of Pump Test (mir Pumping Water Level (B): Test Pumping Rate: Offeet after Offeet after Offeet after I feet after I feet after I type of Meter: Offeet: Of	Number of S himum 4 hour ibe): ECEI JUN 2 By OI talled to man	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping VEC
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Forawdown [(B) - (A)]: Method of measurement (check one): Method of measurement (check one): Metasured shut in head: Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Fotalizer Register Unit and Multiplier Fainstallation Date: s This Meter (check one): New R Important: By submitting the above	ural Gas 🗌 Tractor PTO 🗌Setting Depth: 7(Pump Test Data for feet Below Land Surface IFeet Below Land Surface] Steel tape 🗌 Electric tape Pump Test Data foFeet a drawdown of feet a drawdown of feet ctor (AF x .001, gal x 1000, wheter installed by: epaired 🗌 Replacement e information you are certify ultural wells, a list of approvi	Windmill Other (describ) Offeet Onon Flowing Well Ouration of Pump Test (mir Pumping Water Level (B): Test Pumping Rate: Offeet after Offeet after Offeet after I feet after I feet after I type of Meter: Offeet: Of	Number of S himum 4 hour ibe): ECEI JUN 2 By OI talled to man	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping VEC
Horse Power Rating of Motor: 60 Date Well Tested:	ural Gas 🗌 Tractor PTO 🗌Setting Depth: 7(Pump Test Data for feet Below Land Surface IFeet Below Land Surface] Steel tape 🗌 Electric tape Pump Test Data foFeet a drawdown of feet a drawdown of feet ctor (AF x .001, gal x 1000, wheter installed by: epaired 🗌 Replacement e information you are certify ultural wells, a list of approvi	Windmill Other (describ) Offeet Onon Flowing Well Ouration of Pump Test (mir Pumping Water Level (B): Test Pumping Rate: Offeet after Offeet after Offeet after I feet after I feet after I type of Meter: Offeet: Of	Number of S himum 4 hour ibe): ECEI JUN 2 By OI talled to man	s): Hours Feet Below Land Surface Gallons Per Minute hours of pumping VEC

Form provided by Forms	On-A-Disk	214-340-9429	FormsOnADisk.com
I of it provided by I of its	OII-A-DISK	214-040-0420	

•