	/ell Report Driller's Log	For Office Use Only:
	Mississippi Department of Environmental Quality	
Permit #: Office of Land a	and Water Resources	Well #: <u>B-66</u>
Duller DIRRY CIDICY Jackson N	Box 10631 4S 39289-0631	L. S. Elevation:
Jackson, N	961-5210	L. S. Elevation:
(601)35	4-6938 (fax)	E-log #:
State Law requires that this report be prepared by the lic	anse halder responsible for i	he work and filed with the
Department at the above address within 30 days of com		
Information on Well Owner		rehole Location
(Landowner if borehole is not for a water well)	Latitude: 31 . 37 . 32	" Longitude: 90 ° 33 ° 0 3"
wher Name DEAN GRIMAS		,
Mailing Address: 2276 Jackson Liberty Rd	Method of Lat/Long (circle or	ie): Conventional Survey,
and the second s	USGS quad, Hand-held	GPS, Survey-grade GPS
Bevokhaven NJ 39601	NE 1/ NE 1/4 Sec 36	Twn &N Rng 6E
City State Zip Code	Distance Direction	of Brockhaven
clephone No. ()	S Miles W	OI DROUMAUT
Well / Boro		nala
Date drilling started: 4-24 Date drilling completed: 4-2	Y Hole depth: 280	Hole diameter: 7 78
location of the source of any surface water used for drilling: Cre Method of dosing and volume of Chlorine used in drilling and deve	ek Iopment: 1991 to	every 3000 94/
Location of the source of any surface water used for drilling: Cre Method of dosing and volume of Chlorine used in drilling and deve Logs run (circle all applicable). No log run Electric Gamma Ray Name of organization running log(s):	ek lopment: <u>991</u> to Density Sonic Neutron	eviry 3000 ga/
Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (<i>describe</i>	logical Investigation Ground	I Source Heat Pump
Name of organization running log(s): Purpose of borehole (check one): Water Well V Geotechnical/Geo	logical Investigation Ground e) on, skip the remainder of this bl	l Source Heat Pump ock
Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (<i>describe</i>	logical Investigation Ground e) on, skip the remainder of this bl	l Source Heat Pump ock
Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (<i>describe</i> If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl	logical Investigation Ground e) on, skip the remainder of this bl y Irrigation Fish Culture	l Source Heat Pump ock
Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (<i>describe</i> If drilling is not related to water well construction	logical Investigation Ground e) on, skip the remainder of this bl y Irrigation Fish Culture Other (describe)	l Source Heat Pump ock Other:
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve	logical Investigation Ground e) on, skip the remainder of this bl y Irrigation Fish Culture Other (describe) land surface Date measured:	l Source Heat Pump ock Other:
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve O Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) feet tabe electric tape	logical Investigation Ground <u>e)</u> <u>on, skip the remainder of this bl</u> y Irrigation Fish Culture Other (describe) land surface Date measured: air line other:	I Source Heat Pump ock Other: 4 - 25 -06
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve (Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) feet tabe electric tape well depth: 260 Well grouted to a depth of 10 feet Typ	logical Investigation Ground by Ground Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): New Cen	Source Heat Pump Ock Other: 4 - 25 - 06 Pent Pentonite Mix
Aame of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve (Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) feet tabe electric tape well depth: 260 Well grouted to a depth of 10 feet Typ asing length: 240 feet Casing diameter: 4	logical Investigation Ground by Grigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Marcon inches Type of casing:	Source Heat Pump Ock Other: 4 - 25 - 06 Problem Mix PVC
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve (Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) (circle tabe) Well depth: 260 Well grouted to a depth of 10 feet Typ Lasing length: 270 feet Casing diameter: 4 Screen length: 20 feet Screen diameter: 4	logical Investigation Ground) y Irrigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Nati Cent inches Type of casing: inches Type of screen:	Source Heat Pump bck Other: 4 - 25 - 06 Sent Bentonite Mix PVC PVC PVC PVC
Sereen slot size: 006 inches Setting depth: From	logical Investigation Ground by Irrigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Non Cen inches Type of casing: inches Type of screen: 2.40 feet to _2.4	Source Heat Pump $\frac{90 \text{ k}}{25 - 06}$ 4 - 25 - 06 Sent Bentonite Mix PVC
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve (Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) (circle tabe) Well depth: 260 Well grouted to a depth of 10 feet Typ Lasing length: 270 feet Casing diameter: 4 Screen length: 20 feet Screen diameter: 4	logical Investigation Ground by Irrigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Non Cen inches Type of casing: inches Type of screen: 2.40 feet to _2.4	Source Heat Pump $\frac{90 \text{ k}}{25 - 06}$ 4 - 25 - 06 Sent Bentonite Mix PVC
Sereen slot size: 006 inches Setting depth: From	logical Investigation Ground an, skip the remainder of this bl y Irrigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Not Cer inches Type of casing: inches Type of screen: 2.40 feet to 24 erreamed Telescoped Open	Source Heat Pump $\frac{90 \text{ k}}{25 - 06}$ 4 - 25 - 06 Sent Bentonite Mix PVC
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl f a flowing well, method of flow regulation: Valve (Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) (circle above or below (circle one) Well depth: 260 Well grouted to a depth of 10 feet Typ Casing length: 270 feet Casing diameter: 4 Screen length: 20 feet Screen diameter: 4 Screen slot size: 006 inches Setting depth: From Type of completion (circle all applicable): Gravel packed Under Other (describe):	logical Investigation Ground a) bit, skip the remainder of this bl y Irrigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Nati Cen inches Type of casing: inches Type of screen: 2.40 feet to 2.44 erreamed Telescoped Open	Source Heat Pump bck Other: 4 - 25 - 06 Pot Bentonite Mix PVC
Same of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geo Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Suppl t a flowing well, method of flow regulation: Valve (Static Water Level: 150 feet above or below (circle one) Method of Measurement (circle one) tegl tabe electric tape well depth: 260 Well grouted to a depth of 10 feet Typ Casing length: 270 feet Casing diameter: 4 Screen length: 20 feet Screen diameter: 4 Screen slot size: 006 inches Setting depth: From Type of completion (circle all applicable): Gravel packed Under	logical Investigation Ground a) bit, skip the remainder of this bl y Irrigation Fish Culture Other (describe) land surface Date measured: air line other: e of grout (circle one): Nati Cen inches Type of casing: inches Type of screen: 2.40 feet to 2.44 erreamed Telescoped Open	Source Heat Pump bck Other: 4 - 25 - 06 Pot Bentonite Mix PVC

•

۰. ۱۲۰۰

•

MAY 0 1 2006 BY: OLWR

R-66

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

• • .

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	[o (depth)
CIAY.	Ground Level	60
Sand	60	20
CLAN	70	150
Clay Staips of Sand + Clay	150	155
CLAY	155	240
Send	240	260
CLAY	860	280
······································		
		1
		1
	+	1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

GRIMES ean Landowner Name:

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws 510 4-25-06 LARRY EASley

Print Name of Responsible Licensee and License No. Date

Jarry Easey Signature of Licensee

MAY 0 1 2006 BY: OLWR

STA	TE WELL REPORT
County: Lincoln Permit #: Driller: LARRY EASILY Date completed: <u>4-24-06</u> <u>Conv information from block on Part 1</u>	Part 2 Installer's Completion Report Department of Environmental Quality e of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) water well contractor or a licensed pump installer. A copy of Part 1 of the epartment at the above address within 30 days of well completion. Well Location Latitude: Latitude: Longitude: Method of Lat/Long (check one): Conventional Survey_, USGS quad_, Hand-held GPS_, Survey-grade GPS_
City State Zip Co	Distance Direction Nearest I own
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	
Bucket Piston Turbine	
Centrifugal Rotary Flowing We Other (specify): Date Pump Installed: 4-25-06	Horse Power Rating of Motor:
Rated Pump Capacity:Gallons Per I	
Pump Test Data	Method of Measuring Water Level
Date Well Tested: 4-25-06 Static Water Level (A): 150 Feet Below Land Pumping Water Level (B): 155 Feet Below Land Drawdown [(B) - (A)]: 5 Feet Below Land Test Pumping Rate: 12 Gallons Per Duration of Pump Test (minimum 4 hours): 4	Surface Surface For flowing well, measured shut in head:feetfeet
I HEREBY CERTIFY that the above statements are true BREAN AS REV S 10 Print Name of Pump Installer and License No. (if application)	b- C

7

MAY 0 1 2006 BY: OLWR