County: <u>Licoln</u> . STATE WELL REPORT Part 1	For Office Use Only: Well #: [3 (C 2	
Dermit #: Driller: <u>F12_gener</u> <u>Aud Jence</u> Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210	Well #: Aquifer: E-Log #:	
(Landowner if borehole is not for a water well) Owner Name: <u>Robert Rouls Intefluct</u> Mailing Address: <u>Huy SSO/Tact Son hing</u> Kd USGS quad, Hand-held G	Proventional Survey	
Brackhuren MG City State Zip Code	of(Nearest Town)	
Method of dosing and volume of Chlorine used in drilling and development: Logs run (<i>circle all applicable</i>): No log run Electric Gamma Ray Density Sonic Neutro Name of organization running log(s): Purpose of borehole (<i>circle one</i>): Water Well Geotechnical/Geological Investigation Seismic Survey Other (<i>describe</i>)		
If drilling is not related to water well construction, skip the remainde	r of this block	
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Other (describe): <u>Caffle Farm</u> . If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: <u>140</u> feet [above or below] land surface Date measure (circle one)		
Method of measurement (<i>circle one</i>): Seel tape Electric tape Air line Other (<i>describe</i> Well depth: 272° Well grouted to a depth of: 10° feet Type of grout (<i>circle one</i>) Casing length: 252° feet Casing diameter: $4^{\circ\prime\prime}$ inches Type of Screen length: 20° feet Screen diameter: $4^{\circ\prime\prime}$ inches Type of Screen slot size: -010 inches Setting depth: From 252° feet to Type of completion (<i>circle all applicable</i>): Gravel packed Underreamed Open hole): Bentonite Λ casing: \underline{Puc} f screen: \underline{Puc} to $\underline{272^{-}}$ feet	
Other (<i>describe</i>):	age	


100

County:	Licolon
Permit #:	

F	or Of	fice Use Only:
Well #:	<u>_6</u>	102

The sketch below only required for water wells

<u>If well telescopes, show depths on sketch.</u>



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground level	
Cluy	0	20
Cludy	20	40
staret-	40	fo
cluy	80	240
Seche	240	250
Course send,	250	272
· · · · · · · · · · · · · · · · · · ·		
	L	

 Image: Second of the property layout and include the following:

 1) the well location

 2) any permanent structures on the property that may aid in locating the property and the well

 3) any reads, power lines, or other items that may aid in locating the property and the well

 4) north arrow

 4) north arrow

 10

 11

 11

 12

 13

 14

 10

 14

 10

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 11

 12

 12

 13

 14

 14

 15

 16

 17

 17

 17

Form: OLWR-SWR-1A (4/13)

·· _ ·		
STATE WELL REPORT		
Part 2 Permit #:		
This part of the report must be completed by a licensed water well contractor or a license of the report must be attached and both parts filed with the Department at the above addr	ed pump installer. A copy of Part 1 ress within 30 days of well completion.	
Owner Name: <u>Ribert Rowly Livestock</u> Mailing Address: <u>Jockson Livestock</u> Latitude: <u>31° 36'50</u> , Method of Lat/Long (check	Yell Location YLongitude: <u>40° 33´ +8</u> " k one): Conventional Survey, eld GPS, Survey-grade GPS	
Brothann MC SE 4 SE 4, S	<u>14 SE 14, Sec 36 T SN R 6E</u>	
Telephone No. ()	of	
Pump Type (circle one)		
Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Othe Date Pump Installed: $\frac{226-19}{56}$ Rated Pump Capacity: 56		
Is This Pump (circle one): (New) Repaired Replacement		
Power Type (circle one) Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor:		
Pump Test Data for Non Flowing Well		
	inimum 4 hours): hours	
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate:	3):Feet Below Land Surface	
Method of measurement (circle one): Steel tape Electric tape Air line Other (descrit		
Pump Test Data for Flowing Well	De):	
Measured shut in head:feet.		
Well yielded GPM with a drawdown of feet after	hours of pumping	
meter installation	1	
Meter Installation Meter Manufacturer:	:	
Meter Manufacturer: Meter Serial Number		
Meter Manufacturer:		
Meter Manufacturer: Meter Serial Number		
Meter Manufacturer: Meter Serial Number Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Type of Meter:		
Meter Manufacturer: Meter Serial Number Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date:	nstalled to manufacturer standards.	
Meter Manufacturer: Meter Serial Number Meter Model Number/Name: Type of Meter: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was in For agricultural wells, a list of approved meters is on the MDE	nstalled to manufacturer standards.	
Meter Manufacturer:	nstalled to manufacturer standards.	

ı