STATE	WELL REPORT	
County: Linkaln	Part 1	For Office Use Only:
	Priller's Log	Well #: C104
GRENN WATER WELL Mississippi Depart	ment of Environmental Quality	
Office of La	and and Water Resources P.O. Box 2309	Aquifer:
Date drilling completed: 10-22-14 Jacks	on, MS 39225-2309 (601)961-5210	E-Log #:
(60	1)360-0535 (fax)	
State Law requires that this report be prepared by the	license holder responsible for th	e work and filed with the
Department at the above address within 30 days of co		
(Landowner if borehole is not for a water well)	3, 41 35 Well or Bore	hole Location 10 > 15
Owner Name: April LUCKE	Latitude: 31 41.59 Fon	gitude: 90 30.808
Mailing Address:	Method of Lat/Long (check one)	: Conventional Survey,
3716 Foster Ln.	USGS quad, Hand-held GF	S, Survey-grade GPS
Wesson ms 39191 City State 7 in Code	NE 1/4 SE 1/4, Sec. 5	5 T8N R 7E
1.p 5040	Miles W of	LOSCAN
Telephone No. (601) 807-2478	(Distance) (Direction)	(Nearest Town)
Method of dosing and volume of Chlorine used in drilling a Logs run (circle all applicable): No log run Electric Gam Name of organization running log(s): Purpose of borehole (circle one): Water Well Geotechn	ma Ray Density Sonic Neutro	Other:
		- out of the transfer of the t
•	(describe)	
If drilling is not related to water well of		of this block
Purpose of Well (circle all applicable): Home Industrial	Public Supply Irrigation I	Fish Culture
Other (describe):		
If a flowing well, method of flow regulation: Valve	Other (describe)	
Static Water Level: 87 feet [above or below (circle one)	w] land surface Date measured	10-22-14
Method of measurement (circle one): Steel tape Electric	tape Air line Other (describe):	
Well depth: 178 Well grouted to a depth of: 10	feet Type of grout (circle one):	Neat Cement Gentonite Mix
Casing length:feet		casing: PVC
Screen length: 10 feet Screen diameter:	A =	/_
Screen slot size: 1010 inches Setting depti	n: From 168 feet to	
Type of completion (circle all applicable): Gravel packed		

_feet

If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A (4/13)
RECEIVED

NOV 1 2 2014

The sketch below only required for water wells If well telescopes, show deaths on sketch. Ground Level Description of formations encountered must be provided for all and borcholes, unless specifically exempted by regulations From (depth) To (depth) From (depth) To (depth) From (depth) To (depth) Sand Streaks 36 62 White Clay 67 73 blue Clay 73 88 Sand Streaks 88 120 Sand Streaks 88 120 Sand Streaks 88 120 Sand Streaks 88 120 Sand Formations encountered must be provided for all and borcholes, unless specifically exempted by regulations The clay 67 73 White Clay 67 73 blue Clay 73 88 Sand Streaks 88 120 Sand 120 187 Sand Formations encountered must be provided for all and borcholes, unless specifically exempted by regulations To (depth) To (depth) To (depth) Found tevel 7 Sand Streaks 88 120 Sand Streaks 88 120 Sand Formations encountered must be provided for all and borcholes, unless specifically exempted by regulations To (depth) To (depth	County: Lincoln Permit #:	Wet	For Office Use Only:		
If well telescopes, show depths on sketch. Ground Level Description of Formations Encountered From (depth) To (depth) T	The sketch below only required for water	<u></u>			
Description of Formations Encountered From (depth) To (depth PRO Clay Ground level 7 JELIOW Clay 13 36 Sand Streaks 36 62 White Clay 62 73 bolue Clay 73 88 Sand Streaks 88 120 Sand Streaks 88 120 Sand TOCK 181 Sand TOCK 181 The well location of each on sketch 181 The well location of each on the property that may aid in locating the well 3) any roads, power these, or other items that may aid in locating the property and the well 4) north arrow 1014 Red Star Dr. South To Streaks 120 Sand TOCK 181 To (depth) To (d		and boreholes, unless specifically e	Ted must be provid	ed for all we	
red clay Ground level 7 grave/ 7 13 yellow Clay 13 36 Sand Streaks 36 62 White Clay 62 73 blue Clay 73 88 Sand Streaks 8 120 Sand Took 181 Sand Took 181 In the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Old Red Star Dr. Xve Yve Yv	Ground Level	Description of Formations Engage			
more than one screen, show location of each on sketch sand streaks san		redclay		7	
more than one screen, show location of each on sketch sand streaks 36 62 white clay 62 73 blue clay 73 88 Sand Streaks 88 120 Sand 120 18/ Sand 120 18/ Sand 100 18					
Sand Streams 36 62 White Clay 62 73 bolue Clay 73 88 Sand Streams 88 120 Sand I20 18/ Sand Foom 18/ Sand	· 		7	13	
Sand Streams 36 62 White Clay 62 73 bolue Clay 73 88 Sand Streams 88 120 Sand I20 18/ Sand Foom 18/ Sand		vellow Clay	12	21	
more than one screen, show location of each on sketch Sand Cock 18/ Sand Cock 18/ Sand Cock 18/ Sand Cock 18/ Show location of each on sketch The property layout and include the following: 1) the well location 2) any permanents structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Foster Ln Vive 1			13	36	
more than one screen, show location of each on sketch Sand Fock 18/ Sand Fock Sand		sand streaks	36	62	
more than one screen, show location of each on sketch Sand Fock 18/ Sand Fock Sand		white clay	42	12	
Sand Streaks 88 120 Sand Fock 18/					
more than one screen, show location of each on sketch Ten the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Old Red Star Dr. X ve ii		blue cky		8	
more than one screen, show location of each on sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Old Red Star Dr. X ve		sand Streaks	Se	120	
more than one screen, show location of each on sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Old Red Star Dr. X ve		e l			
more than one screen, show location of each on sketch 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Old Red Star Dr. X vel		sana	120	18/	
more than one screen, show location of each on sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Cold Red Star Dr. X well		sand rock	181		
1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Foster Ln					
1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Cold Red Star Dr. X ve					
1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Cold Red Star Dr. X ve	more than one screen, show location of each o	sketch		·	
2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow Foster Ly Old Red Star Dr. X ve	1				
Newell Rd.	2) any permanent structures on the property 3) any roads, power lines, or other items tha 4) north arrow	that may aid in locating the well may aid in locating the property and the well Foster Lv X well d Red Star Dr.			

I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

BRIAN D. McCLENDON UNR-00000664

0-22-14 Date Bruss M-Childry
Signature of Licensee
Form: OLWR-SWR-1A (4/13)

STATE WELL REPORT

County: LINCOM Permit #: Driller: GRENN WATER WELL & SUPPLY, INC. Date completed: 10-25-

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

For Office Use Only:	
Aquifer:	

	501)961-5210			
•) 360-0535 (fax)			
	well contractor or a licensed pump installer. A copy of Part I Department at the above address within 30 days of well completion.			
Well Owner Information	Well Location			
Owner Name: Hpril Lucke	Latitude: 31°41,591 Longitude: 90°30,809			
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,			
3716 Foster Ln.	USGS quad, Hand-held GPS, Survey-grade GPS			
Wesson Ms 39191 City State Zip Code	NE 1/4 SE 1/4, Sec 5 T 8N R 7E			
Telephone No. (<u>GOL</u>) <u>807-2478</u>	(Distance) Miles (Direction) of (Nearest Town)			
	pe (circle one)			
	Jet Piston Rotary Other (describe):			
	Rated Pump Capacity: _\O Gallons Per Minute			
Is This Pump (circle one): New Repaired Replaceme	nt pe (circle one)			
Electric Diesel Gasoline Natural Gas Tractor PTO Win	• •			
Horse Power Rating of Motor: 3/4 Setting Depth: 115 feet Number of Stages: 12				
Date Well Tested: 10-23-14	for Non Flowing Well Duration of Pump Test (minimum 4 hours): hours			
Date Well Tested: 10-23-14	•			
Date Well Tested: 12-23-14 Static Water Level (A): 87 Feet Below Land Surface	Duration of Pump Test (minimum 4 hours): hours			
Date Well Tested: 12-23-14 Static Water Level (A): 87 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe):			
Date Well Tested: 12-23-14 Static Water Level (A): 87 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to Pump Test Da	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): Ita for Flowing Well			
Date Well Tested: 12-23-14 Static Water Level (A): 87 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to Pump Test Da	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): Ita for Flowing Well			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): ta for Flowing Well feet after hours of pumping Installation			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): for Flowing Well feet after hours of pumping Installation Meter Serial Number:			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): Ita for Flowing Well feet after hours of pumping Installation			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): Ta for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: Type of Meter:			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface face Test Pumping Rate: Gallons Per Minute ape Air line Other (describe): Ta for Flowing Well feet after hours of pumping Installation Meter Serial Number: Type of Meter: Type of Meter:			
Date Well Tested:	Duration of Pump Test (minimum 4 hours):			
Date Well Tested:	Duration of Pump Test (minimum 4 hours):			

	2 of agreement weeks, a use of approved meters is on the MDDO website.				
i	I HEREBY CERTIFY that the above statements are true to the	hest of my knowled	lge .		
	THE TOTAL THE CHE GOVE SEACEMENTS ATE CIDE TO THE	Desc of my knowled	ige.	و المراسين الماري	
1	MICHAEL W. KEES RPO-00000801	10-23-14	Mahlaha	RECEN	
	Print Name of Pump Installer and License No. (if applicable)	Date	Signature of Pump In:	staller	