	STATE V	WELL REPORT		1
county: Lincoln	SIAIL	Part 1	For Office Use Only:	
	D	riller's Log	Well #: <u>D</u> <u>H</u> <u>C</u>	
Permit #: Driller: <u>Gary Rayborn</u>	Mississippi Departi	nent of Environmental Quality nd and Water Resources	Aquifer:	
	F	P.O. Box 2309	E-Log #:	
Date drilling completed: 12/22/15		on, MS 39225-2309 601)961-5210		ļ
	•	1)360-0535 (fax)		
State Law requires that this report Department at the above address w	be prepared by the hithin 30 days of con	license holder responsible for t mpletion of drilling of the well (he work and filed with the or borehole.	
Well Owner Informat	ion	Well or Bore	hole Location	
(Landowner if borehole is not for		Latitude: <u>31°41'11"N</u> Lor	ngitude: <u>90°25′58″W</u>	
Owner Name: Tom Burge:		Method of Lat/Long (check one	e): Conventional Survey,	
Mailing Address: Second well			PS, Survey-grade GPS	
3116 New Sight Dr.			<u>6 T 8N R 8E</u>	
Wesson MS City State	<u>39191</u> Zip Code	2.5 Miles W		
Telephone No. (601) 757-53	•	(Distance) (Direction)		
				- 1
Date drilling started: 12/21/15 Date	Well / B	orehole Data	$\frac{1}{4}$ Hole dismotor: $\frac{41}{4}$	
Location of the source of any surface v				
Method of dosing and volume of Chlori				
Logs run (circle all applicable). No log r	up) Electric Gam	na Ray Density Sonic Neutro	on Other:	:
Name of organization running log(s): _		<u></u>		
Purpose of borehole (circle one). Water	Well Geotechn	ical/Geological Investigation	Ground Source Heat Pump	
Seism	nic Survey Other	(describe)		
If drilling is not rel	ated to water well c	onstruction, skip the remainde		-
Purpose of Well (circle all applicable):	Home Industrial	Public Supply Irrigation	Fish Culture JAN 0 4	4 2016
Other (describe):Chicken	farm	<u></u>		101.
If a flowing well, method of flow regul	ation: Valve	Other (describe)	· · · · · · · · · · · · · · · · · · ·	1.044
Static Water Level: <u>45</u> fee	t [above or below (circle one))land surface Date measure	d: 12/22/15	
Method of measurement (circle one):	Steel tape Electric	tape Air line Other (describe)		
Well depth: 150 Well grouted to a	depth of: 50	feet Type of grout (circle one)		
Casing length: <u>110</u> feet C	asing diameter:	4inches Type of	casing: <u>PVC</u>	
Screen length: <u>40</u> feet	Screen diameter:	<u> </u>	screen: <u>PVC</u>	
Screen slot size: <u>, O (O</u> inches	Setting depth	: From <u>110</u> feet t	o <u>150</u> feet	
Type of completion (circle all applicab	le): Gravel packed) Underreamed Open hole	Natural Development	
Other (describe):	· · · · · · · · · · · · · · · · · · ·			
Top of lap pipe or reduction in casing:	feet			
		one screen, describe on next pa	ige	1

٠

°€ [,]*

Form: OLWR-SWR-1A (4/13)

County:	Lincoln	

Permit #: __

Ground Level

The sketch below only required for water wells

If well telescopes, show depths on sketch.

For Office Use Only:

Well #: _

<u>Description of formations encountered must be provided for all wells</u> and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth) Ground level	To (depth)
Chalk	Ground level	110
Chalk Sand	110	150
· · · · · · · · · · · · · · · · · · ·		
÷		
	h	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following:

1) the well location

2) any permanent structures on the property that may aid in locating the well3) any roads, power lines, or other items that may aid in locating the property and the well

4) north arrow

Elwell #2 Wesson Wesson Wesson Hundauran Name Tom Ru 20055
Landowner Name: Tom BUNGESS
I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.
Rayborn Drilling Inc. 0-60 K/28/15 Print Name of Responsible Licensee and License No. Date Signature of Licensee

Form: OLWR-SWR-1A (4/13)

STATE W	ELL REPORT						
County: Lincoln	Part 2	For Office Use Only:					
Pump Install	er's Completion Report	Well #: <u>byc</u>					
Driller: Gary Rayborn Office of La	ment of Environmental Quality Ind and Water Resources	Well #.					
	P.O. Box 2309	Aquifer:					
	on, MS 39225-2309 601)961-5210						
(60	1) 360-0535 (fax)						
This part of the report must be completed by a licensed wate of the report must be attached and both parts filed with the	Department at the above address r	runn 50 aufo of neu conf					
Well Owner Information Owner Name: TOM BUNGESS	Latitude: 31°41'11"N Lor						
Mailing Address: (second well)): Conventional Survey,					
3116 NEW Sight Dr. NE	USGS guad, Hand-held G	PS, Survey-grade GPS					
		6 TON REE					
Wesson MS 39191 City State Zip Code	2.5 Miles W	f Wesson (Nearest Town)					
Telephone No. (601) 757-5355	(Distance) (Direction)	(Nearest Town)					
	ype (circle one)						
Submorrible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (de	escribe):					
Date Pump Installed: $\frac{12}{22}/15$	Rated Pump Capacity:4	OGallons Per Minute					
Is This Pump (circle one): New Repaired Replacem	ent						
Power T	ype (circle one)						
Electric Diesel Gasoline Natural Gas Tractor PTO W	indmill Other (describe):						
Horse Power Rating of Motor: Setting De	pth: <u>126</u> feet Numbe	r of Stages:					
Pump Test Dat	a for Non Flowing Well						
Date Well Tested: $\frac{ 2/22/15}{ 12 }$	Duration of Pump Test (minin	num 4 hours): hours					
Static Water Level (A): 45 Feet Below Land Surface	e Pumping Water Level (B):	Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface					
Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: _55 Gallons Per Minute							
		55 Gallons Per Minute					
Method of measurement (circle one): Steel tape (Electric	tape Air line Other (describe):	55 Gallons Per Minute					
Method of measurement (circle one): Steel tape (Electric		55 Gallons Per Minute					
Method of measurement (<i>circle one</i>): Steel tape (Electric Pump Test D Measured shut in head:feet.	tape) Air line Other (<i>describe</i>): Pata for Flowin g Well	55 Gallons Per Minute					
Method of measurement (circle one): Steel tape (Electric Pump Test D	tape) Air line Other (<i>describe</i>): Pata for Flowin g Well	55 Gallons Per Minute					
Method of measurement (<i>circle one</i>): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Mete	tape Air line Other (<i>describe</i>): Pata for Flowing Wellfeet after r Installation	55 Gallons Per Minute					
Method of measurement (<i>circle one</i>): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Mete	tape Air line Other (<i>describe</i>): Pata for Flowing Wellfeet after r Installation	55 Gallons Per Minute					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer:	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number:	55 Gallons Per Minute					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, or product)	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number: Type of Meter: at x 1000, etc):	55 Gallons Per Minute hours of pumping JAN 04					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, or product)	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number: Type of Meter: at x 1000, etc):	55 Gallons Per Minute hours of pumping JAN 04					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, c) Installation Date: Meter installed by Is This Meter (circle one): New_Repaired Replaced	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number: Type of Meter: gat x 1000, etc): ment	Gallons Per Minute 					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, c) Installation Date: Meter installed by Is This Meter (circle one): New_Repaired Replaced	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number: Type of Meter: gat x 1000, etc): ment	<u>hours of pumping</u> JAN 0 4					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, generation Date: Meter installed by Is This Meter (circle one): New_Repaired Replaced Important: By submitting the above information you are For agricultural wells, a list of the subscience	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number: Type of Meter: r: ment certifying that this meter was inst approved meters is on the MDEQ	<u>hours of pumping</u> JAN 0 4					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, classed by Is This Meter (circle one): New_Repaired Replaced Important: By submitting the above information you are For agricultural wells, a list of classed by Is This Meter (circle one): New_Repaired Replaced Important: By submitting the above statements are true to provide the above statements are tru	tape Air line Other (describe): ata for Flowing Well feet after r Installation Meter Serial Number: Type of Meter: r: ment certifying that this meter was insu approved meters is on the MDEQ the best of my knowledge.	55 Gallons Per Minute hours of pumping 					
Method of measurement (circle one): Steel tape (Electric Pump Test D Measured shut in head:feet. Well yieldedGPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, generation Date: Meter installed by Is This Meter (circle one): New_Repaired Replaced Important: By submitting the above information you are For agricultural wells, a list of the subscience	tape Air line Other (describe): ata for Flowing Well	55 Gallons Per Minute hours of pumping 					