State W	all Report			
. 1	State Well Report Part 1			
County: L1 //CO1/1	t of Environmental Quality	Aquifer:		
Permit #: Office of Land a	nd Water Resources	Well #: 6- 466		
Driller: Ordered Water White &	Sox 10631 IS 39289-0631	L. S. Blevation:		
	961-5210	L. S. Elevation:		
(601)354	4-6938 (fax)	B-log #:		
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed w	ith the Department within		
Well Owner Information	Well	Location		
Owner Name Tiana Hudson	Latitude: 3/ • 33 • 520	Longitude: 90 • 28 • 675"		
Mailing Address: 302 Saints Tr. NW	Method of Lat/Long (circle of	ne): Conventional Survey, 43		
7	USGS quad, Hand-held	GPS Survey-grade GPS		
Brookhaven MS 39601 City State Zip Code	5 39601 SEX SW/4 Sec 1			
City State Zip Code	tate Zip Code SW NW Distance Direction			
Telephone No. (601) 833 6430	Miles	Nearest Town of Brookhaulh		
Well	Data			
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 4/12/05 Date		1/12/05		
If flowing, method of flow regulation: Valve Other (describe)			
Static Water Level:feet above or below (circle one)	land surface Date measured:	4/12/05		
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 60 Well depth: 55 Well grouted to a depth of 10 feet				
-Type of grout (circle one): Cement Bentonits Mix				
Casing length: 35 feet Casing diameter: 4 inches Type of casing: PVC				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: 6				
Screen slot size: 10/0 inches Setting depth: From 35 feet to 55 feet				
Type of completion (circle all applicable): Gravel packed Under	arreamed Telescoped Ope	n hole Natural Development		
Other (describe):				
Top of lap pipe or reduction in casing:feet. If t	telescoped or more than one sc	reen, describe on back of page		
Logs run (circle all applicable): No log run Electric Gamma Ra	y Density Sonic Neutron	Other:		
Name of organization running log(s):		•		

Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

GRENN WATER WELL & SUPPLY, INC. Brian McClendon, lic. no. 0-664

Print Name of Water Well Contractor and License No.

RECEIVED

Signature of Water Well Contractor

MAY 0 6.2005

BY: OLWR

		Sano	
-	1	white clav	15560
•			
	1 .		
	•		
			
	ļ.		
•	1		
	İ		
	.		
•			
•			
	! '		
4) indicate di	rection.	3	
	•		
	_	•	5
	~c)		
w.	1-10		
, IV		<i>a</i> , Y	
. : .		11 J	
•		i jel	
•		twell shed	
		\ \ \ i	• .
•		1 1	
			•
			•
			•
		•	
T. T.	jara Hudson		
Landowner Name:	juice juisor		
		· ·	

G - 4/66
Description of Formations Encountered

Brian McClendon, lic. no. 0-664 GRENN WATER WELL & SUPPLY, INC.

Signature of Water Well Contractor

If well telescopes please sketch below and show depths.

Ground Level

STATE WELL REPORT Part 2

County: Lincoln Permit #:

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

For Off	ice Use Only:
Aquifer:	
Well #:	-466
Elevation:	

This report should be prepared by the pump installer in detall and filed with the Department within 30 days of the installation of pump. Well Owner Information Owner Name: IGCC HILDSON Mailing Address: 302 SOINTS TO NW Method of LavLong (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS SEN SWN Sec. 14 Twn. 7NRng 7E Distance Direction Nearest Town Telephone No. (601) \$33 - 6430 Pump Type Circle one Circle one Air Lift Jet Submerable Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Date Pump Installed: 4/15/05 Rated Pump Capacity: Of Gallons Per Minute Date Well Tested: 4/13/05 Static Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 1/2 Feet Below Land Surface Drawdown [(B) - (A)]: 1/2 Feet Below Land Surface Drawdown [(B) - (A)]: 1/2 Feet Below Land Surface Drawdown [Choron Test (minimum 4 hours): 4/4 hours 1 HEREBY CERTIFY that the above statements are true to the best of my knowledge.	Driller: Grean Water Well & Supply Date completed: 4/13/05	P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		Well #: 6 - 466 Elevation:		
Owner Name: Igra Hudson Malling Address: 302 Saints To NW Method of Lat/Long (circle one): Conventional Survey, USGS quad. Eand-held GPS, Survey-grade GPS SE 14 SW 18 Sec. 14 Twn. 7N Rng. 7E Distance Direction Nearest Town 2 Miles W of Brookhaven Pump Type Circle one Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary: Flowing Well Other (specify): Date Pump Installed: 4//5/05 Rated Pump Capacity: D Gallons Per Minute Pump Test Data Date Well Tested: 4//3/05 Static Water Level (A): 26 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown (B) - (A): 14 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute Latitude: 31. 33.970 Longitude: 90 28.6 Method of Lat/Long (circle one): Conventional Survey, Well Address: 30.2 Survey-grade GPS SE 14 SW 18 Sec. 14 Twn. 7N Rng. 7E Distance Direction Nearest Town 2 Miles W of Brookhaver, Set 19 SW 18 Sec. 14 Twn. 7N Rng. 7E Distance Direction Nearest Town 2 Miles W of Brookhaver, Set 19 SW 18 SW 19 Sw 1	installation of pump.			•		
Method of Lav/Long (circle one): Conventional Survey, Wisco quad, Hand-held GPS, Survey-grade GPS SENSINA Sec. 14 Twn. 7/N Rng. 7E Distance Direction Nearest Town Pump Type Circle one Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary: Flowing Well Other (specify): Date Pump Installed: 4//3/05 Rated Pump Capacity: / O Gallons Per Minute Pump Test Data Date Well Tested: 4//3/05 Static Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 1/2 Feet Below Land Surface Test Pumping Rate: 1/2 Gallons Per Minute Method of Lav/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS SEN SW4 Sec. 14/1 Twn. 7/N Rng. 7E Distance Direction Nearest Town 2 Miles W of Brook In a very Circle one Circle one Diesel Bagine Gasoline Bagine Natural Gas Electric Motor: Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: 1/2 Setting Depth: 50 feet Number of Stages: 9 Method of Measuring Water Level Circle one Air Line Electric Measuring Line) Steel Tape Other (specify): For flowing well, measured shut in head: 56et Well yielded 1/2 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4/ hours Hours of pumping						
USGS quad, Hand-held GPS, Survey-grade GPS Brokhaven MS 3960/ Sity State Zip Code Distance Direction Nearest Town Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary: Flowing Well Other (specify): Date Pump Installed: 4//3/05 Rated Pump Capacity: Pump Test Data Pump Test Data Pump Test Data Date Well Tested: 4//3/05 Static Water Level (A): 26 Feet Below Land Surface Drawdown [(B) - (A)]: 1/2 Feet Below Land Surface Test Pumping Rate: 1/2 Gallons Per Minute USGS quad, Hand-held GPS, Survey-grade GPS SE W SW Sec 14 Twn 7/2 Rng 7/E Distance Direction Nearest Town 2 Miles W of Brokh Q very Distance Direction Nearest Town 2 Miles W of Brokh Q very Distance Direction Nearest Town 2 Miles W of Brokh Q very Distance Direction Nearest Town 2 Miles W of Brokh Q very Distance Direction Nearest Town 2 Miles W of Brokh Q very Distance Direction Nearest Town 2 Miles W of Brokh Q very Circle one Natural Gas Bloctric Motor Hand Tractor PTO Windmill Other (specify):	Owner Name: Ligra Hudso	N	Latitude: 31.33.970 Longitude: 90° 28.625			
SE 14 SW 14 Sec 14 Twn 7/Rng 7/E	Mailing Address: 302 Saints	02 Saints Tr NW		Method of Lat/Long (circle one): Conventional Survey,		
Telephone No. (601) \$33 -6430 Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: Pump Test Data Pump Test Data Pump Test Data Pump Test Below Land Surface Pumping Water Level (A): Date Well Tested: Pumping Water Level (B): Peet Below Land Surface Test Pumping Rate: Test Pumping Rate: Test Pumping Rate: Test (minimum 4 hours): Duration of Pump Test (minimum 4 hours): Dissance Direction Nearest Town Air Line Power Type Circle one Rasoline Engine Gasoline Engine Natural Gas Natural Gas Plectric Motor Windmill Other (specify): Setting Depth:			USGS quad, H	and-held GPS Survey-grade GPS		
Telephone No. (601) \$33 -6430 Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: Pump Test Data Pump Test Data Pump Test Data Pump Test Below Land Surface Pumping Water Level (A): Date Well Tested: Pumping Water Level (B): Peet Below Land Surface Test Pumping Rate: Test Pumping Rate: Test Pumping Rate: Test (minimum 4 hours): Duration of Pump Test (minimum 4 hours): Dissance Direction Nearest Town Air Line Power Type Circle one Rasoline Engine Gasoline Engine Natural Gas Natural Gas Plectric Motor Windmill Other (specify): Setting Depth:	Brookhaven M	5 39601	SE4 SW4 Sec 14 Two 7NRng 7E			
Telephone No. (601) \$33 -6430 2 Miles W of Brook over Pump Type Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify):	City State	Zip Code	Distance Direction	Nearest Town		
Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary: Flowing Well Other (specify):	Telephone No. (60/) 833 -643	<u>U</u>	_2_Miles_W_			
Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary: Flowing Well Other (specify):		<u> </u>	1			
Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Date Pump Installed: 4//5/65 Setting Depth: feet Rated Pump Capacity: / O Gallons Per Minute Pump Test Data						
Centrifugal Rotary: Flowing Well Other (specify):	Air Lift Jet	Submersible	Diesel Engine Gas	oline Engine Natural Gas		
Other (specify):	Bucket Piston	Turbine	Electric Motor Ha	nd Tractor PTO		
Date Pump Installed: 4//3/05 Rated Pump Capacity: / O Gallons Per Minute Pump Test Data Date Well Tested: 4//3/05 Static Water Level (A): 26 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 4 Feet Below Land Surface Test Pumping Rate: 2 Gallons Per Minute Setting Depth: 50 feet Number of Stages: 9 Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): Por flowing well, measured shut in head: feet Well yielded 12 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): 4 For flowing well, measured shut in head: feet Well yielded 12 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours	Centrifugal Rotary	Flowing Well	l .			
Date Pump Installed: 4//3/05 Rated Pump Capacity: / O Gallons Per Minute Pump Test Data Date Well Tested: 4//3/05 Static Water Level (A): 26 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 4 Feet Below Land Surface Test Pumping Rate: 2 Gallons Per Minute Setting Depth: 50 feet Number of Stages: 9 Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): Por flowing well, measured shut in head: feet Well yielded 12 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): 4 For flowing well, measured shut in head: feet Well yielded 12 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours		·	Horse Power Rating of Mo	otor: 1/2		
Pump Test Data Date Well Tested: 4/13/05 Static Water Level (A): 26 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 4 Feet Below Land Surface Test Pumping Rate: 6 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): 6 For flowing well, measured shut in head: 6 Feet Well yielded 7 GPM with a drawdown of 6 Hours of pumping	Date Pump Installed: 4/13/05	· · · · · · · · · · · · · · · · · · ·				
Date Well Tested: 4/13/05 Static Water Level (A): 26 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 4 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: feet Well yielded 12 GPM with a drawdown of 4 feet after 4 hours of pumping	Rated Pump Capacity: / 🗸	Gallons Per Minute	Number of Stages:	9		
Date Well Tested: 4/13/05 Static Water Level (A): 26 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 4 Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: feet Well yielded 12 GPM with a drawdown of 4 feet after 4 hours of pumping	Pump Test Date		Made de C			
Static Water Level (A):	, - ,		Method of			
Pumping Water Level (B):			Air Line Electric M	Measuring Line Steel Tape		
Drawdown [(B) - (A)]:		•	Other (specify):	<u> </u>		
Test Pumping Rate:	• "		· .			
Duration of Pump Test (minimum 4 hours): 4 hours feet after 4 hours of pumping	Drawdown [(B) - (A)]:Feet I	Below Land Surface	For flowing well, measured	shut in head:feet		
	Test Pumping Rate:	Gallons Per Minute \sim	Well yielded/ 2	GPM with a drawdown of		
I HEREBY CERTIFY that the shows statements are true to the best of any browning.	Duration of Pump Test (minimum 4 hours):	hours	fcct afte	rhours of pumping		
GRENN WATER WELL & SUPPLY, INC. William Hardin, lic. no. 0-717P Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer						

. MAY 0 6 2005

BY: OLWA-