	j State w	en Keport	F O. W U O1		
County: Lincoln	Part 1 – I	Oriller's Log	For Office Use Only:		
	Mississippi Departmen	t of Environmental Quality	Aquifer:		
Permit #:		and Water Resources	Well #: 6-475		
Driller: LARRY EASLEY	1	3ox 10631	Well#:		
	1	1S 39289-0631	L. S. Elevation:		
Date drilling completed: 4-12-06	, , ,	961-5210			
	[601)35	4-6938 (fax)	E-log #:		
State Law requires that this repo			<u> </u>		
Department at the above address					
Information on Well Owner (Landowner if borehole is not for a water well)		Well or Borehole Location			
Owner Name Liberty Hills Investments		Latitude: 31 • 32 • 16	" Longitude: 10 - 28 - 59 -		
Mailing Address:	<b>34</b> 11	Method of Lat/Long (circle on	e): Conventional Survey,		
	7	USGS quad, Hand-held	GPS, Survey-grade GPS		
Bavolchaven		NE 1/ NE 1/ Sec 34	Twn 78 Rng 78		
City Sta		Distance Direction  Miles	Nearest Town		
Telephone No. ()		/ VIIIes 5	Beookhaven		
	Well / Bore	hole Data			
Date drilling started: 4-12 Date drilling completed: 4-12 Hole depth: 180' Hole diameter: 77/8'					
Location of the source of any surface water Method of dosing and volume of Chlorin	er used for drilling: <b>LY</b> e used in drilling and devel	opment: 1 9A/ to e	very 3000 gal		
Logs run (circle all applicable) No log ru Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron	Other:		
Purpose of borehole (check one): Water W	/ell Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump		
	Survey Other (describe	r) n, skip the remainder of this blo	ock		
Purpose of Well (check one): Home	ndustrial Public Supply	/ Irrigation Fish Culture	Other:		
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 40 feet above or below (circle one) land surface Date measured: 4-12-06					
Method of Measurement (circle one) seel tape electric tape air line other:					
well depth: 160 Well grouted to a de	epth of <b>10</b> feet Type	of grout (circle one): seat Cem			
Casing length: 140 feet Casi	ng diameter.	inches Type of easing:			
Nereen length: 20 feet Screen diameter: 4 inches Type of screen: PVC					
Sereen slot size: 0/0 inches Setting depth: From 140 feet to 60 feet					
type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
	Other (describe):				

Top of lap pipe or reduction in easing: feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

RECEIVED
MAY 0 1 2006
BY: OLWR

MAY 0 1 2006

BY: OLWR

From (depth) To (depth)
| Ground Level | 30
| 30 | 50
| 50 | 80

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

	1	CIAY,	80	140
		SANI	140	160
		Clay	160	180
				<del> </del>
	1		·	<del> </del>
	Ĭ	*		
				-
	l			
				<del>                                     </del>
	1			•
Landowner Name:	septy Hills -	Investment	Form: OLW	/R-SWR-1A
Landowner Name:	ole was drilled, constructed	Love Stment  A and completed in accordance with a the Mississippi Department of Health	Form: OLW Il applicable requirements o n regulations, if applicable, a	f the

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level\_\_\_

## STATE WELL REPORT

## Part 2 County: Lincoln Permit #: Date completed:

Print Name of Pump Installer and License No. (if applicable)

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:			
Aquifer:			
Well #: <u><b>G</b> - 475</u> Elevation:			

Copy information from block on Part 1	4 (750 (ILII)	
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department of	it the above address within 30 days of weil completion.	
Well Owner Information	Well Location	
Owner Name: Liberty Hills Investment	Latitude:Longitude:	
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code	Distance Direction Nearest Town	
Telephone No. ()		
Pump Type	Power Type Circle one	
Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 9-12-06	Setting Depth: 55 feet	
Rated Pump Capacity: 12 Gallons Per Minute	Number of Stages: 12	
Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested: 4-12-06	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A): 40 Feet Below Land Surface	Other (specify):	
Pumping Water Level (B): 43 Feet Below Land Surface	E fra	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:	
Test Pumping Rate: 12 Gallons Per Minute	Well yieldedGPM with a drawdown ofhours of pumping	
Duration of Pump Test (minimum 4 hours): 4 hours	feet after / hours of pumping	
	$\overline{}$	
A CARDED V. OF DITIEVAL - A About a statements are true to the heat	of my knowledge.	

Form: OLWR-SWR-1B RECEIVED

Signature of Pump Installer

MAY 0 1 2006

BY: OLWR