~	State We	ell Report	For Office Use Only:			
County: Lincoln	Part 1 – D	riller's Log	For Office Ose Only.			
Permit #: 0-586	Mississippi Department	of Environmental Quality d Water Resources	Aquifer:			
		ox 2309	Well #: 107			
Driller: JAMES WELLS		MS 39225	L, S. Elevation:			
Date drilling completed: 416-09		61- 5210 - 5228 (fax)				
			E-log #:			
State Law requires that this repor Department at the above address	t be prepared by the lices	nse holder responsible for a string of the well	the work and filea with the I or borehole.			
Information on Well (wunth 50 days of compa	Well or Bo	orehole Location			
(Landowner if borehole is not fe		Latitude: 31 . 30 , 12	" Longitude 90 . 30 . 14			
uner Name Bon Junio Roberts						
		Method of Lat/Long (circle or	ne): Conventional Survey,			
Mailing Address: 5-25 Jo		USGS quad, Hand-held	GPS, Survey-grade GPS			
Begue chitto por		SW 1/ NE 1/ Sec_17				
39629		q				
City Sta		Distance Direction	Nearest Town			
Telephone No. (60) 669 68	88	Milles Uuun				
1 - 0	Well / Boreh					
Date drilling started: 4-16-09 Date dr	lling completed: 4-16-	0) Hole depth: 140	Hole diameter:			
Location of the source of any surface wate	•					
Location of the source of any surface wat						
Method of dosing and volume of Chlorin			hork			
Method of dosing and volume of Chlorin	e used in drilling and develo	pment: <u>3</u> <u>3</u> <u>5</u>	Other:			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s):	e used in drilling and develo n Electric Gamma Ray	pment: <u>3</u> <u>3</u> <u>5</u>	Other:			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s):	e used in drilling and develo n Electric Gamma Ray	pment: <u>3</u> <u>6</u> S Density Sonic Neutron				
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog	pment: 3 1 Sonic Neutron gical Investigation Ground				
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog	pment: <u>3</u> <u>C</u> <u>S</u> Density Sonic Neutron gical Investigation Ground	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog Survey Other (describe) to water well construction	pment: <u>3</u> <u>C</u> <u>S</u> Density Sonic Neutron gical Investigation Ground	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog Survey Other (describe) to water well construction	pment: <u>3</u> <u>C</u> <u>S</u> Density Sonic Neutron gical Investigation Ground	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog Survey Other (describe) to water well construction ndustrial Public Supply_	pment: <u>3</u> <u>C</u> <u>S</u> Density Sonic Neutron gical Investigation Ground <u>, skip the remainder of this bi</u> Irrigation Fish Culture	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic <u>If drilling is not related</u> Purpose of Well (check one): Home <u>I</u>	e used in drilling and develo h Electric Gamma Ray ell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>to water well construction</i> ndustrial Public Supply_ m: Valve Other	pment: <u>3</u> <u>6</u> <u>5</u> Density Sonic Neutron gical Investigation Ground <u>skip the remainder of this bi</u> Irrigation Fish Culture her (describe)	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>to water well construction</i> ndustrial Public Supply_ n: Valve Other powe of below (circle one) la	pment: <u>3</u> <u>3</u> <u>5</u> Density Sonic Neutron gical Investigation Ground <u>, skip the remainder of this bi</u> <u></u>	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: feet all	e used in drilling and develo h Electric Gamma Ray ell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>to water well construction</i> ndustrial Public Supply_ m: Valve Other poove or below (circle one) la eel tape electric tape	pment: <u>3</u> <u>6</u> <u>5</u> Density Sonic Neutron gical Investigation Ground <u>, skip the remainder of this bi</u> Irrigation Fish Culture her (describe) and surface Date measured: air line other: of grout (circle one): Neat Cer	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: feet all Method of Measurement (circle one) Well depth: Well grouted to a do	e used in drilling and develo n Electric Gamma Ray ell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>to water well construction</i> ndustrial Public Supply en: Valve Other prove or below (circle one) la eel tape electric tape pth of feet Type of	pment: 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: feet all Method of Measurement (circle one) Well depth: Well grouted to a dec Casing length: Keet Casing Casing length: feet Casing Note of Casing length: Casing Method of Measurement (circle one) Casing Method casing length: Casing Method casing Method casing length: Casing Method casing Metho	e used in drilling and develo n Electric Gamma Ray ellGeotechnical/Geolog SurveyOther (<i>describe</i>) <i>to water well construction</i> ndustrialPublic Supply_ m: ValveOther pove of below (circle one) la eel tape electric tape pth of <u>10</u> feet Type of ng diameter: <u>4</u>	pment: 3 / / S Density Sonic Neutron gical Investigation Ground , skip the remainder of this bi Fish Culture her (describe) and surface Date measured: air line other: of grout (circle one): Neat Cen inches Type of casing:	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: feet all Method of Measurement (circle one) Well depth: Well grouted to a do	e used in drilling and develo h Electric Gamma Ray ellGeotechnical/Geolog SurveyOther (<i>describe</i>) <i>to water well construction</i> ndustrialPublic Supply_ m: ValveOther prove of below (circle one) la electric tape pth offeet Type of ng diameter:4	pment: 3 / / / S Density Sonic Neutron gical Investigation Ground , skip the remainder of this bi Irrigation Fish Culture her (describe) and surface Date measured: air line other: of grout (circle one): Neat Cer inches Type of casing: inches Type of screen:	d Source Heat Pump			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: feet all Method of Measurement (circle one) Well depth: Well grouted to a de Casing length: feet Screen length: feet Screen slot size: feet Screen slot size: feet	e used in drilling and develo h Electric Gamma Ray ellGeotechnical/Geolog SurveyOther (<i>describe</i>) <i>to water well construction</i> ndustrial Public Supply_ m: ValveOther prove or below (circle one) la electric tape pth offeet Type of ng diameter:/ Setting depth: From	pment: Sonic Neutron Density Sonic Neutron gical Investigation Ground , skip the remainder of this bi Fish Culture her (describe) and surface Date measured: air line other: of grout (circle one): Meat Certinches Type of casing: inches Type of screen: feet to	d Source Heat Pump lock Other: $\mathbf{U} - 16 - 09$ ment Bentonite Mix PVC PVC b 0 feet			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: &feet all Method of Measurement (circle one) Well depth: Well grouted to a de Casing length:feet Casin Screen length:feet Screen	e used in drilling and develo h Electric Gamma Ray ellGeotechnical/Geolog SurveyOther (<i>describe</i>) <i>to water well construction</i> ndustrial Public Supply_ m: ValveOther prove or below (circle one) la electric tape pth offeet Type of ng diameter:/ Setting depth: From	pment: Sonic Neutron Density Sonic Neutron gical Investigation Ground , skip the remainder of this bi Fish Culture her (describe) and surface Date measured: air line other: of grout (circle one): Meat Certinches Type of casing: inches Type of screen: feet to	d Source Heat Pump lock Other: $\mathbf{U} - 16 - 09$ ment Bentonite Mix PVC PVC b 0feet			
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log ru Name of organization running log(s): Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): HomeI If a flowing well, method of flow regulation Static Water Level: feet all Method of Measurement (circle one) Well depth: Well grouted to a de Casing length: feet Screen length: feet Screen slot size: feet Screen slot size: feet	e used in drilling and develo h Electric Gamma Ray ellGeotechnical/Geolog SurveyOther (<i>describe</i>) <i>to water well construction</i> ndustrialPublic Supply_ m: ValveOther pove of below (circle one) la eel tape electric tape pth of <u>10</u> feet Type of ng diameter: <u>4</u> Setting depth: From Gravel packed Underro	pment: 3 / / Sonie Neutron Density Sonie Neutron gical Investigation Ground , skip the remainder of this bi Irrigation Fish Culture her (describe) and surface Date measured: air line other: of grout (circle one): Meat Certinches Type of casing: inches Type of screen: feet to	d Source Heat Pump			

RECEIVED MAY 0 8 2009 BY: OLWR

- 107

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level_____ Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	[o (depth)
	Ground Level	2
Close	2	20
Sond	200 20	50
Clay	50	110
lanez	110	169
		1
		<u> </u>
		ļ
		ļ
		<u> </u>
		Γ
		1
		1
		1
		+
		+
		
		
		L

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Roberto ben a Landowner Name: Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES WELLS 0.586

am Wall RECEIVED

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

MAY 0 8 2009

BY: OLWR

STATE WELL REPORT Part 2 County: For Office Use Only: * * **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit #: Aquifer: Office of Land and Water Resources S WELLS Driller: JA P.O. Box 2309 10 Well #: Jackson, MS 39225 -16-09 Date completed: (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Benjunia 0 Longitude: Latitude: Owner Name: R Method of Lat/Long (check one): Conventional Survey_ Mailing Address _____ Hand-held GPS_____ , Survey-grade GPS USGS quad **٩**N 6h 629 ¹/₄ Sec Zip Code City State Direction Nearest Town Distance 101 669-6822 Miles South of Rrook Telephone No. **Power Type Pump Type** Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Jet Submersible Air Lift Tractor PTO Electric Motor Hand Bucket Piston Turbine Other (specify): Flowing Well Windmill Centrifugal Rotary Horse Power Rating of Motor: Other (specify): 100 09 -1 6 feet 6 Setting Depth: Date Pump Installed: _ 1 5 Gallons Per Minute 4 Number of Stages: Rated Pump Capacity:

- * - - - - - **- 5**

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: <u>4-16-09</u> Static Water Level (A): <u>80</u> Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B): Feet Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:) Gallons Per Minute	Well yielded 15 GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	Hours of pumping		

	I HEREBY CERTIFY that the above statements are true to the bes	t of my knowledge.
	JAMES NEWS 0.586	ames Walls
	Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
-		Form: OLW COMPANY

MAY 0 8 2009

BY: OLWR