Star	te Well Report	For Office Use Only:		
County Lincoln Mississippi Depa	Part 1 Artment of Environmental Quality	Well+: M-158		
S #:	P.O. Box 10031 Son. MS 39289-0631	L. S. Elevation		
575-06	(601)961-5210 501)354-6938 (fax)	E-log#		
Date drilling completed:				
State Law requires that this top 30 days of completion of drilling of the well.	Well	Location OK . 16 · 08"		
Well Owner thrown	Latitude: 31 . 28 . 22	" Longitude 96 · 26 · 08"		
Owner Name Denbury Onshere	Method of Lat/Long (circle on	e). Conventional Survey.		
Mailing Address: P.O. Box 506 Laure	Hand-held	GPS, Survey-grade GPS		
1990	NW 1/2 SE 1/2 Sec 19	Twn 6N Rng 8E		
City State Zip Co.	Distance Direction 7 Miles S	of Brook have		
Telephone No. ()				
Purpose of Well (circle one) Home	Well Data Supply Irrigation Fish Culture Date well drilling completed: 5	Other rig supply		
Date well drilling started: 5-25-06 If flowing, method of flow regulation: Valve	Other (describe)	5-25-06		
Static Water Level:feet above or below (c	circle one) land surface Date measured			

electric tape

Mix

steel tape

Casing diameter

Screen diameter:

Bentonite

Setting depth: From

Other (describe):

Well depth:

Type of completion (circle all applicable): Gravel packed

Print Name of Water Well Contractor and License No.

Method of Measurement (circle one)

Type of grout (circle one):

Casing length: 130 feet

Top of lap pipe or reduction in casing:

Logs run (circle all applicable: No log ru

air line

inches

Electric Gamma Ray Density Sonic Neutron Other.

Underreamed

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippl,

Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

Well grouted to a depth of ____

JUN 0 1 2006

BY: OLWR

Signature of Water Well Contractor

Telescoped Open hole Natural Development

feet. If telescoped or more than one screen, describe on back of page

_	
Ground	1 evel


-1

; }

Description of Formations Encountered	From	To
Clay	10	18
sand	18	30
Clay	30	40
grave	40	45
Clar	45	118
·	118	140
	1	1
	 	
	 	
	1	
	1	
	1	
-	 	
	<u> </u>	

more than one screen, show location of each on sketch

Sketch the property fayout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate disjection.



Landowner Name: Den bu

Onshere

Structure of Water Well Contractor

-

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality

Office of Land and Water Resources

P.O. Box 10631

Jackson, MS 39289-0631

(601)961-5210

	For Office Use Only:
Aqui	fer
Well	# M-158
Elev	ation:

Driller John W Thompson Jackson	n, MS 39289-0631
./	01)961-5210 Elevation:
Date completed: B-O OF (601)	
by the nump installer in C	detail and filed with the Department within 30 days of the
This report should be prepared by the pump rustant	Well Location
installation of pump. Well Owner Information	
	Latitude:Longitude:
Owner Name: Denbury Onshore	
Mailing Address: P.O. Box 506 Laurel MS	Method of Lat/Long (circle one): Conventional Survey,
Mailing Address: P.O. Box 306 Cauter 1	-USGS quad, Hand-held GPS, Survey-grade GPS
	-USGS quad, Hand-held of 5, Salvey 8.
	1/4 1/4 Sec_ 19 Twn 61 Rng 8E
g: 0.1-	
City State Zip Code	Distance Direction Nearest Town
	7 Miles _ S of Brookhover
Telephone No. ()	
Telephone No.	
	Power Type
Pump Type	Circle one
Circle one	Gospline Engine Natural Gas
Cubmersible	Diesel Engine Gasonne Engine
Air Lift Jet Submersione	Electric Motor, Hand Tractor PTO
Bucket Piston Turbine	Electric Motors
El mina Wall	Windmill Other (specify):
Centrifugal Rotary Flowing Well	Horse Power Rating of Motor:
	Horse Power Rating of Motor
Other (specify):	Setting Depth: 120 feet
Date Pump Installed: 5-25-0b	
Rated Pump Capacity: 85 Gallons Per Minut	e Number of Stages:
Rated Pump Capacity:	
	Method of Measuring Water Level
Pump Test Data	Circle one
Date Well Tested: 5-25-02	Flectric Measuring Line Steel Tape
Date Well Tested: 3-25-0 p	Air Line
Static Water Level (A): Feet Below Land Surfa	Other (specify):
Static water bever (11).	Other (specify).
Pumping Water Level (B): 54 Feet Below Land Surface	ie fact
Drawdown [(B) - (A)] Feet Below Land Surfa	For flowing well, measured shut in head:feet
	57) GRM with a drawdown of
Test Pumping Rate: Gallons Per Minu	te Well ylcloed
	4 la feet after 4 hours of pumping
Duration of Pump Test (minimum 4 hours):hou	rs
I HEREBY CERTIFY that the above statements are true to the	e best of my knowledge.
HEREBY CERTIFY that the above statements are true to the	O 1 11 Alt 2

John V. Thompson 0-679

Wint Name of Pump Installer and Livense No. (if applicable)

Signature

JUN 64 2006

BY: OLWR

RECEIVED

JUN - 1 2006

BY: OLWR