
Part 1  Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)  State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.  Well Owner Information  Well Location  Latitude: 51 - 29 - 40 - Longitude: 22 - 21 - 10	State W	ell Report	
Permit #: Office of Land and Water Resources Driller GRENN WATTER WELL & SUPPLY, INC. 4/7/44  Due drilling completed: 1/7/44  State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.  Well Owner Information Owner Name Fleet Laston Owner Name Fleet Laston City State Zip Code Telephone No. (601) 833 - 4712  Well Death Rough Ro	Lincoln P		
Driller GRENN WATER WELL 6 Due drilling completed:	Mississippi Department	t of Environmental Quality	Aquifer: 793
Driller GRENN MATER WELL & P.O. Box 10031  For Golly961-5210  (601)961-5210  (601			Well #:
Date dilling completed:	Driller GRENN WATER WELL & P.O. B		
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.  Well Ower Information Owner Name Fleet   OFTON   Mailing Address:	SUPPLY, INC.		L. S. Elevation:
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.  Well Ower Information  Owner Name Fleet 1 of to 1  Mailing Address: 1643 Monticulo 54 NC  Mailing Address: 1643 Monticulo 54 NC  Method of Lau/Long (circle one): Conventional Survey, USGS quad, Hand-head GPS, Survey-grade GPS  State Value 1 of State 2 pCode  Telephone No. (201) 833 - 4712  Well Data  Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Authority 1 flowing, method of flow regulation: Valve Other (describe)  Static Water Level: 1 feet above or below (circle one) land surface Date measured: 1 flowing, method of Measurement (circle one) steel tape electric tape air line other: 1 flow depth: 1 feet Screen elegit: 1 feet Screen elegit: 1 feet Screen diameter: 1 inches Type of casing: 1 feet Screen diameter: 1 inches Type of sereen: 1 feet to 9.5 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): 1 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Nature of organization running log(6): 1 certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations and state laws. GRENN WATER WELL & SUPPLY, INC. Brian McClendon, 1ic. no. 0-664	the attent and a second		Relog #:
30 days of completion of drilling of the well.  Well Location  Owner Name Fleet   Octor  Mailing Address: 1/4/3 Morticule 5t NE  Method of LaviLong (circle one): Conventional Survey,  Well Data  Well Data  Well Oata  Well Oata  Well Circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Other Clessrum (circle one) steel tape electric tape air line other:  Type of grout (circle one): Cement Bentonite Mix  Casing length: 75 feet Casing diameter: 4 inches Type of casing: 10 feet all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe):  Type of completion (circle all applicable): For long run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  Telephone No. (621) 833 - 471/2  Well Data  Well Data  Well Data  Well Data  Well dilling completed: 477  Date well drilling completed: 477  Date well drilling completed: 477  Well grouted to a depth of	(601)33-	+-0936 (lax)	5-10g #.
Well Owner Information Owner Name Fleet   Stock   Stock   State   Stock   Stoc	State Law requires that this report be prepared by the	driller in detail and filed w	ith the Department within
Owner Name		Well	Location
Brackhava MS 39601  City State Zip Code  Telephone No. (601) 833 - 4712  Well Data  Well Data  Well Data  Well Gircle one) Home Industrial Public Supply Irrigation Fish Culture Other: Sultary  Date well drilling started: 4/7   Date well drilling completed: 4/7    If flowing, method of flow regulation: Valve Other (describe)  Static Water Level: 19 feet above of below (circle one) land surface Date measured: Well grouted to a depth of Section of Section Method of Measurement (circle one) steel tape electric tape air line other:  Type of grout (circle one): Cement Bentonite Mix  Casing length: 75 feet Casing diameter: 1 inches Type of casing: Screen length: 20 feet Screen diameter: 1 inches Type of screen: Screen slot size: 10 inches Setting depth: From 75 feet to 9.5 feet  Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(6): Formulation and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, 1ic. no. 0-664	Owner Name Fleet LoFton	Latitude: 31 . 29 . 40	" Longitude: 20 •21 · 10
Telephone No. (601) 833 - 4712  Well Data  Well Data  Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other Coultry  Date well drilling started: 4/7 /	Mailing Address: 1643 Monticello St NE	Method of Lat/Long (circle or	ne): Conventional Survey,
Telephone No. (601) 833 - 4712  Well Data  Well Data  Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other Coultry  Date well drilling started: 4/7 /		4	
Telephone No. (601) 833 - 4712    Distance   Miles   Direction   Security   Distance   Direction   Security   Distance   Direction   Security   Distance	Brookhaven MS 39601		Twn 6N Rng 8E
Well Data    Purpose of Well (circle one)   Home   Industrial   Public Supply   Irrigation   Fish Culture   Other:   Purpose of Well (circle one)   Home   Industrial   Public Supply   Irrigation   Fish Culture   Other:   Purpose of Well drilling completed:		Distance Direction	Nearest Town
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Butter  Date well drilling started: 4/7   Date well drilling completed: 4/7    If flowing, method of flow regulation: Valve Other (describe)	Telephone No. (601) 833 - 4772		of Bookhaven
Date well drilling started: 4/7 Date well drilling completed: 4/7  If flowing, method of flow regulation: Valve Other (describe) Date measured: 5  Static Water Level: 9 feet above of below (circle one) land surface Date measured: 6  Method of Measurement (circle one) steel tape electric tape air line other: 6  Hole depth: Well depth: 95 Well grouted to a depth of feet Type of grout (circle one): Cement Bentonite Mix  Casing length: 75 feet Casing diameter: 1 inches Type of casing: 6  Screen length: 20 feet Screen diameter: 1 inches Type of screen: 7  Screen slot size: 10 inches Setting depth: From 75 feet to 95 feet Type of completion (circle all applicable): 6  Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): 7  Top of lap pipe or reduction in casing: 6  Top of lap pipe or reduction in casing: 6  Top of lap pipe or reduction in casing: 6  Top of lap pipe or reduction in casing: 7  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, 1ic. no. 0-664	Well	Data	
Date well drilling started: 4/7 Date well drilling completed: 4/7  If flowing, method of flow regulation: Valve Other (describe) Date measured: 5  Static Water Level: 9 feet above of below (circle one) land surface Date measured: 6  Method of Measurement (circle one) steel tape electric tape air line other: 6  Hole depth: Well depth: 95 Well grouted to a depth of feet Type of grout (circle one): Cement Bentonite Mix  Casing length: 75 feet Casing diameter: 1 inches Type of casing: 6  Screen length: 20 feet Screen diameter: 1 inches Type of screen: 7  Screen slot size: 10 inches Setting depth: From 75 feet to 95 feet Type of completion (circle all applicable): 6  Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): 7  Top of lap pipe or reduction in casing: 6  Top of lap pipe or reduction in casing: 6  Top of lap pipe or reduction in casing: 6  Top of lap pipe or reduction in casing: 7  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, 1ic. no. 0-664	The Carlo Control of Control of Carlo Carl	Irrigation Fish Culture	Other: Poultry
If flowing, method of flow regulation: ValveOther (describe)			1-1.
Static Water Level:			11.11
Method of Measurement (circle one) steel tape electric tape air line other:  Hole depth:			* / / 7 / 1.
Hole depth:	Static Water Level:feet above or below (circle one)	-	4 ( ) / / /
Casing length: 75 feet Casing diameter: 4 inches Type of casing:  Screen length: 20 feet Screen diameter: 4 inches Type of screen:  Screen slot size: 1010 inches Setting depth: From 75 feet to 95 feet  Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  Other (describe):  Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page  Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippl Department of Environmental Quality and/or the Mississippl Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664	Method of Measurement (circle one) steel tape electric tape	air line other:	•
Casing length:	Hole depth: 110 Well depth: 95	_ Well grouted to a depth of	//) feet
Screen length:	-Type of grout (circle one): Cement Bentonite Mix		0.4
Screen slot size:	Casing length: 75 feet Casing diameter: 4	inches Type of casing:	PVC
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  Other (describe):  Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page  Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664	Screen length: 20 feet Screen diameter: 4	inches Type of screen:	PVC
Other (describe):  Top of lap pipe or reduction in casing:	Screen slot size: 1010 inches Setting depth: From	feet to	95 feet
Top of lap pipe or reduction in casing:	Type of completion (circle all applicable): Gravel packed Under	erreamed Telescoped Ope	n hole Natural Development
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664	Other (describe):		
Name of organization running log(s):  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi  Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664	Top of lap pipe or reduction in casing:feet. If	telescoped or more than one so	reen, describe on back of page
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664  Brian McClendon, lic. no. 0-664	Logs run (circle all applicable): No log run Electric Gamma Ra	y Density Sonic Neutron	Other:
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664  Brian McClendon, lic. no. 0-664	Name of organization running log(s):	<u> </u>	
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.  GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664  Brian McClendon, lic. no. 0-664	I certify that the well was drilled, constructed, and completed in	accordance with all applicabl	e requirements of the Mississippi
GRENN WATER WELL & SUPPLY, INC.  Brian McClendon, lic. no. 0-664  Brian McClendon, lic. no. 0-664			
Brian McClendon, lic. no. 0-664  Brian McClendon, lic. no. 0-664		oher mone or receme rabameter	M/cell 1
		Rninga	W- Vender
RECEIVE		Signature	of Water Well Contractor
0 00m A 000 A 000	a sant a time of 11 mile 11 on Continuous mile savoime 2 to	9	RECLIVE

Ground	Level
OLUMBA	

Description of Formations Encountered	From	To
Sand+ gravel	0	15
Sand+ cravel	1.5	90
whitecky	95	120
		oxdot
		<u>                                     </u>
		<b> </b>
		1
		ļ
		-
		-
		<del> </del>
		<del> </del>
		-
		-
		<del> </del>
		<del> </del>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.



Landsonner Name: Fleet LOFLON

Brian McClendon, lic. no. 0-664 GRENN WATER WELL & SUPPLY, INC.

Signature of Water Well Contractor

## STATE WELL REPORT

County: Lincoln	
Permit #:	
Driller: GRENN WATER WELL	&
SUPPLY, INC.  Date completed: 4/8	
Date completed: 118 / 11	

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only	y:
Aquifer:	
Well #:	
Elevation:	·

Driller: GRENN WATER WELL & SUPPLY, INC. Date completed: 4/8	P.O. E Jackson, M (601)	Well #:	
This report should be prepared by the installation of pump.	e pump installer in deta	il and filed with the Department within 30 days of the	
Well Owner Informati	on	Well Location	
Owner Name: Fleet Lofton		Latitude: 31 29 683 " Longitude: 90 21 182 "	
Mailing Address: 1643 Montic	ello St NE	Method of Lat/Long (circle one): Conventional Survey,	
		USGS quad, Hand-held GPS, Survey-grade GPS	
Brook haven MS City State	39601	5 / 5 / Sec 16 Twn 6 N Rng 8 E	
City State	Zip Code ···	Distance Direction Nearest Town	
Telephone No. (601) 833 - 4712 9 Miles St of Brookhaven		9 Miles SE of Brookhaven	
Pump Type		Power Type	
Circle one		Circle one	
Air Lift Jet (	Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (specify):		Horse Power Rating of Motor:	
Date Pump Installed: 4/8/11	Date Pump Installed: 4/8/11 Setting Depth: 75 feet		
Rated Pump Capacity: 25	Gallons Per Minute	Number of Stages: 11	
Pump Test Data		Method of Measuring Water Level	
Date Well Tested: 4/2/11	· · · · · · · · · · · · · · · · · · ·	Circle one	
Static Water Level (A): 19 Feet E	Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B): 31 Feet B	elow Land Surface	Other (specify):	
Drawdown [(B) - (A)]: 17 Feet B	Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate: 40	Gallons Per Minute	Well yielded 40 GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):	4 hours	12 feet after 4 hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.	
GRENN WATER WELL & SUPPLY, INC. WILLIAM L. HARDIN, LIC. NO. 0-802	Clar Hardin	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	<u>L.S.</u> ()