ounty: Lincoln	E WELL REPO Part 1		For Office Use Only:
ermit #:	Driller's Log		Well #: M202
GRENN WATTER WETT S Mississippi Dep	artment of Environmen	tal Quality	
riller: SUPPLY, INC. Office of	Land and Water Resou	irces	Aquifer:
ate drilling completed: 10-17-21	P.O. Box 2309 ckson, MS 39225-2309		E-Log #:
· · · · · · · · · · · · · · · · · · ·	(601)961-5210	Ļ	······
	(601)360-0535 (fax)		
State Law requires that this report be prepared by	the license holder respo	onsible for the	work and filed with the
Department at the above address within 30 days of Well Owner Information	completion of drilling	of the well or	borehole.
(Landowner if borehole is not for a water well)	0		Die Location 90 $205$
WINER Name: Reggie Roberts	Latitude: 31 3	1.2221 ong	tude: 90° 20.191
	Method of Lat/Lon	g (check one);	Conventional Survey
ailing Address:	-		and the second se
2505 Sykes Tr.		6	, Survey-grade GPS
Brook haven. Mr. 39629	NW 1/4 NI	<u>کہ /</u> 4, Sec	E T GN R 9E
City State Zip Code	- ,		Brookhaven
elephone No. (225) 572-0634		Direction)	(Nearest Town)
	/ Borehole Data	.2//	
ate drilling started: 10-77-144 ate drilling complet	ed: 10 -17 - 24 e d	epth:	Hole diameter: 7
ocation of the source of any surface water used for d		÷	
	-		
<b>ATRACIOT COSTRE AND VOLUME OF Chloring used in duits</b>	an and developments A		has a set of a set
wethod of dosing and volume of Chlorine used in drillin			
ogs run (circle all applicable): No log run Electric G			
ogs run (circle all applicable): No log run Electric G lame of organization running log(s):		onic Neutron	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s):	amma Ray Density So	onic Neutron	
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): Turpose of borehole (circle one): Water Well Geotec Seismic Survey Oth	amma Ray Density So chnical/Geological Invest ner (describe)	onic Neutron tigation G	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s):	amma Ray Density So chnical/Geological Invest ner (describe)	onic Neutron tigation G	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): Turpose of borehole (circle one): Water Well Geotec Seismic Survey Oth	amma Ray Density So chnical/Geological Invest ner (describe)	onic Neutron tigation Gi e remainder d	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): urpose of borehole (circle one): Water Well Geoter Seismic Survey Oth If drilling is not related to water we rurpose of Well (circle all applicable) Home Industr	amma Ray Density So chnical/Geological Invest ner (describe)	onic Neutron tigation Gi e remainder d	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): urpose of borehole (circle one): Water Well Geotec Seismic Survey Oth If drilling is not related to water we rurpose of Well (circle all applicable) Home Industr Other (describe):	amma Ray Density So chnical/Geological Invest ner (describe) cll construction, skip th rial Public Supply I	onic Neutron tigation G <i>e remainder d</i> Irrigation Fi	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): urpose of borehole (circle one). Water Well Geoter Seismic Survey Oth If drilling is not related to water we rurpose of Well (circle all applicable) Home Industr Other (describe):	amma Ray Density So chnical/Geological Invest ner (describe) ell construction, skip th tial Public Supply I Other (desc	onic Neutron tigation G <i>e remainder d</i> rrigation Fi	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): urpose of borehole (circle one). Water Well Geoter Seismic Survey Oth If drilling is not related to water we rurpose of Well (circle all applicable) Home Industr Other (describe):	amma Ray Density So chnical/Geological Invest ner (describe) ell construction, skip th tial Public Supply I Other (desc	onic Neutron tigation G <i>e remainder d</i> rrigation Fi	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): Turpose of borehole (circle one): Water Well Geotec Seismic Survey Oth If drilling is not related to water we Purpose of Well (circle all applicable) Home Industr Other (describe): If a flowing well, method of flow regulation: Valve Circle one Static Water Level: feet [above or be (circle one	amma Ray Density So chnical/Geological Invest ner (describe) ell construction, skip th tial Public Supply I Other (desc elow land surface Da	onic Neutron tigation G <i>e remainder d</i> rrigation Fi <i>ribe</i> )	Other:
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         urpose of borehole (circle one): Water Well Geoter         Seismic Survey Oth         If drilling is not related to water we         runpose of Well (circle all applicable) Hone Industr         Other (describe):         f a flowing well, method of flow regulation: Valve fraction         itatic Water Level:       103         feet [above or borehole (circle one): Steel tape Electric	amma Ray Density So chnical/Geological Invest ner (describe) cll construction, skip the rial Public Supply I Other (desc above land surface Da tric tape Air line Oth	onic Neutron tigation G <i>e remainder d</i> rrigation Fi ribe) ate measured: ter ( <i>describe</i> ):	Other:
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         urpose of borehole (circle one): Water Well Geoten Seismic Survey Oth         If drilling is not related to water we         runpose of Well (circle all applicable) Home Industr         Other (describe):         f a flowing well, method of flow regulation: Valve fattic Water Level:         If drilling is not related to water we         Static Water Level:         Method of measurement (circle one): Steel tape Electric         Well grouted to a depth of:	amma Ray Density So chnical/Geological Invest ner (describe) cll construction, skip the rial Public Supply I Other (desc above land surface Da tric tape Air line Oth	onic Neutron tigation G <i>e remainder d</i> rrigation Fi ribe) ate measured: ter ( <i>describe</i> ):	Other:
ogs run (circle all applicable): No log run Electric G lame of organization running log(s): urpose of borehole (circle one): Water Well Geoten Seismic Survey Oth If drilling is not related to water we rurpose of Well (circle all applicable) Home Industr Other (describe): if a flowing well, method of flow regulation: Valve f itatic Water Level:feet [above or bo (circle one): Steel tape Electric Well depth: Well grouted to a depth of:	amma Ray Density So chnical/Geological Invest ner (describe) cll construction, skip the rial Public Supply I Other (desc above land surface Da tric tape Air line Oth	onic Neutron tigation G <i>e remainder d</i> rrigation Fi ate measured: her ( <i>describe</i> ): t ( <i>circle one</i> ):	Other:
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         rurpose of borehole (circle one): Water Well Geoter         Seismic Survey Ott         If drilling is not related to water we         rurpose of Well (circle all applicable)         Home         Industr         Other (describe):         f a flowing well, method of flow regulation: Valve          Static Water Level:         JOB         Method of measurement (circle one): Steel tape         Kell depth:         LOS         Well grouted to a depth of:         Lame         Casing length:         Lame         Casing length:         Lame         Lame         Casing length:	amma Ray Density So chnical/Geological Invest ner (describe) cul construction, skip th rial Public Supply I Other (desc elow land surface Da tric tape Air line Oth feet Type of grout inches	tigation G tigation G <i>e remainder d</i> rrigation Fi ribe) ate measured: ter ( <i>describe</i> ): t ( <i>circle one</i> ): Type of ca	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonits Mi asing: PVC
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         turpose of borehole (circle one): Water Well Geoten Seismic Survey Oth         If drilling is not related to water we         turpose of Well (circle all applicable) Home Industr         turpose of Well (circle all applicable) Home Industr         other (describe):         f a flowing well, method of flow regulation: Valve fattic Water Level:         tatic Water Level:         uethod of measurement (circle one): Steel tape Electric         Well depth:       19.5 feet         Casing length:       19.5 feet         Casing length:       10.5 feet         Screen length:       10.5 feet	amma Ray Density So chnical/Geological Invest ner (describe) cell construction, skip the rial Public Supply I Other (describe) denominate Da other (describe) feet Type of grout feet Type of grout inches	tigation G trigation G rrigation Fi rribe) ate measured: ter (describe): t (circle one): I Type of ca Type of s	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonit Mi using: PVC creen: PVC
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         rurpose of borehole (circle one): Water Well Geoter         Seismic Survey Ott         If drilling is not related to water we         rurpose of Well (circle all applicable)         Home         Industr         Other (describe):         f a flowing well, method of flow regulation: Valve          Static Water Level:         JOB         Method of measurement (circle one): Steel tape         Kell depth:         LOS         Well grouted to a depth of:         Lame         Casing length:         Lame         Casing length:         Lame         Lame         Casing length:	amma Ray Density So chnical/Geological Invest ner (describe) cell construction, skip the rial Public Supply I Other (describe) denominate Da other (describe) feet Type of grout feet Type of grout inches	tigation G trigation G rrigation Fi rribe) ate measured: ter (describe): t (circle one): I Type of ca Type of s	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonit Mi using: PVC creen: PVC
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         turpose of borehole (circle one): Water Well Geoten Seismic Survey Oth         If drilling is not related to water we         turpose of Well (circle all applicable) Home Industr         turpose of Well (circle all applicable) Home Industr         other (describe):         f a flowing well, method of flow regulation: Valve fattic Water Level:         tatic Water Level:         uethod of measurement (circle one): Steel tape Electric         Well depth:       19.5 feet         Casing length:       19.5 feet         Casing length:       10.5 feet         Screen length:       10.5 feet	amma Ray Density So chnical/Geological Invest her (describe) cll construction, skip th ial Public Supply I Other (describe) ial Public Supply I Other (describe) ial Air line Other feet Type of grout inches r: <u>4</u> inches appth: From <u>195</u>	tigation G trigation G rrigation Fi rribe) ate measured: ter (describe): t (circle one): I Type of ca Type of s	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonit Mi using: PVC creen: PVC
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         'urpose of borehole (circle one): Water Well Geoter         Seismic Survey Oth         If drilling is not related to water we         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well, method of flow regulation: Valve fattic Water Level:         'urpose of measurement (circle one): Steel tape Electric one         Well depth:       195 feet Casing diameter:         'casing length:       195 feet Screen diameter         'screen slot size:       0 10 inches       Setting de         Type of completion (circle all applicable) Gravel pack	amma Ray Density So chnical/Geological Invest her (describe) cll construction, skip th ial Public Supply I Other (describe) ial Public Supply I Other (describe) ial Air line Other feet Type of grout inches r: <u>4</u> inches appth: From <u>195</u>	tigation G tigation G trigation Fi tribe) tribe of ca tribe tribe tribe tribe tribe tribet	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement pentonit Mi asing: <u>PVC</u> creen: <u>PVC</u> feet
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         furpose of borehole (circle one): Water Well Geoter         Seismic Survey Ott         If drilling is not related to water we         rurpose of Well (circle all applicable)         fa flowing well, method of flow regulation: Valve         other (describe):         fa flowing well, method of flow regulation: Valve         other (describe):         feet [above or be (circle one): Steel tape Electric         Well depth:       105 feet Casing diameter:         Screen length:       125 feet Screen diameter         Screen slot size:       010 inches       Setting destring destring destring destring destring length:         Type of completion (circle all applicable)       Gravel pack	amma Ray Density So chnical/Geological Invest her (describe) ell construction, skip the rial Public Supply I Other (desc alow land surface Da tric tape Air line Other inches r:inches pth: From195 Underreamed	tigation G tigation G trigation Fi tribe) tribe of ca tribe tribe tribe tribe tribe tribet	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement pentonit Mi asing: <u>PVC</u> creen: <u>PVC</u> feet
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         'urpose of borehole (circle one): Water Well Geoter         Seismic Survey Oth         If drilling is not related to water we         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well, method of flow regulation: Valve         'f a flowing well, method of flow regulation: Valve         'f a flowing well, method of flow regulation: Valve         'static Water Level:	amma Ray Density So chnical/Geological Invest her (describe) cll construction, skip the rial Public Supply I Density Other (describe) and surface Da tric tape Air line Other feet Type of grout inches r:inches r:inches rest Underreamed reet	bnic Neutron tigation Gi <i>e remainder d</i> <i>irrigation</i> Fi <i>ate measured:</i> ate measured: <i>ier (describe):</i> <i>t (circle one):</i>   Type of ca Type of s feet to Open hole	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonits Mi asing: PVC creen: PVC feet Natural Development
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         furpose of borehole (circle one): Water Well Geoter         Seismic Survey Ott         If drilling is not related to water we         rurpose of Well (circle all applicable)         fa flowing well, method of flow regulation: Valve         other (describe):         fa flowing well, method of flow regulation: Valve         other (describe):         feet [above or be (circle one): Steel tape Electric         Well depth:       105 feet Casing diameter:         Screen length:       125 feet Screen diameter         Screen slot size:       010 inches       Setting destring destring destring destring destring length:         Type of completion (circle all applicable)       Gravel pack	amma Ray Density So chnical/Geological Invest her (describe) cll construction, skip the rial Public Supply I Density Other (describe) and surface Da tric tape Air line Other feet Type of grout inches r:inches r:inches rest Underreamed reet	bnic Neutron tigation Gi <i>e remainder d</i> <i>irrigation</i> Fi <i>ate measured:</i> ate measured: <i>ier (describe):</i> <i>t (circle one):</i>   Type of ca Type of s feet to Open hole	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonits Mi asing: PVC creen: PVC feet Natural Development
ogs run (circle all applicable): No log run Electric G         lame of organization running log(s):         'urpose of borehole (circle one): Water Well Geoter         Seismic Survey Oth         If drilling is not related to water we         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well (circle all applicable) Hone Industr         'urpose of Well, method of flow regulation: Valve         'f a flowing well, method of flow regulation: Valve         'f a flowing well, method of flow regulation: Valve         'static Water Level:	amma Ray Density So chnical/Geological Invest her (describe) cll construction, skip the rial Public Supply I Density Other (describe) and surface Da tric tape Air line Other feet Type of grout inches r:inches r:inches rest Underreamed reet	bnic Neutron tigation Gi <i>e remainder d</i> <i>irrigation</i> Fi <i>ate measured:</i> ate measured: <i>ier (describe):</i> <i>t (circle one):</i>   Type of ca Type of s feet to Open hole	Other: Tound Source Heat Pump of this block sh Culture 10-17-14 Neat Cement Centonit Mi asing: PVC creen: PVC feet Natural Development

BY: OLWR

ŝ

County: LINCOIN	F Well #:	or Office Use $M \ 20$	Only:
The sketch below only required for water wells If well telescopes, show depths on sketch.	Description of formations encountered and boreholes, unless specifically exer	d must be provid upted by regulati	ed for all y
Ground Level	Description of Formations Encountered	From (depth) Ground level	To (dept
	gravel & sand	20	20
	white clay	65	- 85
	blue clay	85	155
	sand	155	245
	bluechy	200	011

red From (depth) Ground level To (depth) 20 20 65 65 85 85 155 155 245 205 211

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that

<ul> <li>3) any roads, power lines, or other items that may aid in locating the well</li> <li>4) north arrow</li> </ul>
E-Lincoln Rd.
Warren Rd.
dring Dhung
SYKES Tr.
Langowner Name: Reggie Ruberts
I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.
BRIAN D. McCLENDON UNR-00000664 10-17-21 Brian McClendon

Form: OLWR-SWR-1A (4/13)

	STATE WELL REPORT	
County: Lincoln	Part 2 Pump Installer's Completion Report	For Office Use Only: Well #: $M R R$
Permit #:	riller: GRENN WATER WELL & Mississippi Department of Environmental Quality SUPPLY, INC, 100, 111 Office of Land and Water Resources	
SUPPLY, INC. INC.		
	Jackson, MS 39225-2309	Aquifer:
<u>Copy information from block on Part 1</u>	(601)961-5210 (601) 360-0535 (fax)	
	ed by a licensed water well contractor or a licensed	
of the report must be attached and both Well Owner Informat	parts filed with the Department at the above addre	<u>ss within 30 days of well completion</u> Il Location
Owner Name: Raggie Robe		Longitude: <b>90° 20, 19</b> /
Mailing Address:	Method of Lat/Long (check	one): Conventional Survey
2505 Sykes Tr.	USGS quad, Hand-hel	GPS, Survey-grade GPS
Brookhaven, Mr.	39601 NW 1/4 NE 1/4, Se	5 T6N R9E
City State		of Brookhaven
Telephone No. ()	(Distance) (Direction	) (Nearest Town)
	Pump Type (circle one)	······································
Submersible Turbine Air Lift Centri	ifugal Flowing Well Jet Piston Rotary Other	(describe):
Date Pump Installed: 0-201	Rated Pump Capacity:	Gallons Per Minu
	epaired Replacement	
Is This Pump (circle one): (New \Re	MATEC REDUCEMENT	
Is This Pump (circle one): (New Re	Power Type (circle one)	·····
<u> </u>		
<u>A</u>	Power Type (circle one) s Tractor PTO Windmill Other (describe):	$\wedge$
Electric Diesel Gasoline Natural Ga	Power Type (circle one)         as Tractor PTO Windmill Other (describe):            Setting Depth:	$\wedge$
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         us       Tractor PTO       Windmill       Other (describe):         U       Setting Depth:       Setting Depth:       Setting Depth:         Pump Test Data for Non Flowing Well	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor: 3/0 Date Well Tested: 10-20-14	Power Type (circle one)         Is       Tractor PTO       Windmill       Other (describe):	nimum 4 hours): hou
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Is Tractor PTO Windmill Other (describe):	nimum 4 hours): hou
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Is Tractor PTO Windmill Other (describe):         Setting Depth:35feet Num         Pump Test Data for Non Flowing Well         Duration of Pump Test (milling the set of Pump Test (milling the set of Pump)         et Below Land Surface       Pumping Water Level (B        Feet Below Land Surface       Test Pumping Rate:	nimum 4 hours): hou ):1D_ Feet Below Land Surfac 1D_ Gallons Per Minu
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Is       Tractor PTO       Windmill       Other (describe):	nimum 4 hours): hou ):1D_ Feet Below Land Surfac 1D_ Gallons Per Minu
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Is       Tractor PTO       Windmill       Other (describe):          Year       Setting Depth:	nimum 4 hours): hou ):1D_ Feet Below Land Surfac 1D_ Gallons Per Minu
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Is Tractor PTO Windmill Other (describe):	ber of Stages: nimum 4 hours): hou ): _1D Feet Below Land Surfac Gallons Per Minu he):
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Is Tractor PTO Windmill Other (describe):         Setting Depth:         Setting Depth:         Pump Test Data for Non Flowing Well         Duration of Pump Test (mine)         et Below Land Surface         Peet Below Land Surface         Pump Test Data for Flowing Water Level (B)	nimum 4 hours): hou : _1D Feet Below Land Surfac Gallons Per Minut :
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         Setting Depth:	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         is       Tractor PTO       Windmill       Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         is       Tractor PTO       Windmill       Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         is       Tractor PTO       Windmill       Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         is       Tractor PTO       Windmill       Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         as Tractor PTO Windmill Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         as Tractor PTO Windmill Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor:	Power Type (circle one)         is Tractor PTO Windmill Other (describe):	ber of Stages:
Electric Diesel Gasoline Natural Ga Horse Power Rating of Motor: 3/4 Date Well Tested: 10-20-14 Static Water Level (A): 10.3 Fee Drawdown [(B) - (A)]: 6 Method of measurement (circle one): 9 Measured shut in head: fee Well yielded 6PM with a Meter Manufacturer: 6 Well yielded 6PM with a Meter Model Number/Name: 7 Totalizer Register Unit and Multiplier Installation Date: 7 Is This Meter (circle one): New R Important: By submitting the above For agricult	Power Type (circle one)         as Tractor PTO Windmill Other (describe):	ber of Stages:

۰ ۲ ۲

BY:	OLWR