State W	ell Report	For Office Use Only:	
County: Licoln. Part 1-1	Part 1 - Driller's Log		
i viississiddi dedarimei	Mississippi Department of Environmental Quality Aquit		
remit	nd Water Resources Box 2309	Well #:	
	n, MS 39225	}	
Date drilling completed: 5-12-12. (601)	961- 5210	L. S. Elevation:	
(601)96	1- 5228 (fax)	E-log #:	
State Law requires that this report be prepared by the lic	ense holder responsible for i		
Department at the above address within 30 days of comp	pletion of drilling of the well	or borehole.	
Information on Well Owner	Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)	Latitude: 310 . 247, 35	2" Longitude: 80° 28', 242"	
Owner Name Corey Welch	Education of the second	Longitude. VO 20 111	
Owner Name Corey Welch Mailing Address: Overpass til.	Method of Lat/Long (circle or	ne): Conventional Survey,	
	USGS quad, Hand-held	GPS, Survey-grade GPS Twn SN Rng 7 E	
Bosech to MS City State Zip Code	98 145 W Sec_ 11_	Twn SN Rng 7E	
City State Zip Code	Distance Direction Miles	Nearest Town	
Telephone No. ()	Wines		
Well / Bore	hole Data		
Date drilling started: 5-17-12 Date drilling completed: 5-17		Hole diameter 5"	
Location of the source of any surface water used for drilling:			
Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water Well Geotechnical/Geole	ogical Investigation Ground	Source Heat Pump	
Seismic SurveyOther (describe))		
If drilling is not related to water well construction	n, skip the remainder of this blo	ock	
Purpose of Well (check one): HomeIndustrial Public Supply	IrrigationFish Culture	Other:	
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:feet above or below (circle one) la	and surface Date measured:_	5-17-12	
Method of Measurement (circle one) teel tage electric tape			
Well depth: 42 Well grouted to a depth of 10 feet Type	of grout (circle one): Noar Ceme	ent Bentonite Mix	
Casing length: 32 feet Casing diameter: 4"	_inches Type of casing:	Ou	
Screen length: 16 feet Screen diameter: 4 4	_inches Type of screen:	· c	
Screen slot size:inches	32 feet to 42	feet	
Type of completion (circle all applicable): Gravel packet Underr	eamed Telescoped Open i	nole Natural Development	
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tele	escoped or more than one scree	n, describe on next page	
		Form: OLWR-SWR-1A (04/08)	

RECEIVED

JUN 1 3 2012

BY: OLWR

The sketch	below	only	required	for	water	wells
I IIIC DIVICECTS	V44011	U i se y	/ Cupitor Cit	<u>, , , , , , , , , , , , , , , , , , , </u>	TV SECTI	THE CHANGE

If well telescopes,	show	depths	on	sketch.
Ground Level		-		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
cluy.	ð	10
Sand	10	20
Sind. Clay. Corse Sand	20	30
Corse Sand	30	42
		1

If more than one screen, show location of each on sketch

	A House	overpass tri	Huy51	
		1	S	

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

JUN 1 3 2012

BY: OLWR

Permit #: Driller: Translate Mississippi Departm Office of Lane Pump Installe Mississippi Departm Office of Lane P.(Jacks (60 Copy information from block on Part I	For Office Use Only: Part 2 r's Completion Report ent of Environmental Quality d and Water Resources D. Box 2309 eon, MS 39225 ell)961-5210 961-5228 (fax) Il contractor or a licensed pump installer. A copy of Part 1 of the et at the above address within 30 days of well completion. Well Location Latitude: 31 35.2 Longitude: 90 25 24.2
Mailing Address: Over pass + 1. Boye chi vus City State Zip Code Telephone No. ()	Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 5-17-12. Rated Pump Capacity: 12. Gallons Per Minute	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: 30 feet Number of Stages: 8
Pump Test Data Date Well Tested: Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Fape Other (specify): For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown ofhours of pumping
This is for (circle one): New Well Replacement of Ex I HEREBY CERTIFY that the above statements are true to the best Bold Folgon (). Org. Print Name of Pump Installer and License No. (if applicable)	

JUN 1 3 2012