Well or Borehole Location

County Co
Permit #:
Driller: Gary Rayborn
Date drilling completed: 22615

Well Owner Information

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

(601)360-0535 (fax)

For Office Use Only: Well #: \[\frac{108}{0} \]
Well #: Y 108
Aquifer:
E-Log #:

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

(Landowner if borehole is not for a water well)	Latitude: 31°24' 15.34 Longitude: 90°30'43.20"
Owner Name: _ Energy Drilling	Method of Lat/Long (check one): Conventional Survey,
	USGS_quad, Hand-held GPS, Survey-grade GPS
Natchez MS 39120 City State Zip Code	NE 14 NW 14, Sec 16 T 5N R 7E 3 Miles SW of Boque Chitto
Telephone No. (601) 446 -5259	(Distance) (Direction) (Nearest Town)
	Pehole Data 26 15 Hole depth: 115 Hole diameter: 4"
Method of dosing and volume of Chlorine used in drilling and	
Logs run (circle all applicable): No log run Electric Gamma	
Name of organization running log(s):	Ray Density Sonic Neutron Other:
	l/Geological Investigation Ground Source Heat Pump ''
	escribe)
If drilling is not related to water well con	struction, skip the remainder of this block
Purpose of Well (circle all applicable): Home Industrial	
Other (describe): RIG SUPPLY	
If a flowing well, method of flow regulation: Valve	
Static Water Level:55feet [above or below]	land surface Date measured: 2-26-15
Method of measurement (circle one): Steel tape (Electric tage	De Air line Other (describe):
Well depth: 115 Well grouted to a depth of: 10 fee	t Type of grout (circle one) Neat Cement Bentonite Mix
Casing length: 95 feet Casing diameter:	inches Type of casing: PVC
Screen length: 20 feet Screen diameter:	4 inches Type of screen: PVC
Screen slot size: O 2 O inches Setting depth: I	0.5
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet	MAR 1.9 10,15
If telescoped or more than on	e screen, describe on next page
	Form: OLWR-SWR-1A (4/13)

Salie Rile Rd Sw	Sogue Chitle Rd Redowner Name: A shing source of the Rd Redowner Name:
in locating the well scating the well scating the well scating the property and the well	Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid 3) any roads, power lines, or other frems that may aid in lo
	If more than one screen, show location of each on sketch
For Office Use Only: Well #: POSCription of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations Description of formations Encountered From (depth) To (depth) Description of Formations Encountered From (depth) To (depth) Description of Formations Encountered From (depth) To (depth) Clay Grayel School	County: Lincoln Permit #: The sketch below only required for water wells Ground Level

Date

SILLIE

I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations, if applicable, and state laws.

09-0

Print Name of Responsible Licensee and License No.

BYABOBN DBITTING' INC.

гапаомпет Иате:

Signature of Li(2152ee Form: OLWR-5WR-1A (4/13)

STATE WELL REPORT

LINCOLA County: Permit #: Driller: _ Date completed: Copy information from block on Part

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality

Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601) 360-0535 (fax)

For Office Use Only:
Well #: 108
Aquifer:

of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.
Well Owner Information Well Location
Owner Name: Energy Drilling, Inc Latitude: 31°24' 1534"Longitude: 90°30' 43.20"
Mailing Address: Method of Lat/Long (check one): Conventional Survey,
P.O. Box 905 USGS guad, Hand-held GPS, Survey-grade GPS
Natchez MS 39120 NE 1/4 NW 1/4, Sec 16 T 5N R 7E City State Zip Code 3 W S(1) Books Chitto
city state 210 code 1 3 using S(1) of Boave Chitto
Telephone No. (601) 446 -5259 (Distance) (Direction) (Nearest Town)
Pump Type (circle one)
Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe):
Date Pump Installed: 226115 Rated Pump Capacity: 60 Gallons Per Minute
Is This Pump (circle one): New Repaired Replacement
Power Type (circle one)
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):
Horse Power Rating of Motor: 5 Setting Depth: 105 feet Number of Stages: 13
Pump Test Data for Non Flowing Well
Date Well Tested: 2-26-15 Duration of Pump Test (minimum 4 hours):hours
Date Well Tested: 2-26-15 Duration of Pump Test (minimum 4 hours): hours Static Water Level (A): 55 Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): 55 Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: 60 Gallons Per Minute
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet.
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Serial Number:
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: Meter Serial Number: Type of Meter:
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: Meter Serial Number: Type of Meter: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: Type of Meter: Type of Meter: Installation Date: Meter installed by:

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. RAYBORN DRILLING, INC. Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump Installer