

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

P.O. Box 10631

Jackson, Mississippi 39209

WATER WELL DRILLERS LOG

COUNTY WELL LOCATED Lincoln	
WELL NUMBER 377032	CODED
P 2089	
DATE WELL COMPLETED 7-23-91	

PERMIT NUMBER 510
NAME OF DRILLING FIRM Easley Water Well
Brookhaven, MS 39601

NAME & MAILING ADDRESS OF LANDOWNER Ivy Butler		
WELL LOCATION: SEC	TOWNSHIP	RANGE
34	5 N	7 E
DISTANCE 4 1/2 Miles DIRECTION S of NEAREST TOWN BOGUE CHITTO		
OTHER LANDMARK		
WELL PURPOSE: Home Irrigation, Municipal, Industrial, Fish Pond, etc.		

PUMP DATA		
PUMP TYPE (Circle One): Submersible Turbine, Jet Flowing Well, Other (Describe) 1/2 HP		
POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe)		
Pump Capacity (GPM)	No. of Stages	Setting Depth
	9	FT.
PUMP TEST		
Well yielded _____ GPM with a drawdown of _____ ft. after _____ hours of pumping		

WELL DATA		
Well Depth 100'	Casing Diameter (In.) 4"	Casing Length (Ft.) 80'
Type of Casing PVC	Hole Depth 100'	Depth to Static Water Level
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development , Open Hole, Other (Describe)		
Top of Lap Pipe or Reduction in Casing		
FEET <input type="checkbox"/> IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE		

LOG DATA	
TYPE OF LOG RUN (Circle One): No Log Run Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 4"	Length - Feet 12'	Slot Size - Inches 012
Screen Type PVC	Depth to Bottom - Feet 100'	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued) FROM TO
CLAY	0'	20'	<div style="border: 2px solid black; padding: 10px; display: inline-block;"> RECEIVED JUN 26 1992 Dept. of Environmental Quality Bureau of Land & Water Resources </div>
FINE SAND	20'	80'	
COARSE SAND	80'	100'	

IF MORE SPACE IS NEEDED, USE BACK

