

MADISON

WATER WELL DRILLERS LOG

Date: 3/5, 1965, Driller: M^cKAY, County: MADISON
3-5-65 (Name)

- (1) Owner of Land: MR DEWEES (Name)
MADISON MISS (Address)
- (2) Location: 1/4, 1/4, Sec. T R
0 miles S.W. of MADISON (distance) (direction) (Nearest Town)
- (3) Topography: (Hilly) (Flat) (Level)
- (4) Purpose of Well: HOME (Domestic Irrigation, Municipal, Industrial, Other)

| Description & Color of Materials Sand, Clay, Red Clay, Shell, etc. | Thick- ness Feet | Depth Feet |
|---|------------------------|---------------|
| Red Clay | 0 | 10 |
| White Clay | 10 | 20 |
| Blue clay | 20 | 40 |
| Blue clay | 40 | 200 |
| Shale - Sand | 200 | 220 |
| Sandy Shale | 220 | 260 |
| Sandy Shale | 260 | 320 |
| Shale | 320 | 400 |
| Shale - Rock STRA | 400 | 420 |
| Shale | 420 | 500 |
| Sandy shale | 500 | 530 |
| Sand | 530 | 560 |
| Sandy Shale | 560 | 660 |
| Fine Sand | 660 | 680 |
| Med Sand | 680 | 745 |
| Shale | 745 | 760 |

Information upon completion of well:


- (1) Diameter: 4 X 2 inches.
- (2) Total Depth: 760 feet.
- (3) Water Level: 170 feet below top of ground.
- (4) Cased to: 420, Size: 4"
- (5) Screen: Size: 007, Length: 40
- (6) Were any formations sealed against pollution?
yes, no.

Set 40ft Slotted Screen at 740 with 2 1/2" Drop Pipe with Wash Valve on Bottom

If YES depth of formation
Why

Set 5HP Suck Turbine Pump Bearing at 710 ft Sittin

Drillers Remarks:



Well No.

1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900

1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911

1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922

1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933

1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944

1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955

1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966

1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977