	J State We	ell Report	Fan Office Has Only
County: Marion	Part 1 – Driller's Log		For Office Use Only:
Permit #: 0-586	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer:
Driller: JAMES WELLS	P.O. Box 2309		Well #: <u>13 13</u>
	Jackson, MS 39225 (601)961- 5210		L. S. Elevation:
Date drilling completed: 1-27-16		- 5228 (fax)	E-log #:
State Law requires that this repo	」 <i>ort be prepared by the lice</i>	nse holder responsible for	the work and filed with the
Department at the above addres.	s within 30 days of compl	etion of drilling of the well	or borehole.
Information on Well Owner (Landowner if borehole is not for a water well)			orehole Location
		Latitude: 31 :28 ; 59	" Longitude: 01 °76 '
Owner Name_ Deff Grey		At ON Method of Lat/Long (circle of	ne): Conventional Survey,
Mailing Address: 738 River Bend Rd.			GPS, Survey-grade GPS
		USUS quad, Hand-held	Lind 1013
Columbia: M5 39429		NW 1/2 Sec_ Twn Rng 900	
Columbia NIS 39929 City State Zip Code		NW 1/2017 1/2 Sec_3 Twn 40 Rng 19W SN 33 Nearest Town Distance Direction of Columbia	
			of <u>Columbia</u>
Telephone No. ()			
	Well / Boreh		N
Date drilling started: 1-27:10 Date dr	rilling completed 1-27-12	Hole depth:	Hole diameter: 7 1/2 "
Date drilling statted.	mining completed.		
Location of the source of any surface wat	er used for drilling:	an well	
	a second in diffing and develo	abact	
Method of dosing and volume of Chlorin	ne used in drilling and develo	pment: <u>\$nack</u>	
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log	ne used in drilling and develo T In Electric Gamma Ray	pment: <u>\$nack</u>	
Method of dosing and volume of Chlorin Logs run (circle all applicable):) to log to Name of organization running log(e).	ne used in drilling and develo n Electric Gamma Ray	pment: <u>Snock</u> Density Sonic Neutron	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable):) to log to Name of organization running log(e).	ne used in drilling and develo n Electric Gamma Ray	pment: <u>Snock</u> Density Sonic Neutron	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable):) to log to Name of organization running log(e). Purpose of borehole (check one): Water W	ne used in drilling and develo n Electric Gamma Ray Vell Ceotechnical/Geolog	pment: No.C Density Sonic Neutron gical Investigation Ground	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log A Name of organization running log(e). Purpose of borehole (check one): Water W Seismic If drilling is not related	ne used in drilling and develo n Electric Gamma Ray Vell Ceotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i>	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable):) to log to Name of organization running log(e). Purpose of borehole (check one): Water W Seismic If drilling is not related	ne used in drilling and develo n Electric Gamma Ray Vell Ceotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i>	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log M Name of organization running log(e). Purpose of borehole (check one): Water W Seismic <u>If drilling is not related</u> Purpose of Well (check one): Home	ne used in drilling and develo n Electric Gamma Ray Vell Ceotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log A Name of organization running log(e). Purpose of borehole (check one): Water W Seismic <i>If drilling is not related</i> Purpose of Well (check one): Home	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log A Name of organization running log(e). Purpose of borehole (check one): Water W Seismic <i>If drilling is not related</i> Purpose of Well (check one): Home	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log M Name of organization running log(e) Purpose of borehole (check one): Water W Seismic <i>If drilling is not related</i> Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply_ on: Valve Other bove or below (circle one) la	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): Volog A Name of organization running log(e). Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home	ne used in drilling and develo In Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other bove of below (circle one) la iteel tape electric tape	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): Volog A Name of organization running log(e). Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a Method of Measurement (circle one)s Well depth: Well grouted to a dependent of the second	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other bove or below (circle one) la iteel tape electric tape epth of D feet Type of	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): No log A Name of organization running log(e) Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a Method of Measurement (circle one)feet a Well depth:feet	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial (<i>describe</i>) <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well</i> <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well</i> <i>d to water well</i> <i>d to water well construction</i> <i>d to water well</i> <i>d to wate</i>	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log M Name of organization running log(e) Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a Method of Measurement (circle one) Well depth:feet Casi Screen length:feet Screen Screen length:feet Screen	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (describe) d to water well construction Industrial Public Supply_ on: Valve Other bove or below (circle one) la iteel tape electric tape epth of D feet Type of ing diameter: een diameter:	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log M Name of organization running log(e) Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a Method of Measurement (circle one) Well depth:feet Casi Screen length:feet Screen Screen length:feet Screen	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog Survey Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial Public Supply on: Valve Other (<i>describe</i>) <i>d to water well construction</i> Industrial (<i>describe</i>) <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well</i> <i>d to water well construction</i> <i>d to water well construction</i> <i>d to water well</i> <i>d to water well</i> <i>d to water well construction</i> <i>d to water well</i> <i>d to wate</i>	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log fu Name of organization running log(e) Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a Method of Measurement (circle one) Well depth:feet casi Screen length:feet Screen Screen slot size:feet Screen Screen slot size:feet inches	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog SurveyOther (describe) d to water well construction IndustrialPublic Supply on: ValveOther bove of below (circle one) la treel tape electric tape epth of <u>10</u> feet Type of ing diameter: <u>4</u> setting depth: From	pment:	Other:
Method of dosing and volume of Chlorin Logs run (circle all applicable): 16 log M Name of organization running log(e) Purpose of borehole (check one): Water W Seismic If drilling is not related Purpose of Well (check one): Home If a flowing well, method of flow regulation Static Water Level:feet a Method of Measurement (circle one) Well depth:feet Casi Screen length:feet Screen Screen length:feet Screen	ne used in drilling and develo n Electric Gamma Ray Vell Geotechnical/Geolog SurveyOther (describe) d to water well construction Industrial Public Supply_ on: ValveOther bove or below (circle one) la iteel tape electric tape epth of <u>ID</u> feet Type of ing diameter: <u>4</u> setting depth: From	pment:	Other:

FEB 1 1 2010 BY: OLWR

B73

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	ro (depth)
	Ground Level	
sand d grand	l	20 60
and diamet	20	60
	<u> </u>	
	<u> </u>	ļ
		-
	1	
	1	
		1
		1
		<u> </u>
		<u></u>
	1	<u> </u>
		<u> </u>
		1
		1
	+	1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) as y permanent structures on the property that usay aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

These

JAMES WELLS 0.586

WAD

Print Name of Responsible Licensee and Licensee No.

Separate of Licensee

FEB 1 1 2010 BY: OLWR

STATE WE	CLL REPORT
County: Image: County: Pump Installer's Permit #: Mississippi Departmen Driller: JAMES WELLS Office of Land a Date completed: 1-27.10 Jackson	the above address within 30 days of well completion. Well Location Latitude: Longitude: Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS NW 14 SW Ya Sec/JS T WW R/9W
City State Zip Code	Distance Direction ³³ Nearest Town _/O_Miles
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well Other (specify):	Windmill Other (specify): Horse Power Rating of Motor:
Pump Test Data	Method of Measuring Water Level
Date Well Tested: $1 - 27 - 10$ Static Water Level (A): 3 Feet Below Land Surface Pumping Water Level (B): 30 Feet Below Land Surface Drawdown [(B) - (A)]: 7 Feet Below Land Surface Test Pumping Rate: 8 Gallons Per Minute	Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown of feet afterhours of pumping
Duration of Pump Test (minimum 4 hours): 72 hours I HEREBY CERTIFY that the above statements are true to the best o TAMES VELLS 0-586 Print Name of Pump Installer and License No. (if applicable)	

•

FEB 1 1 2010

BY: OLWR