State Well Report				
· • • • • • • • • • • • • • • • • • • •	Driller's Log	For Office Use Only:		
Mississinni Denartmer	nt of Environmental Quality	Aquifer:		
D.O.	Office of Land and Water Resources P.O. Box 2309			
1 \	n, MS 39225	i		
Date desiling completed. No. 44.68 (601)!	961- 5210	L. S. Elevation:		
(601)96	1- 5228 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner		orehole Location		
(Landowner if borehole is not for a water well)	or a water well			
Owner Name Carolyn Forbes	Latitude: 31 ° 17 '216	" Longitude: <u>89 ° 54 ' 09 "</u>		
Mailing Address: 49 Need ham Lane	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Foxworth MS 39483	SW 1/SW 1/2 Sec 21			
City State Zip Code Distance Direction Nearest Town  5 Miles of Fox 400		Nearest Town		
elephone No. (601) 731 - 939 4		of toxuoth		
Well / Borehole Data				
		711 41		
Date drilling started: 10-24-08 Date drilling completed: 10-24-	Hole depth: 100	Hole diameter:		
Location of the source of any surface water used for drilling:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well X Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home X Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 10 feet above of below (circle one) land surface Date measured: 100408				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 176 Well grouted to a depth of 16 feet Type of grout (circle one) Neat Cement Bentonite Mix				
Casing length: 100 feet Casing diameter: 4 inches Type of casing: 500				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lan pine or reduction in casing: feet. If telescoped or more than one screen, describe on next page				

**RECEIVED** 

Form: OLWR-SWR-1A (04/08)

NOV 1 0 2008

BY: OLWR

NOV 1 0 2008

BY: OLWR

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

well telescopes, show depths on sketch.  Ground Level	Description of Formations Encountered	From (depth)	To (depth)
	100501	Ground Level	2
	clay		10
	sont	12	30
	clay	30	70
	Sand	74	190
·			
-			
			<u> </u>
į.			<u> </u>
ł			
			<del> </del>
1			<del> </del>
		<b></b>	<del> </del>
		<b></b>	
			<del> </del>
		<u> </u>	<del> </del>
			+
			-
		<u> </u>	1
If more than one screen, show location of each on sk	. •		
aid in locating the well; 3) any roads, powe 4) a north arrow.	the well location; 2) any permanent structures on the r lines, or other items that may aid in locating the pro	perty and the we	u,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the wel	u,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the wel	u,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	u,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	u,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	us
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	us,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	us,
aid in locating the well; 3) any roads, powe 4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	
4) a north arrow.	r lines, or other items that may aid in locating the pro	perty and the we	us,
4) a north arrow.	s lines, or other items that may aid in locating the pro	peny and the wes	
4) a north arrow.	s lines, or other items that may aid in locating the pro	e OLWR-SWR-	
downer Name: Carolyn For be	S	:: OLWR-SWR-I	A (04/08)
downer Name: Corolyn For be	S  Form  I, and completed in accordance with all applicable	: OLWR-SWR-i	A (04/08)
4) a north arrow.	S  Form  I, and completed in accordance with all applicable	: OLWR-SWR-i	A (04/08)
andowner Name: Corolyo For be extify that the well/borehole was drilled, constructed existsippi Department of Environmental Quality and	Form  I, and completed in accordance with all applicable the Mississippi Department of Health regulations	: OLWR-SWR-i	A (04/08)
downer Name: Corolyo For be tify that the well/borehole was drilled, constructed lssippi Department of Environmental Quality and AMES WEUS 0.586	Form  I, and completed in accordance with all applicable the Mississippi Department of Health regulations	: OLWR-SWR-I requirements of	A (04/08)
downer Name: Corolyo For be ify that the well/borehole was drilled, constructed ssippi Department of Environmental Quality and	Form I, and completed in accordance with all applicable the Mississippi Department of Health regulations	e: OLWR-SWR-I requirements of if applicable, a	A (04/08)

The sketch below only required for water wells

STATE WELL REPORT				
Pump Installer  Permit #:	Part 2  S's Completion Report ent of Environmental Quality I and Water Resources D. Box 2309 en, MS 39225 1)961-5210 161-5228 (fax)  Il contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.  Well Location			
Owner Name: Carolyn Forbes  Mailing Address: 49 Weedham have  Foxworth MS 39463  City State Zip Code  Telephone No. (601) 731-9394	Latitude:Longitude:			
Pump Type Circle one Air Lift Jet Submersible	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine  Centrifugal Rotary Flowing Well  Other (specify):  Date Pump Installed: 10-24-05  Rated Pump Capacity:Gallons Per Minute	Electric Motor Hand Tractor PTO  Windmill Other (specify):  Horse Power Rating of Motor:  Setting Depth: 30 feet  Number of Stages: 14			
Pump Test Data  Date Well Tested: 10-04-08  Static Water Level (A): 10 Feet Below Land Surface  Pumping Water Level (B): 30 Feet Below Land Surface  Drawdown [(B) - (A)]: 13 Feet Below Land Surface  Test Pumping Rate: Gallons Per Minute  Duration of Pump Test (minimum 4 hours): hours	Method of Measuring Water Level Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify):  For flowing well, measured shut in head:  Well yielded GPM with a drawdown of feet after hours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.  TAMES VELLS 0-586  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer  Form: OI WR-SWR-1B (04/08)				

Form: OLWR-SWR-1B (04/08)

RECEIVED

NOV 1 0 2008

BY: OLWR