State \	Well Report				
Maria a Part 1	Driller's Log	For Office Use Only:			
County,	ent of Environmental Quality	Aquifer:			
	and Water Resources	11 /			
	). Box 2309	Well #:			
odding the state of the state o	on, MS 39225	L. S. Elevation:			
	1)961- 5210 64 - 5238 (fax)				
(601)8	(601)961- 5228 (fax)				
State Law requires that this report be prepared by the l Department at the above address within 30 days of con	icense holder responsible for a apletion of drilling of the well	the work and filed with the or borehole.			
Information on Well Owner		rehole Location			
(Landowner if borehole is not for a water well)	7: 15 /19	50 110 17			
Owner Name Mike Felber	Latitude: 31 ° 15 ' 7 1	" Longitude: 89,40,17"			
OC C	Method of Lat/Long (circle or	ne): Conventional Survey,			
Mailing Address: 296 Enon Kd.	USGS quad, Hand-held	GPS, Survey-grade GPS			
	NE SE VA 36	- 4N/2 17W			
Columbia MS 39429	NE 1/5 5 1/8 Sec. 36	Iwn // Rig / -			
City State Zip Code	Distance Direction	Nearest Town			
	Distance Direction  12 Miles	of <u>Columbia</u>			
Telephone No. (601)736 - 7448					
	rehole Data	-1/ 11			
Date drilling started: 2.0-09 Date drilling completed: 21209 Hole depth: 155 Hole diameter: 7311					
Location of the source of any surface water used for drilling:					
Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable) No log run Electric Gamma Ra Name of organization running log(s):	y Density Sonic Neutron	Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
· ·					
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 50 feet above of below (circle one) land surface Date measured: 2-12-09					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 135 feet Casing diameter: 4 inches Type of casing: PVC					
Screen length: 20 feet Screen diameter: 4	inches Type of screen:	PVC			
Screen slot size:					

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

feet. If telescoped or more than one screen, describe on next page

Other (describe): \_

Top of lap pipe or reduction in casing: \_\_

Form: OLWR-SWR-1A (04/08)

**RECEIVED** 

MAR 0 9 2009

BY: OLWR

well telescopes, show depths on sketch. Ground Level	Description of	Formations Encountered		To (depth)
		+ psoil	Ground Level	95
		sand	90	133
				+
				<del> </del>
			<del> </del>	
If more than one screen, show location of each on sketch	1			
4) a north arrow.	es, or other items tha	And a residue of the second of the second	A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
4) a north arrow.				
Mika Eilhan				14 (04/02)
downer Name: MiKe Felber			n: OLWR-SWR-	
downer Name: Mike Felber	nd completed in acco	ordance with all applicable	n: OLWR-SWR- e requirements o	f the
lowner Name: Mike Felber  ify that the well/borehole was drilled, constructed, ar	nd completed in acco	ment of Health regulation	m: OLWR-SWR- e requirements o s, if applicable, a	f the
downer Name: Mike Felber  ify that the well/borehole was drilled, constructed, an ssippi Department of Environmental Quality and the HMFS WELLS 0.586	nd completed in acco	ordance with all applicable ment of Health regulation	m: OLWR-SWR- e requirements o s, if applicable, a	f the
	nd completed in acco	ment of Health regulation	m: OLWR-SWR- e requirements o s, if applicable, a	f the and state

## STATE WELL REPORT

Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality	For Office Use Only:		
Latitude:  Method of Lat/Long (check of USGS quad, Hand-held	Well #:		
Zip Code  Distance  Direction  12  Miles  C	Nearest Town		
	ower Type Circle one		
bmersible Diesel Engine Gasoli	ne Engine Natural Gas		
arbine Rectric Motor Hand	Tractor PTO		
lowing Well Windmill Other	(specify):		
Horse Power Rating of Motor	r:		
Setting Depth: 160	Setting Depth:feet		
llons Per Minute Number of Stages:			
	easuring Water Level		
Air Line Electric Mea Own Land Surface  Other (specify):	,		
low Land Surface For flowing well, measured something the following well, measured something wel	feetGPM with a drawdown ofhours of pumping		
ts are true to the best of my knowledge.	( - 1 A		
	P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)  a licensed water well contractor or a licensed pump is with the Department at the above address within 30 at the Depa		

MAR 0 9 2009

BY: OLWR