State W	ell Report	
· •	Oriller's Log	For Office Use Only:
Mississippi Departmer	Mississippi Department of Environmental Quality Office of Land and Water Resources	
	Box 2309	Well #:
	, MS 39225	L. S. Elevation:
	961- 5210 I- 5228 (fax)	
<u> </u>		E-log #:
State Law requires that this report be prepared by the lice Department at the above address within 30 days of comp		
Information on Well Owner	Well or Boro	ehole Location
(Landowner if borehole is not for a water well)	Latitude: 310. 13',30.1"	Longitude 80 58; 218"
Owner Name Tay Markers		89
Mailing Address: Tuylor Kar	Method of Lat/Long (circle one	-
,	USGS quad, Hand-held C	
takama mi	DW 45W 4 Sec 14	Twn SN VRng 12 =
City State Zip Code	Distance Direction	
Telephone No. ()	Miles of	
Well / Bore	hala Deta	
		ال د
Date drilling started: 12-12-11 Date drilling completed: 12-13	Hole depth: 1	Hole diameter:
Location of the source of any surface water used for drilling:		
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron O	ther:
Purpose of borehole (check one): Water Well_Geotechnical/Geole	ogical Investigation Ground S	Source Heat Pump
Seismic Survey Other (describe		
If drilling is not related to water well construction	n, skip th <mark>e remainder of this bloc</mark>	·k
Purpose of Well (check one): HomeIndustrial Public Supply	Irrigation Fish Culture	Other:
If a flowing well, method of flow regulation: Valve O	ther (describe)	
Static Water Level:feet above or below (circle one) i	and surface Date measured:	12-12-11
Method of Measurement (circle one) electric tape electric tape	air line other:	
Well depth: 115 Well grouted to a depth of 10 feet Type	of grout (circle one): Meat Cemer	nt Bentonite Mix
Casing length: 105 feet Casing diameter: 4"	_inches Type of casing:	er
Screen length:	_inches Type of screen:	le
Screen slot size:inches Setting depth: From	105 feet to 115	feet
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open h	ole Natural Development
Other (describe):		
Top of lap pipe or reduction in casing:feet. If tel	escoped or more than one screen	i, describe on next page
		Form: OLWR-SWR-1A (04/08)

RECEIVED
DEC 2 8 2011

BY: OLWR

The sketch	below	oniv	required	for	water	wells

If well telescopes, show depe	ihs on sketch.
A	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
clus.	0	40
cluj. Suhdi	20	40
(saul	40	60
clour	60	100
clay. Sand	Fo	115
	-	-
		-
		
	-	
		+

If more than one screen, show location of each on sketch

4) a north arrow.	e well; 3) any roads, power lines, or o	. 0	ewell-
			Ewell
	1	1 /	
		Huse	
	Tuylor Rd.		
	1-4		
	Kokomokdi		
	1		— E
W	Hew 88		4
andowner Name: Pam	Mallow 88		

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

DEC 2 8 2011

8.1. V. II. II. WY II.	LL REPORT	n og v
	nei 2	For Office Use Only:
	Completion Report	Aquifer:
ermit#: Mississippi Department	of Environmental Quality	Tun
	nd Water Resources	Well #:
Date completed: 12-12-11 Jackson,	, MS 39225	Elevation:
	961-5210	
Spy miorimized from block on Lart 2	1-5228 (fax)	
his part of the report must be completed by a licensed water well c	ontractor or a licensed pump	installer. A copy of Part 1 of the
eport must be attached and both parts filed with the Department at	The above gauress within 50 to	il Location
Well Owner Information	2.0 0/2	1/1 Longitude: 69 58 218
wher Name: Pan Mathein	Latitude: 5/0 13 30	Longitude: 20 218
failing Address: Tuylor Rd	Method of Lat/Long (check of	one): Conventional Survey,
lailing Address: 144 107		
	USGS quad, Hand-held	d GPS, Survey-grade GPS
totomo ms	1/41/4 Sec_	14 T 3N R 12E
City State Zip Code		
elephone No. ()	Distance Direction Miles	of
elephone No. ()		
	Р	ower Type
Pump Type Circle one		Circle one
Air Lift Jet Submersible	Diesel Engine Gasol	ine Engine Natural Gas
	Electric Motor Hand	Tractor PTO
Bucket Piston Turbine	Electric Motor	
Centrifugal Rotary Flowing Well	Windmill Othe	r (specify):
Other (specify):	Horse Power Rating of Moto	3/4
	Setting Depth: 90	feet
Date Pump Installed: 12-12-11		
Rated Pump Capacity:	Number of Stages:	
Pump Test Data	Method of R	leasuring Water Level
Date Well Tested:	Air Line Flectric M	Circle one Steel Tape
Static Water Level (A):Feet Below Land Surface		
	Other (specify):	
Pumping Water Level (B):Feet Below Land Surface		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured	shut in head:feet
	Well wielded	GPM with a drawdown of
Gallons Per Minute	,	
Test Pumping Rate:Gallons Per Minute	Sant after	rhours of pumping
	reet alte	
Test Pumping Rate:Ganons For Hamber Duration of Pump Test (minimum 4 hours):hours	ieet alte	
Duration of Pump Test (minimum 4 hours):hours		f Existing Pump
Duration of Pump Test (minimum 4 hours):hours		
Duration of Pump Test (minimum 4 hours):hours This is for (circle one): Replacement of E.	xisting Pump Repair o	
Duration of Pump Test (minimum 4 hours):hours This is for (circle one): Replacement of E.	xisting Pump Repair o	
Duration of Pump Test (minimum 4 hours):hours	xisting Pump Repair o	f Existing Pump