State Well Report				
County: Marion	Part 1	For Office Use Only:		
Mississippi Depa	rtment of Environmental Quality and and Water Resources	Aquifer: ————————————————————————————————————		
i i	P.O. Box 10631	Well #: (1)		
, ,	on, MS 39289-0631 (601)961-5210	L. S. Elevation:		
Bute drinking compresses	01)354-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.				
Well Owner Information	Wel	l Location		
Owner Name D-D Drilling, Inc	Latitude: 31 • 07 • 23	2" Longitude: <u>\$1.045,47</u> "		
Mailing Address: P.O. Box 1634	Method of Lat/Long (circle or	ne): Conventional Survey,		
	USGS quad, Hand-held	I GPS, Survey-grade GPS		
Ferriday, LA 71333 City State Zip Code	NE 14 SW 14 Sec 19	Twn 27 Rng 14E		
· · · · · · · · · · · · · · · · · · ·		Nearest Town of Columbia		
Telephone No. (318) 757 - 327 4	12 Miles 5 w	of <u>Columbia</u>		
	Well Data			
Purpose of Well (circle one) Home Industrial Public Su	pply Irrigation Fish Culture	Other: Rig Supply		
Date well drilling started: 2-17-06	Date well drilling completed:	2-17.06		
If flowing, method of flow regulation: ValveO				
Static Water Level:feet above of below circle	one) land surface Date measured:	2-17-06		
Method of Measurement (circle one) steel tape electric	c tape air line other:			
Hole depth: 60 Well depth: 60	Well grouted to a depth of _	/ Ofeet		
Type of grout (circle one): Cement Bentonite	Mix			
Casing length: 4" inches Type of casing: PVC				
Screen length: 20 feet Screen diameter: 4	inches Type of screen:	PUC		
Screen slot size: 1020 inches Setting depth: From 40 feet to 60 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):		<u> </u>		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Rayborn Prilling Inc 0-60				
Print Name of Water Well Contractor and License No. Signature of Water Well Contractor				

MAR 16 2006

BY: OLWR

Ground Level		
i		

Description of Formations Encountered	From	То
Clay	0	15
		
Sand	15	60
		
		
		-
	_	
		†
		↓
		<u> </u>
		
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.	
Store LEM Iron sate across From sto The y35 Forworthan Itany N Landowner Name:	11/e

Signature of Water Well Contractor

RECEIVED

MAR 16 2006

BY: OLWR

STATE WELL REPORT

Part 2

County: Marion

Permit #:

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Well #:	0-48	
Elevatio	n:	

Date completed: 2-17-06 Jackso	O. Box 10631 n, MS 39289-0631 601)961-5210)354-6938 (fax) Well #:		
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.			
Well Owner Information	Well Location		
Owner Name: D+D Drilling Inc	Latitude:Longitude:		
Mailing Address: P.O.Box 1634	Method of Lat/Long (circle one): Conventional Survey,		
Ferriday LA 71334 City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS 4 Sec 19 Twn 2N Rng 14 E		
Telephone No. (<u>318)</u> 757 - 3274	Distance Direction Nearest Town 12 Miles 5 w of Columbia		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 2-17-06	Setting Depth: 42 feet		
Rated Pump Capacity: Gallons Per Minute	Number of Stages: 19		
Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: 2-17-06 Static Water Level (A): 7 Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Cary Rayborn O-60 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer			

RECEIVED

MAR 16 2006

BY: OLWR