State W	ell Report
	art 1 For Office Use Only:
Mississippi Departmen	t of Environmental Quality Aquifer:
Permit #: Office of Land a	and Water Resources Sox 10631 Well #: 4-55
Drillari (TAVI) KALIDAVI	
1/0/5	1S 39289-0631 L. S. Elevation:
(601)35	4-6938 (fax) E-log #:
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed with the Department within
Well Owner Information	Well Location
Owner Name D+D Drilling Inc	Latitude: 31 ° 08 '04 " Longitude: 89 ° 49 ' 23 "
Mailing Address: P.O.Box 1634	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Ferriday, LA 71343 City State Zip Code	5E 14 Sec 18 Twn 2 N Rng/4E
	Distance Direction Nearest Town 8 Miles S of Foxworth
Telephone No. (3/8) 757 - 3274	Miles S of Poxwol Th
Well	Data
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other: Rig Supply
Date well drilling started: 1-9-2007 Date	well drilling completed: 1-9-2007
If flowing, method of flow regulation: Valve Other (c	describe)
Static Water Level: 10feet above (r below)(circle one)	
Method of Measurement (circle one) steel tape electric tape	air line other:
Hole depth: 45' Well depth: 45'	Well grouted to a depth offeet
Type of grout (circle one): Cement Bentonite Mix	O NECEIVED
Casing length: 25 feet Casing diameter: 4	1411 7 7 7007
Screen length: 20 feet Screen diameter: 4	inches Type of screen:
Screen slot size: .020 inches Setting depth: From	25 feet to 45 feet
Type of completion (circle all applicable): Gravel packed Under	rreamed Telescoped Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet. If to	elescoped or more than one screen, describe on back of page
Logs run (circle all applicable) No log run Electric Gamma Ray	Density Sonic Neutron Other:
Name of organization running log(s):	
I certify that the well was drilled, constructed, and completed in	
Department of Environmental Quality and/or the Mississippi Dep	partment of Health regulations and state laws.
RAYBORN DRILLING, INC. 0-60	
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor

If well telescopes	please	sketch	below	and	show	depths.
II WCII toloscopes	picasc	DILCCCTI	COLO	CLIAC		P

Q-55

Ground Leve	el		

Description of Formations Encountered	From	То
Chalk	0	5
Sand and Gravel	5	45

If more than one screen, show location of each on sketch

4) indicate di	rection.			fox we	1+4	RECEIVE
				for	. 08	LECEIVE
			~	1+4	170	JAN 2 2 200/
				Hwy	35	BY: OLW
				74		
			~ L		1.12	ver Rd
		S D		7	old Mi	ver ner
		cl	hurch Ad	,	l a X	
			201 16		mel	1
and the second				Gravel 3	2.	
				Vellow	1	
				Gate		

STATE WELL REPORT

Part 2

County: Marion Permit #: Driller: Garu Date completed: _______

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #:	

This report should be prepared by the pump installer in detai installation of pump.	l and filed with the Department within 30 days of the
Well Owner Information	Well Location
Owner Name: D+D Drilling, Inc	Latitude:Longitude:
Mailing Address: P-0, Box 1634	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Ferriday LA 71343 City State Zip Code	1414 Sec_18 Twn2N Rng 14E
City State Zip Code	Distance Direction Nearest Town
Telephone No. (318) 757 - 3274	8 Miles So of Foxworth
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specifý):	Horse Power Rating of Motor:5 # P
Date Pump Installed: 1-9-2007	Setting Depth: 45 RECEIVED
Rated Pump Capacity: 60 Gallons Per Minute	Number of Stages: JAN 2 2 2007
	BY: OLWO
Pump Test Data	Method of Measuring Water Level VV R
Date Well Tested: 1-9-2007	
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B):Feet Below Land Surface	Other (specify):
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: 60 Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping
I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge.	
Gary Rayborn 0-60	The	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	***************************************