	State We	ll Report	For Office Use Only:
County: Marion	Par		Aquifer:
Permit #:	Mississippi Department of Office of Land and	of Environmental Quality d Water Resources	Well #: 0 59
Driller: Gary Rayborn	P.O. Bo	x 10631 39289-0631	L. S. Elevation:
Date drilling completed: 3-30-07		51-5210	
	(601)354-	6938 (fax)	E-log #:
State Law requires that this rep 30 days of completion of drilling	ort be prepared by the d	riller in detail and filed w	ith the Department within
Well Owner Inform	ation	Well Location	
Owner Name D+D Dr. 1	ing, Inc	Latitude: <u>31 ° CS</u> ' 29	" Longitude: <u>89° 47, 50</u> "
Mailing Address: P.O. Box 1	034	Method of Lat/Long (circle or	ne): Conventional Survey,
Indining . Nadi 2001.		USGS quad, Hand-held	I GPS, Survey-grade GPS
Ferriday L	A 71334		Twn 2N Rng 14E
1 · · · ·	1	Distance Direction	Nearest Town of <u>Columbia</u>
Telephone No. (318) 757- 32		MilesOlath	of Columbia
	Well D		
1 appeter er e			Other: Rig Supply
Date well drilling started: <u>3-30-</u>			- 30-01
If flowing, method of flow regulation: V	alve Other (de	escribe)	2 20 00
Static Water Level:feet a	above or below (circle one) la	and surface Date measured	
Method of Measurement (circle one)	steel tape electric tape	air line other:	
Hole depth: 60 Well d	epth:	Well grouted to a depth of	feet
Type of grout (circle one): Cement	Bentonite Mix		RECEIVE
Casing length: <u>40</u> feet Ca	sing diameter: 4	inches Type of casing:	APR 27 m
Screen length: <u>20</u> feet Sc	reen diameter:	inches Type of screen:	BY. 01
Screen slot size: <u>020</u> inches	Setting depth: From _	feet to	
Type of completion (circle all applicable	): Gravel packed Under	reamed Telescoped Ope	en hole Natural Development
	Other (describe):		
Top of lap pipe or reduction in casing: _			
Logs run (circle all applicabled: No log	run) Electric Gamma Ray	Density Sonic Neutron	Other:
Name of organization running log(s): I certify that the well was drilled, cons	structed, and completed in a	accordance with all applicab	le requirements of the Mississippi
Department of Environmental Quality	and/or the Mississippi De	partment of Health regulatio	ns and state laws.
		N	
RAYBORN DRILLING, INC.	0-60	N N	
Print Name of Water Well Contractor and	nd License No.	Signatur	of Water Well Contractor


ţ

If well telescopes please sketch below and show depths.



und bite a topato		1	
	Description of Formations Encountered	From	То
	SAND	0	20
	PEA GRAVEL	20	60
			+
	· · · · · · · · · · · · · · · · · · ·		_

If more than one screen, show location of each on sketch



Signature of Water Well Contractor

	. <u>.                                   </u>		ELL REPORT Part 2	
County: Marion		Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources		For Office Use Only: Aquifer:
Permit #: Driller: <u>Gary</u> R	ayborn	P.O.	Box 10631 MS 39289-0631	weil #: 0 59
Date completed: $3 - 3$	0-07	(601)354-6938 (fax)		Elevation:
			ail and filed with the Departme	nt within 30 days of the
installation of pump. Well Owner Information			Well Location	
Owner Name: Dt D Drilling, Inc		Latitude: Longitude:		
Mailing Address: P.O. Box 1634		Method of Lat/Long (circle one): Conventional Survey,		
			USGS quad, Hand	d-held GPS, Survey-grade GPS
Ferriday LA 71334 City State Zip Code		<u>4 5ec 33 Twn 2 N Rng 14E</u>		
City	T <sub>State</sub>	e Zip Code	Distance Direction Nearest Town	
Telephone No. (318)	757-32	274	<u>14</u> Miles <u>5</u>	of Columbia
	Ритр Туре		P	ower Type
	Circle one		(	Circle one
Air Lift	Jet	Submersible	Diesel Engine Gasoli	ine Engine Natural Gas
Bucket	Piston	Turbine C	Electric Motor Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill Other	(specify):
Other (specify):			Horse Power Rating of Moto	т. <u>5 нр ссе</u>
Date Pump Installed: <u>3-30-07</u>		Horse Power Rating of Motor:		
Rated Pump Capacity:	75	Gallons Per Minute	Number of Stages:	IH BY: OL RECEIV Leasuring Water Level CE/V Circle one APR 2.7 20
			Mothod of M	REAL
	Pump Test Da			Circle one APP 2
Date Well Tested: <u>3-30-07</u> Static Water Level (A): <u>15</u> Feet Below Land Surface		Air Line Electric Me	easuring Ling Steel Taped	
			Other (specify):	
Pumping Water Level (	B):Fe	eet Below Land Surface		
Drawdown [(B) - (A)]:Feet Below Land Surface		For flowing well, measured shut in head:feet		
Test Pumping Rate:	<u>75</u>	Gallons Per Minute	Well yielded	GPM with a drawdown of
Duration of Pump Test	(minimum 4 hou	rs):hours	feet after	hours of pumpin
		tements are true to the bes		

.